

1997

SURVEY REPORT
ON ARTISTS & ACTIVITIES

·

MINISTRY OF CULTURAL & SPORTS · KOREA CULTURAL POLICY INSTITUTE

「

」

1997. 12

:
: (,)
: (,)
: (,)
: ()
: ()
:

	ix
·	1
1.	1
2.	3
3.	12
4.	20
·	24
1.	24
2.	27
3.	30
4.	32
5.	35
6.	38
7.	41
8.	44
9.	47
10.	50
11.	53
III.	가	55
1.	56
2.	60
3.	가	68
4.	가	73

IV.	78
1.	79
2.	82
3.	85
4.	89
5.	93
V.	97
1.	97
2.	103
3.	106
4.	107
5.	110
6.	113
	115
1	118
2	138
(English Abstract)	260

< 1.1>		20
< 1.2>		21
< 1.3>		22
< 1.4>		22
< 1.5>		23
< 1.6>		23
< 2.1>		24
< 2.2>		25
< 2.3>		25
< 2.4>	1	26
< 2.5>		26
< 2.6>		27
< 2.7>		28
< 2.8>		28
< 2.9>	1	29
< 2.10>		29
< 2.11>		30
< 2.12>		31
< 2.13>		31
< 2.14>	1	31
< 2.15>		32
< 2.16>		33
< 2.17>		33
< 2.18>		34
< 2.19>	1	34
< 2.20>		35
< 2.21>		36
< 2.22>		36
< 2.23>		37

< 2.24>	1	37
< 2.25>		38
< 2.26>		39
< 2.27>		39
< 2.28>		40
< 2.29>	1	40
< 2.30>		41
< 2.31>		42
< 2.32>		42
< 2.33>		43
< 2.34>	1	43
< 2.35>		44
< 2.36>		45
< 2.37>		45
< 2.38>		46
< 2.39>	1	46
< 2.40>		47
< 2.41>		47
< 2.42>		48
< 2.43>		48
< 2.44>	1	49
< 2.45>		49
< 2.46>		50
< 2.47>		51
< 2.48>		51
< 2.49>	1	52
< 2.50>		52
< 2.51>		53
< 3.1>		57
< 3.2>		57
< 3.3>		58
< 3.4>		58

< 3.5>		58
< 3.6>		59
< 3.7>		가	61
< 3.8>		가	62
< 3.9>		가	63
< 3.10>	가	64
< 3.11>	가	65
< 3.12>		66
< 3.13>		66
< 3.14>		67
< 3.15>		68
< 3.16>	가	69
< 3.17>	가	70
< 3.18>		가	70
< 3.19>		71
< 3.20>		가 ..	72
< 3.21>		72
< 3.22>		73
< 3.23>		가	73
< 3.24>		가	75
< 3.25>	가	76
< 4.1>		80
< 4.2>		80
< 4.3>		81
< 4.4>		82
< 4.5>		83
< 4.6>		84
< 4.7>	가	: ..	84
< 4.8>		86
< 4.9>		87
< 4.10>		가	87
< 4.11>		:	88

< 4.12>		89
< 4.13>		90
< 4.14>		91
< 4.15>		91
< 4.16>		92
< 4.17>		94
< 4.18>		94
< 4.19>	가	94
< 4.20>		95
< 4.21>		...	96
< 5.1>		97
< 5.2>		98
< 5.3>	/	99
< 5.4>	100
< 5.5>		101
< 5.6>	/	102
< 5.7>		104
< 5.8>		105
< 5.9>	106
< 5.10>	107
< 5.11>		108
< 5.12>		109
< 5.13>		111
< 5.14>		112
< 5.15>		112
< 5.16>		113
< 5.17>		113
< 5.18>		114

I. :

가
 . . . ,
 .
 가 1,500 가
 「 」 3
 .
 . ,
 가 , , 가
 , 가,
 가
 , 가
 가 가
 가 가 가
 가 가 가
 , , ,
 가 가 가
 가 가
 . ,
 ,
 2,000 「 」 10
 2

27.6%

2.8

:

가

40.4%

12- 14%

16.2%

44.6%

38.6%가

7.2%

23

1

16

53.7%

3.7

:

82.5%가

, 70.8%가

, 14.0%

18

가

가

20.0%

2.5

:

가

74.0%가

, 3

2가

27

가

/

19.2%가

2.4 .

: , , ,

(71.0%) 20% 가

19.3% .

가 ‘ ’

. 20

가 , , .

27.1% 4.2 .

: 가 (20.5%) (18.5%),

(17.1%), (14.4%), (13.7%), (8.2%) .

, , 16-22% ,

가 15.8% 15%가 가

21 가

가 30% . 37.6%가

4 .

: 58.3% 가 20.8%, /

6.3% .

21.5%, 가 16.7% . 15 , ,

. ()

. 1 3-4

2 . 24.3%가

3.4 () .

: 가 가 59.3%

가 18.6% 17.9% .

37.9%, 가 22.9%, 17.9%, 6.4%
17 . 2
가
. 1 .
(39.0%) 4 .
:
7.5% . 30
가 . () 가 가
, 18.5%
3.4 .
:
43.6% 가 , 가 12.8%, 가 7.7%
, , 20% ,
가 30% .
18 가 . () 가
가 가 . 가
9.5% 4.0
가 .
:
(90.9%)
. 6
, , 가 ,
10%가 .

III. 가

가

가,

가가

가

가

가

가

가

가가

가

가

가

가

가

, 가

V. ,

5 ,

.

가

.

가

,

.

, ()

가

가

, , , ,

, , , , ,

, , ,

.

90%

40.0%

6-17%

(95.5%), (86.4%), (80.8%), (77.1%), (51.1%)

22.9%

, ,

10%

53.4%

,

57.4% 53.4%

가

55%가

60%가

41.1%

49.2%

69.6%

78.2% .

81.2% ,

가 .

18.3% .

(47.9%) (35.1%), (26.6%), (22.4%)

, (3.4%), (6.3%), (8.3%), (9.2%)

10% 가

13 , 가 39 . 2-3

, ‘ 가 35.2%, ‘ 가 19.0% 54.2%

. 32.6%

(80.0%), (78.3%) , (93.5%), (84.9%),

50%

(71.3%), (53.9%), (49.0%), (49.0%)

85% 가

가 (99.4%) (93.2%)

(63.4%), (75.2%) (77.7%)

. 가, , 가

62.5%

가 가 33.9% 가/ /

22.0% 20.1%

가 (84.3%), (69.8%), (63.8%)

. , ‘

‘가 32.3%, ‘ 가 27.0% 60%

20%가

(84.3%), (80.0%), (77.1%), (71.0%), (68.5%), (57.4%),

(50.3%) 가 50%

(46.5%) (30.5%) .

2-3

가 가

(388), (217 133

) (29), (41), (55), (56), (60)

가 (576), (279), (255),

(210) 200 가

669 259

가 210

(75), (72), (52)

, (78.9%) (69.6%)

가 354 가

가 , (153), (130)

가 가 가 (507), 80 - 120

(158)

가 (0.7%), (17.6%) (17.4%), (17.2%)

, 80-90%

2). 「 」

1988 1 1994 3

가 . 1

3

가 가

. 2

, 가 ,

가

3

가

,

,

,

. 2

1994 가

가

.

1

3

가

“

가

?”

가

가

“

가

?”

가

가

1

3

가 가

가

가

. 가

가

가

가

. 1988

1

34,704

3,000

(2,000 가

1,000)

1,873

1998, 1991, 1994 1997

		○:		×:	
		1988	1991	1994	1997
		1	2	3	4
1.					
(1)		○	○	○	○
(2)		○	○	○	○
(3)		○	○	○	○
(4)		○	○	○	○
(5)		○	○	○	○
(6)		×	○	○	○
(7)	가	○	×	×	×
2.					
(1)	가	○	○	○	○
(2)	가	○	○	○	○
(3)		○	○	○	○
(4)		○	○	○	○
(5)		○	○	○	○
(6)	가	×	×	○	○
(7)		×	×	○	×
(8)		×	×	○	○
(9)		×	×	○	○
(10)		×	×	○	×
(11)		×	×	○	×
(12)		○	×	○	×
(13)		○	×	×	×
(14)		○	×	×	×
(15)		×	×	×	○
3.					
(1)		○	○	○	○
(2)		○	○	○	×
(3)		○	○	○	○
(4)		×	×	×	○
4.					
(1)		○	○	○	○
(2)		×	×	×	○
(3)		×	×	○	○
(4)		×	×	×	○
(5)		○	○	○	○
(6)		○	○	○	○
(7)		×	×	×	○
(8)		×	×	×	○
(9)		×	×	×	○
(10)		○	○	○	○
5.					
(1)		○	○	○	○
(2)		○	○	○	○
(3)		○	×	×	×
(4)	가	○	×	×	×
(5)		○	×	×	○
(6)		×	○	○	○
(7)	/	○	○	○	○
(8)		○	○	○	○
(9)		○	○	○	○
(10)		○	○	×	×
(11)		○	○	○	○
6.		×	×	×	○

가 , , 가
가

가

가 . 1991 2 「 (「 」)
) 10 (, , 가 , 가 ,
, , , , ,) 44,726
가 (36%)
10% 1
3,140 1,953

1991 2

가 . 1994 3
10 가 가 가
가 가 가
. 1994 가

: 1994 3 「 」 10 106,124
「 」(「 」) 9 1,800
107,924 . 3 1991 2 2.7
가 1992 1995
「 」 (10,989
79,782 가) 1997 「 」
17,730
1991 가

가 「 」 가 「 」 가

10:1 : 「 」 10 「 」 9

「 」 68% 10% 1994

가 . 1.7% 「 」 가
(10%)
가
「 」 가
가 가 . 3

가 2,000 1,914
[1 : 2,200 (710), 2 : 1,000 (350), 3 : 1,500 (650
, 4 : 800 (250)] 가

: 1994
(,) . 1991
1994 가 . 가
가 1991 79.1% 1994
41.8% 35.2% 55.7% 가
가
1991 40.2% 1994 79.4% 가

1994 , 2/3가 3/4 가
가 . 가 ,
, 2/3가 , 100 200
, 가 70%
가

(4)

가

3.

1)

가

가

가, ‘

(gatekeeper),

가,

가

가

가

가

가,

가

가가

가,

가

가

가,

가
가

가

가

가

가

가

가

가 가 가 가 가 가 가 ,

, 가 가 가

가 , ‘ ;
가

가 가 가 가 가 가 가

가 가 가 가 가 가 가 가 가

가 가 가 가 가

3)

가

가

가

(1

)

1997 6 21 22

(pre-test)

₩

14

5

2

1997 8

1

960

45 ,

644

(105

, 72 , 92 , 65 , 54 , 19 , 46 , 39 ,

26 , 51 , 37 , 38)

55

가

8

12

75%

1,500
가

가

3.500
2

가

9 9

< 1.1>

, , ,

, ,

가

()

가
가

가

‘ ,

, ,

가

가

< 1.2> 가 (56.3),
 가 (55.3), 가(51.8), 가(50.6), (50.3)
 (35.5), (38.6), (41.0), (46.0),
 (47.2)

가 가
 가 (, ,)
 가 가
 가 40 70% 50 6.4%
 50 20%

< 1.2>

%()

30	-	3.6	.6	-	8.4	5.5	25.0	25.7	.8	17.9	8.1
30-39	3.3	27.9	14.1	6.5	20.3	26.0	35.4	44.3	10.7	30.8	21.2
40-49	20.9	30.9	39.4	37.7	22.4	32.9	18.8	23.6	22.1	27.4	27.8
50-59	44.0	22.4	25.3	37.7	18.2	21.9	16.7	5.0	33.6	15.4	24.7
60	31.9	15.2	20.6	18.2	30.8	13.7	4.2	1.4	32.8	8.5	18.2
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	(182)	(165)	(170)	(154)	(143)	(146)	(144)	(140)	(131)	(117)	(1492)
	56.3	47.2	50.6	51.8	50.3	46.0	38.6	35.5	55.3	41.0	47.6

(16), (113), (115), (172), (228), (260),
 (458), (1371), (2027), (16757)
 가 가 가
 가 가 ,

< 1.3> % ()

69.6	63.3	95.3	99.4	53.1	53.4	72.2	13.6	93.2	82.1	69.8
30.4	36.7	4.7	.6	46.9	46.6	27.8	86.4	6.8	17.9	30.2
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(184)	(166)	(171)	(154)	(145)	(146)	(144)	(140)	(133)	(117)	(1500)

< 1.4> 가
 가
 가
 (55.5%, 17.8%, 7.5%)
 (15.3%, 가 9.7%,
 43.1%)
 가 가

< 1.4> % ()

29.9	30.9	37.1	31.4	22.9	18.5	52.4	27.1	28.2	33.3	31.2
7.1	4.2	1.2	2.0	8.3	-	.7	-	.8	-	2.6
25.5	22.4	20.0	30.1	15.3	55.5	25.9	29.3	32.1	23.9	27.8
14.7	20.0	15.9	13.1	9.7	17.8	6.3	20.7	14.5	12.8	14.7
19.6	21.8	25.3	22.2	43.1	7.5	13.3	21.4	23.7	29.9	22.6
3.3	.6	.6	1.3	.7	.7	1.4	1.4	.8		1.1
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(184)	(165)	(170)	(153)	(144)	(146)	(143)	(140)	(131)	(117)	(1493)

1/3

가

< 1.5>

%()

45.7	69.3	54.4	76.6	41.0	84.2	70.1	87.1	71.0	70.1	66.2
54.3	30.7	45.6	23.4	59.0	15.8	29.9	12.9	29.0	29.9	33.8
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(184)	(166)	(169)	(154)	(144)	(146)	(144)	(140)	(131)	(117)	(1495)

가
 가 (95.3% 89.6%)가
 , , , , 50-60%가
 , ,
 70-80%가
 .

< 1.6>

%()

50.5	47.6	28.1	61.7	20.7	45.5	39.6	52.9	92.2	38.5	47.2
17.4	27.7	29.8	27.9	31.0	13.8	13.9	16.7	3.1	27.4	21.2
32.1	24.7	42.1	10.4	48.3	40.7	46.5	30.4	4.7	34.2	31.6
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(184)	(166)	(171)	(154)	(145)	(145)	(144)	(138)	(128)	(117)	(1492)

:

() , 3 2 (69%)

13%

80%

가

(53.3%).

< 2.2>

	24	13.0
	22	12.0
/	94	51.1
/	33	17.9
	11	6.0
	184	100.0

:

-30 ' 27.7%

23

, '5

'30

'20

25%

< 2.3>

5	1	.5
5-9	39	21.2
10-19	42	22.8
20-29	51	27.7
30-39	29	15.8
40	17	9.2
	179	100.0

1

:

20%

1

(145)

45

가

(42

1

25)

/

(24

1

3.6)

/

(8

1 2) 가 . 1

< 2.4> 1 / ()

	/	/	/	/
	69.9 (15)	1.5 (2)	2.4 (9)	2.0 (3)
	22.4 (70)	4.1 (16)	1.7 (23)	2.3 (4)
	20.3 (16)	3.3 (3)	3.5 (4)	-
	13.0 (26)	5.0 (1)	1.0 (2)	1.0 (1)
	13.1 (13)	2.0 (1)	2.0 (3)	-
/	14.0 (2)	2.0 (1)	1.0 (1)	-

: 183

. 1 , , ,

< 2.5> / ()

	/	/	/	/
	49.3 (23)	10.0 (6)	13.2 (21)	9.2 (6)
	233.0 (74)	19.9 (27)	5.5 (64)	6.2 (21)
	241.2 (14)	7.5 (6)	2.4 (16)	1.5 (2)
	125.1 (26)	30.0 (1)	2.7 (17)	4.5 (4)
	184.3 (13)	6.0 (2)	7.0 (12)	3.0 (1)
/	46.7 (3)	23.0 (1)	7.3 (3)	2.0 (1)
/	20.0 (1)	30.0 (1)	-	-

: 1

30% (52)가 1 9 17.5% (32) 15
5% 가

(17 1 5), / (19 1 3.5) .

:

, 27.6%가
 2.8 . ,
 (35.7%) (24.0%) , ,
 (正) .

2.

: 165
 , 가 40.4% 가 , , 가 12-15%
 , , 10%

< 2.6 >

21	12.7
67	40.4
12	7.2
23	13.9
24	14.5
4	2.4
11	6.6
3	1.8
165	100.0

:

() , 가 44.6%가
 38.6%가
 7.2% .
 , (50%).

< 2.7>

	74	44.6
	12	7.2
	64	38.6
	4	2.4
	11	6.6
	165	100.0

:

-20 ' 38.6% , 23 '5 ' 2.4% , '30 ' '10 20%

(70-75%), 20
(40-45%)

< 2.8>

5	4	2.4
5-9	13	7.8
10-19	64	38.6
20-29	45	27.1
30-39	20	12.0
40	14	8.4
	160	100.0

1 : 1 16
가 , 가
가 5-7 가 1 1
(10 1 1) /

< 2.9>

1

/ / / ()

					/	/
25.1 (13)	1.4 (5)	6.5 (15)	1.0 (1)	-		
13.8 (42)	1.3 (20)	5.0 (49)	1.0 (1)	1.0 (1)		
14.6 (5)	1.3 (4)	7.8 (10)	1.0 (1)	-		
11.3 (15)	1.0 (4)	4.6 (19)	1.0 (3)	-		
23.2 (17)	1.0 (1)	5.3 (20)	1.0 (1)	2.0 (1)		
13.3 (3)	1.0 (2)	9.8 (4)	-	-		
7.8 (8)	1.0 (1)	6.0 (7)	1.3 (3)	1.0 (1)		

: 164

. 1 , , , ,
 ,
 가 1
 . /

< 2.10>

/ / / ()

					/	/
228.9 (17)	4.5 (19)	102.1 (19)	4.4 (11)	1.3 (3)		
158.8 (54)	6.4 (43)	56.5 (59)	2.6 (15)	1.4 (8)		
101.0 (8)	4.5 (6)	72.6 (10)	1.0 (6)	6.0 (1)		
95.9 (17)	2.8 (11)	58.2 (20)	2.4 (10)	1.0 (1)		
163.2 (19)	1.4 (7)	38.3 (22)	1.0 (2)	5.4 (5)		
108.3 (3)	5.7 (3)	61.7 (3)	-	-		
73.6 (8)	5.5 (2)	98.3 (7)	4.7 (7)	2.0 (3)		

: 1

, 가
 6 (1 3.3) , 3-4 가

: , 53.7%가
3.7 . ,

3.

: 170 가 82.5% 가
(6.4%) (5.3%)
10% 가 가
“ ” ‘ ’ 가 가 .

< 2.11>

141	82.5
9	5.3
11	6.4
9	5.3
170	100.0

: () , 3 2 70.8%가

14.0%

8.2%

(33% - 55%).

< 2.12>

	121	70.8
	3	1.8
	24	14.0
	14	8.2
	9	5.3
	171	100.0

: 18 , '10 -20 , 46.8%
 '5 ' 2.9% '30 ' 10%가 .

< 2.13>

5	5	2.9
5-9	24	14.0
10-19	80	46.8
20-29	41	24.0
30-40	10	5.8
40	8	4.7
	168	100.0

1 : 171 1
 . 1 / 3 .
 . /

< 2.14>

	1				/ / / ()
	/		/	/	
12.5 (59)	2.4 (5)	3.6 (98)	5.5 (2)	1.0 (2)	
12.0 (1)	-	1.5 (4)	-	-	
14.6 (5)	-	2.0 (7)	1.5 (2)	-	

: 171

. 1

()

가

< 2.15>

/ / / ()

122.2	(89)	2.7	(35)	29.1	(122)
283.8	(5)	5.0	(2)	14.9	(7)
125.8	(5)	4.8	(4)	24.4	(8)
				18.0	(3)
				55.8	(11)
				1.0	(1)
				2.0	(1)
				20.0	(2)
				-	

:

1

, 가

42 (25%; 1 11.5) ,

13 (15), 9 (21)

:

20%가

2.5

(正)

500

가

4.

:

154

가 74.0% 가
10%

< 2.16>

	114	74.0
	5	3.2
	6	3.9
	4	2.6
	1	.6
	13	8.4
/	1	.6
	10	6.5
	154	100.0

:

() , 3 2가

16.9%

< 2.17>

	26	16.9
	2	1.3
	6	3.9
	103	66.9
	17	11.0
	154	100.0

:

-30 ' 34.4% 27 ' '20
1.9% '40 ' 10% '10 -20 ' 30.5% '5 '

< 2.18 >

5	3	1.9
5-9	2	1.3
10-19	47	30.5
20-29	53	34.4
30-40	31	20.1
40	11	7.1
	147	100.0

1 : 154 1

1

1

1 (1996.7-97.6)

< 2.19 >

1

/ / / ()

4.7 (59)	-	1.6 (12)	3.2 (21)	1.5 (8)
5.0 (2)	-	-	-	-
5.0 (1)	-	-	2.0 (1)	-
1.0 (1)	-	-	2.0 (3)	-
-	-	-	1.0 (1)	-
2.0 (5)	-	-	2.4 (7)	1.5 (4)
/	-	-	-	-

: 154

. 1

가 . /

< 2.20>

						/ / / ()
						/ /
37.0 (79)	1.3 (3)	4.4 (33)	9.3 (39)	2.2 (21)		
67.7 (3)	-	11.0 (3)	2.0 (2)	-		
-	-	3.0 (1)	6.0 (1)	2.0 (2)		
9.3 (4)	3.0 (1)	2.0 (2)	53.3 (3)	3.5 (2)		
-	-	-	15.0 (1)	-		
22.4 (7)	3.0 (1)	4.0 (3)	37.6 (10)	6.4 (11)		
/	-	-	2.0 (1)	-		

: 1
,

. 가

17 (1 2.7) ,
3-4 .

: , 19.2% 가
2.4 .

5.

: 145 , , ,

가

10% .

< 2.21>

	32	22.1
	24	16.6
가	5	3.4
	25	17.2
	34	23.4
	1	.7
	3	2.1
	13	9.0
	7	4.8
	144	100.0

:

가 () 가 가
 . 가 36.6%
 가 15% - 20% .
 가 .
 , 가
 (37.5%) , 가
 (8.8%).

< 2.22>

가	29	20.0
	4	2.8
	22	15.2
	53	36.6
	6	4.1
	28	19.3
	142	100.0

:

‘5 - 10 ’ 22.1% 20 ,
 ‘10 - 20 ’ 20.7% .

(17.9%), '30 , '5 , 20% , 가 30 , 가 5

< 2.23>

5	26	17.9
5-9	32	22.1
10-19	30	20.7
20-29	22	15.2
30-39	15	10.3
40	11	7.6
	136	100.0

1 : 1

가 () 가 () 가

< 2.24>

1

/ / ()

	3.9 (8)	1.3 (4)	7.4 (14)	-	1.0 (2)
	14.6 (11)	40.5 (4)	18.6 (14)	1.0 (2)	-
가	175.0 (1)	10.5 (2)	13.7 (3)	-	-
	11.2 (5)	1.0 (2)	17.4 (8)	2.0 (1)	-
	31.6 (5)	-	10.9 (20)	-	-
	-	-	-	-	-
	4.0 (1)	1.0 (1)	5.0 (3)	-	-
	16.3 (4)	2.0 (5)	11.1 (8)	-	-

20.5% 가 , , , , , .
 . , 5% .

< 2.26 >

	30	20.5
	27	18.5
	25	17.1
	20	13.7
	1	.7
	2	1.4
	12	8.2
	21	14.4
	4	2.7
	4	2.7
	146	100.0

:

() 가
 . 가 22.6% 가
 15.8% . 15% 가 20% , 가
 (40.0%) (35.0%) (33.3%), (42.9%), (54.5%)
 가 .

< 2.27 >

가	23	15.8
	23	15.8
	33	22.6
	30	20.5
	24	16.4
	12	8.2
	145	100.0

:
 , 21 ,
 '20 -30 ' 32.9% '10 -20 ' 26.7%
 . '5 ' 2% , '30 ' 25% 가
 가
 (20-44%), / 20
 (75%) .

< 2.28>

5	2	1.4
5-9	18	12.3
10-19	39	26.7
20-29	48	32.9
30-40	24	16.4
40	12	8.2
	143	100.0

1 : 1
 . 1
 , , ,
 . /

< 2.29>

		1		/ / ()	
				/ /	
2.0	(7)	5.0	(6)	7.8	(19)
1.0	(2)	-	-	1.0	(2)
2.5	(2)	2.8	(5)	8.5	(13)
2.0	(2)	-	-	2.0	(2)
38.0	(4)	3.0	(6)	24.6	(17)
-	-	-	-	-	-
2.7	(3)	1.5	(4)	5.6	(14)
-	-	-	-	-	-
-	-	-	-	2.0	(2)
9.7	(3)	4.5	(2)	7.4	(11)
1.0	(1)	-	-	1.0	(1)
6.1	(13)	1.0	(2)	2.8	(12)
1.3	(3)	-	-	1.3	(3)
/	5.0	(1)	-	-	-
				12.5	(2)
				1.0	(2)

: 146

. 1

/

< 2.30>

/ / ()

						/	/		
45.0	(7)	6.0	(19)	70.0	(26)	2.6	(9)	1.0	(2)
5.3	(3)	11.4	(15)	85.9	(17)	3.3	(7)	3.0	(3)
388.6	(5)	44.0	(11)	234.1	(20)	4.5	(4)	1.5	(2)
17.3	(7)	5.4	(9)	63.9	(16)	2.0	(5)	2.5	(4)
-		-		-		-		-	
16.0	(1)	-		28.0	(2)	-		-	
27.3	(3)	17.0	(3)	47.9	(12)	2.0	(3)	2.0	(2)
41.2	(17)	3.3	(9)	17.7	(18)	6.6	(8)	4.4	(9)
/	100.0	(1)	1.0	(1)	-	100.0	(1)	1.0	(2)

: 1

,

30% (40)가

. 가 가

가 가

16

3

4-5 (3-4%)

:

37.6%가

4

7.

:

144

60% 가

20.8%, / 6.3%

< 2.31 >

	30	20.8
	84	58.3
	9	6.3
	6	4.2
/	9	6.3
/	2	1.4
	4	2.8
	144	100.0

:

() ,

21.5%, 가 16.7%

(66.7%)

< 2.32 >

	71	49.3
	24	16.7
	31	21.5
	3	2.1
	15	10.4
	144	100.0

:

, 15 , ,

‘10 -20 ’ 34.7% , ‘10 ’ 32.6%

‘40 ’ 2.8%

, ‘10 ’

(56.7% 66.7%), /

< 2.33>

5	17	11.8
5-9	30	20.8
10-19	50	34.7
20-29	35	24.3
30-40	8	5.6
40	4	2.8
	144	100.0

1 : 144 1
 . 1 3-4
 . / 4 1-2
 가 .

< 2.34> 1 / ()

	()	/	/
	3.4 (23)	1.0 (1)	1.0 (1)
	3.3 (62)	2.0 (1)	-
	4.5 (6)	-	-
	2.0 (5)	-	2.0 (1)
/	3.6 (7)	-	-
/	-	-	-

: 144

1 ()

< 2.35>

	()	/	/ ()
	45.4 (28)	5.0 (2)	3.8 (5)
	31.9 (80)	15.5 (2)	4.0 (1)
	32.5 (8)	-	-
	38.0 (5)	-	9.0 (2)
/	35.6 (8)	-	-
/	-	1.0 (2)	3.0 (1)

:

1

,

(60)

.

/

15

/

,

15

.

12

.

:

,

24.3%가

3.4

.

, 50

,

(正)

.

.

,

,

.

8.

:

140

,

가 59.3%

가

,

가

18.6%, 17.9%

.

< 2.36>

	83	59.3
	25	17.9
	26	18.6
/	1	.7
	5	3.6
	140	100.0

:

() , 가 37.9%가
 가 22.9%, 17.9%
 6.4%

< 2.37>

가	32	22.9
	9	6.4
	53	37.9
	25	17.9
	6	4.3
	15	10.7
	140	100.0

:

, 17 , '10
 -20 ' 39.3% '20 -30 ' 22.1% . '5
 , 7.9% ,
 가
 20 가
 (54.2%), 20 (80.0%)

< 2.40>

	27.6 (54)	6.3 (34)	38.7 (72)	2.0 (23)	1.0 (2)
	15.9 (18)	4.7 (18)	37.3 (18)	4.4 (14)	2.0 (2)
	13.3 (16)	3.5 (13)	13.9 (21)	2.8 (6)	1.0 (1)
/	-	-	-	3.0 (1)	2.0 (1)

:

1

가 10 가 .

:

, 39.0%가

4.0 . ,

9.

:

133

(가 , , ,) .

< 2.41>

	29 21.8
	27 20.3
	39 29.3
	9 6.8
	18 13.5
/	1 .8
	8 6.0
	131 100.0

:

() ,

7.5%

< 2.42>

18	13.5
10	7.5
70	52.6
11	8.3
20	15.0
129	100.0

:

, 30 가
 . 10 40
 , '5 , 3% . 가

40

10

가

< 2.43>

5	3	2.3
5-9	7	5.3
10-19	27	20.3
20-29	24	18.0
30-39	45	33.8
40	21	15.8
	127	100.0

1

:

133

1

. 1

가

< 2.44>

1

/ ()

	()	/	/
	3.8 (11)	6.0(2)	1.3 (3)
	4.7 (11)	-	-
	8.3 (21)	-	-
	5.0 (3)	3.0 (1)	1.5 (2)
	11.3 (6)	-	-
/	-	1.0 (1)	-

:

133

. 1

()

가

.

/

< 2.45>

/ ()

	()	/	/
	52.0 (25)	6.0 (2)	7.9 (7)
	240.4 (16)	-	1.0 (1)
	149.0 (32)	-	-
	62.2 (9)	16.0 (2)	7.7 (3)
	89.0 (12)	-	1.0 (2)
/	-	2.0 (1)	-

:

1

17 (13%)

7 (5%) , 5 4

: , 18.5%가
 3.4 . 가
 (正)

10.

: ,
 (가
)
 가 43.6% 가
 가 가 12.8% .

< 2.46 >

가	15	12.8
	9	7.7
	51	43.6
	15	12.8
가	7	6.0
가	2	1.7
가	1	.9
	6	5.1
	9	7.7
	115	100.0

:
 () ,
 , , 가, 20%
 , 11.1% .

< 2.47>

가	21	17.9
	22	18.8
	24	20.5
	13	11.1
	24	20.5
	10	8.5
	114	100.0

가 :
 '10 , 18 가 '20 가
 -20 ' 30.8% 가 -30 ' 18.8%
 . 5 15.4%
 가 , 40 5%
 가
 가

< 2.48>

5	18	15.4
5-9	17	14.5
10-19	36	30.8
20-29	22	18.8
30-40	14	12.0
40	6	5.1
	117	100.0

1 : 117 1
 . 1 () 가가
 가

< 2.49>

1

/ / ()

	()	/	/			
가	-	-	-	8.0 (3)	17.5 (4)	21.5 (8)
	-	-	-	1.0 (1)	2.0 (1)	1.5 (1)
	-	-	-	5.0 (1)	101.3 (3)	11.4 (12)
	-	-	-	84.0 (11)	1.0 (1)	1.0 (1)
가	14.2 (5)	-	-	2.0 (1)	-	-
가	1.0 (1)	12.0 (1)	-	5.0 (1)	-	-
	50.0 (1)	-	-	-	-	-
	8.5 (4)	20.0 (1)	-	-	-	-

: 117

. 1

()

가가

,

가 가 .

< 2.50>

/ / ()

	()	/	/			
가	-	-	1.0 (1)	161.9 (9)	16.0 (4)	145.5 (8)
	-	-	-	2.0 (2)	-	4.0 (1)
	26.5 (2)	-	-	9.3 (12)	14.9 (7)	97.1 (28)
	-	-	-	407.1 (9)	4.5 (2)	10.0 (1)
가	259.2 (6)	-	3.0 (2)	50.0 (2)	5.0 (1)	5.0 (1)
가	12.0 (2)	-	-	5.0 (1)	-	-
	50.0(1)	-	-	-	-	-
	258.5 (4)	50.0 (1)	-	-	-	-

:

1

,

5% (3 -5)

,

.

:

,

9.5%

,

4.0
, 40-50
(正) 가 , ,

11.

6
(1)
(2) , (3)
, (4)
, (5) 가 ,
(6) 가
, , , 10%가 가

< 2.51>

%()

54.5	56.9	53.0	57.4	62.6	54.0	54.0	55.4	48.4	39.6	54.0
35.4	36.3	42.8	34.5	27.3	40.3	37.2	33.1	39.8	43.2	36.9
4.5	3.1	1.2	2.7	2.2	1.4	5.1	2.9	5.5	2.7	3.1
5.6	3.8	2.4	5.4	7.9	4.3	3.6	8.6	3.1	10.8	5.5
-	-	.6	-	-	-	-	-	3.1	3.6	.6
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(178)	(160)	(166)	(148)	(139)	(139)	(137)	(139)	(128)	(111)	(1445)

가
(性),

: 50 가 .
 : 50 , 가 가 .
 : 가 .
 : , , 가 ,
 : 가 , 가 .
 : 가 , 가 .
 : 가 , 30-40 가 .
 : 가 .
 : 가 .
 : , 30 가 .
 : 가 가 ,
 : 가 .
 : , 가 .
 : 40 가 ,
 : , , (正) 가 .

III.

가

가

가

가

가

가

가

가

가

가

가

가

가 가

가

가

가,

가

가

가

가

가

가

가 가

9.0%

(4.9%)

2

< 3.1>

%()

	500	500		
	98.1	1.1	.5	100.0
	90.6	5.7	2.4	100.0
	90.5	6.3	1.7	100.0
	94.3	3.2	1.7	100.0
	90.3	7.5	1.5	100.0

가

가

가

< 3.2>가

가

(< 3.3>).

가

(< 3.4>)

< 3.2>

%()

	99.5	99.4	99.4	97.4	96.6	97.9	97.2	98.6	98.5	100.0	98.5
500	.5	.6	.6	1.3	2.8	1.4	2.1	.7	.8	-	1.1
500	-	-	-	1.3	.7	.7	.7	.7	.8	-	.5
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	(183)	(166)	(171)	(153)	(145)	(145)	(143)	(138)	(133)	(117)	(1494)

< 3.3>

%()

	95.1	96.3	91.7	97.4	83.9	93.1	74.6	90.3	97.0	98.3	91.8
500	4.4	3.7	8.3	.7	8.4	5.6	16.9	6.7	.8	1.7	5.7
500	.5	-	-	2.0	7.7	1.4	8.5	3.0	2.3	-	2.4
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	(183)	(164)	(169)	(153)	(143)	(144)	(142)	(134)	(133)	(115)	(1480)

< 3.4>

%()

	90.6	92.7	89.8	100.0	88.2	91.6	83.2	87.4	99.2	97.4	91.9
500	9.4	7.3	10.2	-	7.6	6.3	9.1	8.9	.8	2.6	6.4
500	-	-	-	-	4.2	2.1	7.7	3.7	-	-	1.7
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	(180)	(164)	(167)	(154)	(144)	(143)	(143)	(135)	(132)	(116)	(1478)

가 (< 3.5> < 3.6>)

가

< 3.5>

%()

	95.6	98.2	98.2	94.8	95.2	93.1	88.8	91.2	96.2	99.1	95.1
500	3.8	.6	.6	.7	4.8	4.8	7.0	8.8	.8	.9	3.2
500	.5	1.2	1.2	4.6	-	2.1	4.2	-	3.0	-	1.7
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	(183)	(166)	(169)	(153)	(145)	(145)	(143)	(136)	(132)	(116)	(1488)

가

가

2.

가

가

,

가

가

가

가

가

가

가 가

가

가

가

가

가

가

가,

,
가

가

가

. < 3.7>
가가

22.1%가

, 54.1%

23.7%

가

가

가

가 가

가

가

가

가

가

가

가 가 가 가

가 (32.2%) , ,

가 가

가 , ,

가 (67.5%) , ,

가 , 가

가 가

가 가

< 3.7> 가 % ()

가	1.6	.6	.6	.7	5.6	1.4	.7	-	2.3	.9	1.4
가	24.7	15.1	19.3	21.6	26.6	25.5	23.6	22.1	14.6	12.0	20.7
	27.5	25.3	21.6	15.7	25.9	27.6	16.0	25.7	32.3	19.7	23.7
가	28.6	40.4	43.9	51.6	30.8	38.6	44.4	43.6	32.3	49.6	40.1
가	17.6	18.7	14.6	10.5	11.2	6.9	15.3	8.6	18.5	17.9	14.0
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	(182)	(166)	(171)	(153)	(143)	(145)	(144)	(140)	(130)	(117)	(1491)

가 , 가

가 가

가 가

가 가

(< 3.8>). 80.2% 가

41.9%

6.0%

10%

가

가

< 3.8>

가

%()

가										
-	-	.6	-	3.5	.7	-	-	1.5	-	.6
1.6	6.7	3.0	13.1	6.3	8.9	2.1	5.7	4.6	1.7	5.4
9.3	12.3	13.1	19.0	10.4	24.7	4.2	10.7	19.8	16.2	13.8
26.9	33.1	37.5	48.4	44.4	42.5	32.6	47.9	27.5	46.2	38.3
62.1	47.9	45.8	19.6	35.4	23.3	61.1	35.7	46.6	35.9	41.9
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(182)	(163)	(168)	(153)	(144)	(146)	(144)	(140)	(131)	(117)	(1488)

가

(< 3.9>)

10.1%

75.3%가

가

가

가

가

가

가

< 3.9>

가

%()

.5	.6	1.2	1.3	.7	-	.7	.7	1.5	-	.7
5.5	12.0	16.7	14.5	11.1	11.6	3.5	8.6	5.3	2.6	9.4
19.7	19.9	15.5	17.1	14.6	7.5	9.7	10.0	16.8	12.8	14.6
38.3	38.0	44.0	46.7	48.6	54.1	46.5	46.4	40.5	51.3	45.1
36.1	29.5	22.6	20.4	25.0	26.7	39.6	34.3	35.9	33.3	30.2
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(183)	(166)	(168)	(152)	(144)	(146)	(144)	(140)	(131)	(117)	(1491)

가

가

가

2.1.6).

(2

가

가,

가

가

가

가

가

가

가

가

가

가

가

가

, < 3.10>

가

가

47.9%

가

38.6%

7.6%,

2.4%,

1.8%

10.0%

가

가
 가 (52.1%)
 가 (56.6%), (66.3%) (57.3%),
 가 (45.5%), (45.5%), (43.2%)
 가 (15.8%), (14.5%),
 (10.1%)

< 3.10>

가

%()

24.5	28.5	40.9	42.1	45.5	45.5	56.6	43.2	35.1	26.5	38.6
66.3	52.1	41.5	49.3	41.4	49.0	31.5	39.6	48.1	57.3	47.9
1.6	1.2	.6	.7	3.4	-	2.1	5.0	-	2.6	1.7
2.2	7.9	15.8	3.9	8.3	3.4	4.2	10.1	14.5	6.0	7.6
2.2	5.5	.6	3.3	.7	.7	1.4	2.2	2.3	6.0	2.4
3.3	4.8	.6	.7	.7	1.4	4.2	-	-	1.7	1.8
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(184)	(165)	(171)	(152)	(145)	(145)	(143)	(139)	(131)	(117)	(1492)

가

가

가

가 가

가

< 3.11>

57.0%가

, 20.5%

가

가

42.3%가

38.5%

80.8%가

가

가

가

(70.8%),

(67.7%),

(67.0%)

32.0%, 30.7%, 28.7%가 가

가

< 3.11>

가

%()

9.6	11.0	12.0	22.5	11.8	11.4	25.4	12.9	42.3	25.9	17.8
27.0	35.0	38.9	48.3	34.6	47.9	42.3	41.7	38.5	41.1	39.2
31.5	23.3	28.1	15.2	25.0	25.7	15.5	28.8	10.0	17.9	22.6
18.0	17.2	14.4	9.3	18.4	8.6	12.0	10.8	7.7	13.4	13.2
14.0	13.5	6.6	4.6	10.3	6.4	4.9	5.8	1.5	1.8	7.3
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(178)	(163)	(167)	(151)	(136)	(140)	(142)	(139)	(130)	(112)	(1458)

가

88.5%

가 ,

가 (< 3.12>).

83.3%가

가 ,
가

(< 3.13>).

< 3.12>

%()

53.9	56.4	39.6	32.7	50.4	55.6	77.1	49.6	63.8	51.3	52.7
32.8	35.8	46.2	50.0	39.7	36.1	17.4	36.7	25.4	35.7	35.8
11.1	4.8	8.9	14.0	7.8	7.6	4.2	7.9	7.7	9.6	8.4
1.1	1.2	4.7	3.3	2.1	.7	.7	3.6	.8	2.6	2.1
1.1	1.8	.6	-	-	-	.7	2.2	2.3	.9	.9
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(180)	(165)	(169)	(150)	(141)	(144)	(144)	(139)	(130)	(115)	(1477)

< 3.13>

%()

31.8	39.8	34.3	41.4	35.7	35.2	49.3	40.6	35.7	40.7	38.2
45.8	44.0	45.0	42.8	40.7	51.4	40.3	49.3	45.0	47.8	45.1
16.8	10.2	14.2	12.5	17.1	9.2	6.9	5.1	14.0	8.8	11.7
4.5	2.4	3.6	3.3	5.7	3.5	2.1	3.6	5.4	1.8	3.6
1.1	3.6	3.0	-	.7	.7	1.4	1.4	-	.9	1.4
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(179)	(166)	(169)	(152)	(140)	(142)	(144)	(138)	(129)	(113)	(1472)

< 3.14> 가 가 42.5%

가 가 가 가 가 가 가 가

< 3.14> % ()

8.3	6.1	2.9	7.2	7.2	9.0	8.3	11.6	16.7	11.5	8.6
33.3	30.9	37.6	38.2	34.8	38.2	32.6	29.0	31.0	32.7	33.9
30.0	24.8	25.9	27.0	29.7	29.2	22.9	34.8	19.8	24.8	27.0
16.7	23.0	26.5	23.0	18.1	16.7	25.0	16.7	19.0	21.2	20.7
11.7	15.2	7.1	4.6	10.1	6.9	11.1	8.0	13.5	9.7	9.8
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(180)	(165)	(170)	(152)	(138)	(144)	(144)	(138)	(126)	(113)	(1470)

가 60% (< 3.15>). (75.7%) 가

가

< 3.15>

%()

23.2	21.8	17.1	12.5	15.7	19.7	39.6	26.8	39.1	31.3	24.1
32.6	38.8	31.8	39.5	40.0	35.2	36.1	33.3	27.3	36.5	35.1
24.3	28.5	30.6	28.9	25.7	32.4	11.8	23.2	18.0	19.1	24.6
13.3	9.7	16.5	16.4	9.3	10.6	10.4	14.5	10.2	9.6	12.2
6.6	1.2	4.1	2.6	9.3	2.1	2.1	2.2	5.5	3.5	3.9
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(181)	(165)	(170)	(152)	(140)	(142)	(144)	(138)	(128)	(115)	(1475)

가

가

, , ,

가 . , ,
가 , .

가 ,

가

3. 가

< 3.16> 가 .

가 가 가 가 , 가

< 3.16> < 3.17> 가 가
가 . 가

가 (26.4%), (13.0%), (12.4%), (12.0%)
 가 (22.7%)
 가 (15.8%), (12.0%), (10.8%)
 가 가 , 가
 가 가 , , , , , , , ,
 가 가
 가 가
 가 가
 30% 가 가 가 가
 가 가 가 가

< 3.16>

가

%()

29.1	13.8	10.2	12.9	2.1	10.6	13.3	13.7	6.4	13.4	13.0
16.2	16.9	21.0	21.1	5.0	6.4	9.8	6.5	11.2	4.5	12.4
.6	.6	9.0	.7	.7	.7	.7	-	3.2	.9	1.8
6.1	10.0	10.8	12.9	8.6	2.8	4.2	10.1	20.8	12.5	9.6
6.1	5.0	6.0	8.8	20.7	7.1	4.2	5.8	12.0	6.3	8.1
6.7	14.4	4.8	15.6	10.0	27.0	13.3	14.4	8.0	7.1	12.0
1.7	4.4	3.6	.7	5.7	.7	5.6	6.5	2.4	5.4	3.6
1.1	-	1.8	-	2.9	-	-	4.3	.8	1.8	1.2
8.9	7.5	9.0	9.5	12.9	7.8	14.0	12.9	12.8	14.3	10.7
22.3	25.6	24.0	16.3	31.4	35.5	32.9	25.9	20.0	33.0	26.4
1.1	1.9	-	1.4	-	1.4	2.1	-	2.4	.9	1.1
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(179)	(160)	(167)	(147)	(140)	(141)	(143)	(139)	(125)	(112)	(1453)

< 3.17>

가

%()

21.1	3.1	4.2	8.2	5.0	4.9	2.1	7.4	4.7	5.3	6.9
1.2	16.1	1.2	2.0	2.1	-	1.4	1.5	1.6	.9	3.0
4.1	7.5	34.5	6.8	5.7	7.7	7.1	7.4	1.6	3.5	9.1
6.4	13.0	9.7	22.4	10.0	13.4	9.9	11.1	3.1	7.9	10.8
26.3	19.9	19.4	15.0	47.9	26.1	15.6	25.2	10.2	21.1	22.7
2.3	1.9	5.5	2.0	5.0	5.6	2.1	1.5	2.3	5.3	3.3
13.5	11.2	6.1	9.5	7.9	7.0	45.4	3.0	5.5	10.5	12.0
6.4	11.2	3.0	5.4	4.3	12.7	7.1	30.4	7.8	13.2	9.8
12.3	12.4	13.9	23.1	7.9	16.2	6.4	4.4	54.7	9.6	15.8
5.8	1.2	1.2	3.4	1.4	2.1	2.8	5.2	6.3	21.1	4.6
.6	2.5	1.2	2.0	2.9	4.2	-	3.0	2.3	1.8	2.0
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(171)	(161)	(165)	(147)	(140)	(142)	(141)	(135)	(128)	(114)	(1444)

< 3.18>

31.1%가

42.9%

74.0%가

85.4%

가

가 가

80%

가

< 3.18>

가

%()

2.2	2.4	-	-	5.6	1.4	-	3.6	.8	-	1.6
9.3	9.1	11.7	3.9	14.6	14.5	7.6	17.9	8.3	4.3	10.2
14.3	10.3	15.2	16.3	20.8	17.2	6.9	8.6	18.2	15.4	14.3
41.2	47.3	44.4	41.8	40.3	48.3	47.2	48.6	20.5	47.9	42.9
33.0	30.9	28.7	37.9	18.8	18.6	38.2	21.4	52.3	32.5	31.1
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(182)	(165)	(171)	(153)	(144)	(145)	(144)	(140)	(132)	(117)	(1493)

(86.1%)가 (2.0%) (< 3.20>

).

5%

TV

가 가

< 3.20>

가

%()

34.1	50.3	44.6	39.2	57.4	36.0	54.3	51.8	57.7	48.2	46.9
44.5	39.9	46.4	51.4	22.1	43.4	32.9	38.7	30.1	37.3	39.2
17.3	8.0	9.0	8.8	17.6	16.9	10.7	8.8	9.8	13.6	12.0
3.5	1.2	-	.7	1.5	2.2	1.4	-	.8	-	1.2
.6	.6	-	-	1.5	1.5	.7	.7	1.6	.9	.8
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(173)	(163)	(166)	(148)	(136)	(136)	(140)	(137)	(123)	(110)	(1432)

가

81.5%가

, 3.5% (< 3.21>).

7%

가

가

< 3.21>

%()

40.6	49.7	46.9	47.3	42.6	41.5	61.0	49.3	57.9	49.1	48.3
32.6	33.1	37.0	41.2	28.7	35.4	28.4	38.1	24.0	30.6	33.2
20.0	12.3	13.6	10.8	21.7	18.5	6.4	11.9	16.5	19.4	15.0
5.7	3.7	1.9	.7	5.4	4.6	3.5	.7	.8	.9	2.9
1.1	1.2	.6	-	1.6	-	.7	-	.8	-	.6
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(175)	(163)	(162)	(148)	(129)	(130)	(141)	(134)	(121)	(108)	(1411)

가 가

4. 가

가 가

가 가

, < 3.22>

가 38.1%
41.1% 80% 가
53.5%가 , 34.0%가
(83.4%), (79.5%), (74.3%)
(54.2%)가 가
87.5%가
(84.6%),
(15.3%).

(8.6%), (8.2%)
6%
가

< 3.22>

%()

-	-	-	-	1.4	-	-	.7	-	-	.2
4.9	4.2	8.2	2.6	13.9	5.5	2.8	7.9	3.1	3.4	5.7
16.9	15.1	16.5	14.9	15.3	15.1	9.7	17.1	14.5	12.0	14.8
36.1	33.1	48.8	45.5	37.5	50.0	34.0	50.7	28.2	48.7	41.1
42.1	47.6	26.5	37.0	31.9	29.5	53.5	23.6	54.2	35.9	38.1
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(183)	(166)	(170)	(154)	(144)	(146)	(144)	(140)	(131)	(117)	(1495)

가

30 , 60

가 가

< 3.23>

7.5%

60.5%

가 32.0%

< 3.23>

가

%()

.5	-	-	-	2.1	-	.7	-	-	-	.3
8.7	5.5	10.5	3.2	14.6	7.6	.7	8.6	6.1	5.1	7.2
29.0	33.9	34.5	40.9	33.3	27.6	27.1	30.7	30.5	31.6	32.0
52.5	52.7	51.5	50.6	39.6	58.6	59.0	53.6	45.8	54.7	51.9
9.3	7.9	3.5	5.2	10.4	6.2	12.5	7.1	17.6	8.5	8.6
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(183)	(165)	(171)	(154)	(144)	(145)	(144)	(140)	(131)	(117)	(1494)

16.7%가

10%

가 , , 가 , < 3.25>
 가 (14.4%), (11.2%), 가 (23.2%)
 (15.4%), (4.4%),

< 3.25> 가 % ()

5.5	6.0	12.3	7.3	17.4	24.1	23.6	15.0	20.3	17.9	14.4
10.4	17.5	7.0	16.6	28.5	23.4	13.9	25.7	3.8	7.7	15.4
4.4	2.4	4.7	6.6	2.1	4.8	1.4	2.1	3.8	-	3.3
48.1	31.3	20.5	17.9	6.9	15.9	21.5	21.4	25.6	14.5	23.2
3.8	13.3	9.9	11.9	2.8	4.8	4.9	4.3	21.8	20.5	9.4
7.7	10.2	21.6	9.3	7.6	6.2	3.5	11.4	3.8	12.8	9.6
1.6	4.2	2.3	9.3	.7	2.8	3.5	5.7	9.8	6.0	4.4
10.9	10.2	13.5	5.3	15.3	12.4	23.6	7.9	2.3	9.4	11.2
6.6	4.8	8.2	13.2	18.1	4.1	2.8	6.4	6.8	8.5	7.9
1.1	-	-	2.6	.7	1.4	1.4	-	2.3	1.7	1.1
100.0 (183)	100.0 (166)	100.0 (171)	100.0 (151)	100.0 (144)	100.0 (145)	100.0 (144)	100.0 (140)	100.0 (133)	100.0 (117)	100.0 (1493)

가

가

가 가

가

30

가

가

가

가

가

가

가

가

가

가

가

가

IV.

가

가 가
가 가

가,

가가

가

가

가
가

가

가가 가

가

가

가

가

가

, 가

가

가

가

,

,

,

,

,

가

가

,

가

가

1.

가

,

가

,

“

”

, < 4.1>

6.5%

가

70% 가 가

가

가

가

가

가

가

가

가,

가

가

가
가
가

< 4.1>

%()

35.0	30.1	25.3	25.3	35.1	28.9	38.0	18.1	39.2	29.8	30.4
36.1	38.7	42.2	47.3	30.6	40.8	38.0	42.8	33.6	45.6	39.5
24.4	22.7	25.3	18.7	29.1	21.1	18.3	30.4	24.0	21.9	23.6
1.7	4.9	6.6	6.0	3.7	6.3	4.9	5.1	2.4	2.6	4.5
2.8	3.7	.6	2.7	1.5	2.8	.7	3.6	.8	-	2.0
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(180)	(163)	(166)	(150)	(134)	(142)	(142)	(138)	(125)	(114)	(1454)

“ 가 ”
가 42.3%가
37.9%가

(< 4.2>).

가
가
가

< 4.2>

%()

20.8	11.6	16.6	12.8	28.5	16.5	16.1	15.0	26.0	13.3	17.6
23.0	21.3	23.9	29.5	25.4	28.1	20.3	21.1	24.4	32.4	24.7
24.7	13.4	26.4	17.4	23.8	18.0	15.4	26.3	17.1	14.3	19.9
16.3	25.6	16.6	16.8	14.6	23.0	23.1	23.3	18.7	25.7	20.2
15.2	28.0	16.6	23.5	7.7	14.4	25.2	14.3	13.8	14.3	17.7
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(178)	(164)	(163)	(149)	(130)	(139)	(143)	(133)	(123)	(105)	(1427)

가

2.

가

< 4.4>

78.5%가

, 12.7%

8.8%

가

가

13.4%

13.1%

< 4.4>

%()

46.1	58.4	42.9	35.5	48.2	48.2	52.1	48.9	61.1	52.3	49.0
31.1	24.1	30.4	38.2	25.2	34.8	27.1	35.3	17.5	29.7	29.5
9.4	12.0	16.1	13.2	17.3	11.3	11.1	10.8	14.3	11.7	12.7
11.7	4.2	5.4	10.5	7.2	3.5	6.9	3.6	6.3	5.4	6.6
1.7	1.2	5.4	2.6	2.2	2.1	2.8	1.4	.8	.9	2.2
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(180)	(166)	(168)	(152)	(139)	(141)	(144)	(139)	(126)	(111)	(1466)

가

“

가

”

36

4.5>

가 31.9% 44.6% 가
 23.6%

< 4.5> % ()

9.6	14.4	13.1	7.9	13.5	10.3	11.3	10.4	19.8	18.9	12.7
18.6	18.1	18.5	21.9	15.8	22.8	18.4	16.3	21.4	20.7	19.2
25.4	23.8	19.6	33.8	18.8	22.8	24.1	28.1	15.3	22.5	23.6
24.9	21.9	22.0	22.5	24.1	21.3	27.7	21.5	22.9	18.0	22.8
21.5	21.9	26.8	13.9	27.8	22.8	18.4	23.7	20.6	19.8	21.8
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(177)	(160)	(168)	(151)	(133)	(136)	(141)	(135)	(131)	(111)	(1443)

가

가

41.2% 39.6%

(51.9%)

(48.8%)

가

가

”

가
가

53.7%가

(< 4.6>).

27%가

19.2%

가

가 , 가
 69.7% 가

< 4.6>

%()

46.3	25.5	28.2	28.7	34.1	28.8	28.4	27.2	34.1	25.0	30.9
23.4	23.0	23.5	22.7	23.5	29.5	21.3	21.3	17.1	18.8	22.6
14.9	18.2	18.2	20.7	18.2	14.4	22.0	25.7	16.3	25.9	19.2
9.1	18.8	20.0	19.3	13.6	20.1	17.0	19.9	20.2	23.2	17.9
6.3	14.5	10.0	8.7	10.6	7.2	11.3	5.9	12.4	7.1	9.5
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(175)	(165)	(170)	(150)	(132)	(139)	(141)	(136)	(129)	(112)	(1449)

,

34.1%

(< 4.7>).

가

(61.7% , 61.6%),

< 4.7>

가

:

%()

4.7	10.1	7.2	10.1	6.3	9.2	11.6	8.3	13.6	12.1	9.1
33.3	51.6	42.2	35.1	40.2	44.6	40.6	45.1	48.0	44.9	42.3
16.4	11.3	14.5	16.9	16.5	16.9	10.9	18.0	9.6	12.1	14.4
36.8	23.9	30.7	35.1	29.1	23.1	33.3	24.8	24.0	29.9	29.3
8.8	3.1	5.4	2.7	7.9	6.2	3.6	3.8	4.8	.9	4.8
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(171)	(159)	(166)	(148)	(127)	(130)	(138)	(133)	(125)	(107)	(1404)

45.6%, 38.0%

가 가 .

가 .

50

50

가 ,

가 ,

가,

3.

가

가 가

가 가

가 ,

가 ,

가

가

가

가

가

가

“

”

26.4% , 49.6%가 , 23.9%
(< 4.8 >) . 가

1/4

가

가 64.5% 57.5%

40%

31.5% 38.9%

< 4.8 >

%()

19.9	6.7	5.3	4.6	13.3	14.6	7.0	5.0	6.3	.9	8.7
19.9	19.4	16.0	17.0	21.1	27.8	10.6	16.5	14.1	13.5	17.7
28.7	23.0	23.1	24.8	28.1	18.8	26.1	30.9	14.8	18.0	23.9
23.2	28.5	30.8	32.0	16.4	21.5	21.8	30.2	28.1	19.8	25.5
8.3	22.4	24.9	21.6	21.1	17.4	34.5	17.3	36.7	47.7	24.1
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(181)	(165)	(169)	(153)	(128)	(144)	(142)	(139)	(128)	(111)	(1460)

“ ”

28.7%, 가 46.6%
(< 4.9 >).
, 24.7%가
가

, 가

(41.3%) (26.8%)
가 (42.5%)

(39.0%)가

< 4.9 >

% ()

15.6	5.4	6.5	7.2	9.9	17.0	4.2	5.8	7.9	2.7	8.4
25.7	23.5	18.5	18.3	20.6	25.5	17.5	21.2	15.9	12.5	20.3
31.8	20.5	25.6	26.1	26.7	18.4	22.4	32.8	19.0	20.5	24.7
18.4	30.1	31.0	28.8	24.4	25.5	28.7	24.1	25.4	17.0	25.5
8.4	20.5	18.5	19.6	18.3	13.5	27.3	16.1	31.7	47.3	21.1
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(179)	(166)	(168)	(153)	(131)	(141)	(143)	(137)	(126)	(112)	(1456)

“

가 18.9%, 가 48.4%,
, 32.7% (< 4.10 >).

< 4.10 >

가

% ()

9.2	17.0	21.9	14.6	36.3	8.4	19.4	16.5	42.2	40.2	21.5
28.9	26.7	30.8	29.8	23.0	23.1	28.8	26.6	26.6	22.3	26.9
34.7	36.4	39.1	33.1	25.2	37.1	30.2	41.0	20.3	25.0	32.7
18.5	18.8	7.1	17.2	9.6	18.2	17.3	12.9	6.3	11.6	14.0
8.7	1.2	1.2	5.3	5.9	13.3	4.3	2.9	4.7	.9	4.9
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(173)	(165)	(169)	(151)	(135)	(143)	(139)	(139)	(128)	(112)	(1454)

가
 가 , 가
 가
 < 4.11>
 57.7%
 28.4%
 가
 44.7% , 38.6%
 46.1% 41.8%
 < 4.11> : % ()

11.7	2.4	3.0	5.3	7.6	17.3	4.4	2.9	3.3	5.9	
32.7	26.8	16.8	19.9	24.4	28.8	18.2	21.9	16.3	15.6	22.5
17.0	11.6	16.8	15.2	16.8	12.2	12.4	18.2	8.1	8.3	13.9
31.6	37.2	41.3	41.1	27.7	28.1	34.3	40.9	32.5	30.3	34.9
7.0	22.0	22.2	18.5	23.5	13.7	30.7	16.1	39.8	45.9	22.8
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(171)	(164)	(167)	(151)	(119)	(139)	(137)	(137)	(123)	(109)	(1417)

가
 가
 가
 가

42.0% 42.8%

< 4.13>

%()

30.9	24.1	16.3	14.8	23.7	20.4	23.0	11.6	30.2	19.8	21.6
24.7	30.2	31.9	34.9	19.1	31.7	33.1	30.4	24.6	29.7	29.1
21.9	24.7	22.3	28.9	29.8	25.4	19.4	26.1	18.3	19.8	23.7
13.5	14.2	16.9	14.1	13.7	9.2	10.1	13.8	11.9	11.7	13.0
9.0	6.8	12.7	7.4	13.7	13.4	14.4	18.1	15.1	18.9	12.6
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(178)	(162)	(166)	(149)	(131)	(142)	(139)	(138)	(126)	(111)	(1442)

“ 가 가 ”

< 4.14>

43.0%

가 38.3%

가

가

가

가

가

가

가

57.7%가

27.7%

55.1%

25.7%

가 가

54.6%

25.9%

가

가

가

가

가

가

< 4.14>

%()

13.7	12.9	18.5	14.1	29.4	12.6	7.7	11.5	36.9	21.2	17.4
29.5	26.4	30.4	31.5	25.7	25.9	18.2	21.6	20.8	23.0	25.6
12.6	21.5	19.6	18.8	19.1	19.6	19.6	28.1	14.6	12.4	18.6
23.0	17.2	20.2	22.8	14.7	21.0	25.2	25.9	20.8	28.3	21.7
21.3	22.1	11.3	12.8	11.0	21.0	29.4	12.9	6.9	15.0	16.6
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(183)	(163)	(168)	(149)	(136)	(143)	(143)	(139)	(130)	(113)	(1467)

가
 ”
 75.2%가 , 12.4%
 가
 24.3%
 (< 4.15>).
 가
 가

< 4.15>

%()

4.4	2.5	3.0	2.0	9.4	2.1	.7	2.2	10.2	6.1	4.1
8.9	4.9	6.5	4.0	7.9	12.5	5.6	9.4	14.1	10.5	8.3
11.1	14.2	7.7	9.4	14.4	16.0	8.4	15.9	18.8	10.5	12.5
26.1	22.2	32.1	29.5	24.5	25.0	29.4	31.2	20.3	28.1	26.9
49.4	56.2	50.6	55.0	43.9	44.4	55.9	41.3	36.7	44.7	48.3
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(180)	(162)	(168)	(149)	(139)	(144)	(143)	(138)	(128)	(114)	(1465)

가 , 가 4
 < 4.16>
 , 63.8%가 , 21.8%가 가

가 . 14.4%
 가 가 74.6% 가
 71.0% , 26.7% , 26.5% ,
 24.8% .
 < 4.16> % ()

11.5	8.7	16.0	14.2	13.8	8.6	11.1	8.8	14.6	15.7	12.2
50.6	49.7	58.6	56.8	56.1	48.6	39.3	56.6	53.7	44.4	51.6
11.5	16.8	12.3	9.5	13.8	19.3	23.0	11.8	10.6	16.7	14.4
25.9	24.8	13.0	19.6	15.4	22.9	25.2	22.1	20.3	22.2	21.2
.6	-	-	-	.8	.7	1.5	.7	.8	.9	.6
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(174)	(161)	(162)	(148)	(123)	(140)	(135)	(136)	(123)	(108)	(1410)

가
 가 30 가 54.0% 50
 68.0% 가 19.0% 가
 30 29.0% 가 , 50 가
 가 67.6%
 63.0% , 59.0%
 18.9% , 22.9% , 25.9% ,
 가
 가 가
 가 59.8% , () 69.9% ,
 가
 (2 2.4.1 - 2.4.4) .

5.

가

가

가

“ , 71.5% ” 94.3%가

가

(< 4.17>).

84.6%가

, 가 52.6%
2.4%

13.0%

(< 4.18 >) .

가

92.6%가

, 71.4%

(< 4. 19 >) .

< 4. 17 >

% ()

78.7	77.7	67.8	59.9	72.7	79.3	77.8	75.4	60.8	59.8	71.5
17.5	15.1	30.4	31.6	21.0	16.6	18.8	14.5	32.3	33.9	22.8
2.7	4.8	1.2	7.2	5.6	4.1	3.5	9.4	5.4	5.4	4.8
1.1	2.4	.6	1.3	.7	-	-	.7	1.5	.9	.9
-	-	-	-	-	-	-	-	-	-	-
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(184)	(166)	(171)	(152)	(143)	(145)	(144)	(138)	(130)	(112)	(1484)

< 4. 18 >

% ()

54.6	56.6	51.2	44.7	59.6	61.1	50.7	50.7	47.3	47.3	52.6
32.2	28.9	35.9	37.5	27.9	27.8	31.9	31.9	33.3	32.1	32.0
9.8	10.8	10.0	14.5	9.6	9.7	15.3	15.9	18.6	18.8	13.0
2.7	2.4	1.8	3.3	2.9	1.4	2.1	1.4	.8	1.8	2.1
.5	1.2	1.2	-	-	-	-	-	-	-	.3
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(183)	(166)	(170)	(152)	(136)	(144)	(144)	(138)	(129)	(112)	(1474)

< 4. 19 >

가

% ()

78.8	77.1	66.5	69.5	63.3	76.9	75.0	71.2	66.7	64.6	71.4
17.9	20.5	28.2	23.8	23.0	18.9	18.1	21.6	18.6	21.2	21.2
2.2	1.8	4.1	4.6	10.8	4.2	6.3	6.5	14.0	13.3	6.3
.5	.6	1.2	2.0	2.2	-	.7	.7	.8	.9	.9
.5	-	-	-	.7	-	-	-	-	-	.1
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(184)	(166)	(170)	(151)	(139)	(143)	(144)	(139)	(129)	(113)	(1478)

가
 , 가
 . , < 4.20>
 69.1% 가 10%
 20.9%

가
 , 가

< 4.20>

%()

46.2	29.4	25.7	24.7	24.6	27.9	48.6	29.0	51.2	33.9	34.1
37.4	43.6	37.1	39.3	26.9	32.9	36.8	28.3	29.6	33.9	35.0
9.9	19.0	26.9	28.7	26.2	25.0	9.7	31.2	12.8	22.0	20.9
6.0	6.7	8.4	6.0	14.6	11.4	4.9	9.4	5.6	7.3	7.9
.5	1.2	1.8	1.3	7.7	2.9	-	2.2	.8	2.8	2.0
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(182)	(163)	(167)	(150)	(130)	(140)	(144)	(138)	(125)	(109)	(1448)

가

가

54.5%

가

, 18.8%

가

가

가

가

(< 4. 21>).

V. ,

가

1.

가 < 5.1> 가 가
 90% 83.2%
 가 36.6%, 48.6% 62.1%

< 5.1>

%()

/	1.1	1.2	4.1	-	20.7	-	1.4	-	3.8	.9	3.3
/	15.8	6.6	34.3	-	42.8	3.4	20.8	4.3	34.1	50.4	20.3
/	51.1	44.0	50.3	40.9	29.7	48.6	67.4	55.0	59.1	44.3	49.0
	32.1	48.2	11.2	59.1	6.9	47.9	10.4	40.7	3.0	4.3	27.4
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	(184)	(166)	(169)	(154)	(145)	(146)	(144)	(140)	(132)	(115)	(1495)

40%가

6-16%가

16.2%가 2

가 가

(

가

5.9%

3.3% 가

).

< 5.2>

%()

94.0	89.8	91.2	83.8	88.3	87.0	89.6	60.0	88.0	89.7	86.5
3.3		.6	.6	-	-	.7	-	.8	.9	.7
1.6	9.0	1.2	-	-	-		-	1.5	-	.5
-	-	3.5	-	-	-	-	-	-	-	.4
-	1.2	.6	14.3	.7	-	-	.7	-	-	1.8
-	-	-	-	9.0	-	-	-	-	-	.9
-	-	-	-	.7	11.6	.7	.7	2.3	3.4	1.8
.5	-	-	.6	-	-	5.6	.7	5.3	3.4	1.5
-	-	-	-	1.4	.7	-	36.4	-	1.7	3.7
.5	-	2.9	.6	-	.7	3.5	1.4	2.3	.9	1.3
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(184)	(166)	(171)	(154)	(145)	(146)	(144)	(140)	(133)	(117)	(1500)

< 5.3>

가

(95.5%),

(86.4%),

(80.8%),

(77.1%),

(51.1%)

(

)

20%가

,

,

,

가 10%

가

< 5.3>

/

%()

16.8	11.4	40.9	.6	63.4	4.1	22.9	5.0	38.3	50.4	24.6
51.1	1.2	1.2	-	2.1	.7	6.9	-	9.0	4.3	8.6
.5	77.1	.6	-	-	-	2.8	.7	.8	2.6	9.3
-	-	8.2	-	-	-	-	-	.8	-	1.0
-	1.2	4.1	95.5	-	.7	1.4	-	.8	.9	10.7
-	-	.6	-	12.4	.7	.7	-	-	-	1.4
.5	-	-	-	1.4	80.8	4.2	-	1.5	6.8	9.1
-	-	-	-	-	.7	22.9	2.1	19.5	9.4	4.9
-	-	-	-	2.1	-	-	86.4	.8	1.7	8.5
31.0	9.0	44.4	3.9	18.6	12.3	38.2	5.7	28.6	23.9	21.9
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(184)	(166)	(171)	(154)	(145)	(146)	(144)	(140)	(133)	(117)	(1500)

가가

53.4%

57.4%

63.4%

80%

가

60-70%

가

(70.2%),

(63.0%),

(62.6%),

(57.6%),

(56.3%),

(53.8%)

(30.6%),

(41.9%),

(42.9%)

가

:
 : 가
 :
 : 가
 : 가

2.

, 60%가
 , 63.1%가
 가 가가 , 41.1%
 , 49.2% (,
 47% 60%).
 , 70% 80%
 81.2% 가
 (77.6%), (72.6%), (61.9%), (59.0%), (54.3%) (89.3%),
 50%
 (22.3%), (83.6%), (58.5%) , (20.2%),
 (24.4%), (30.1%) (32.4%)
 가

36.7% 가

(57.0%), (78.8%), (74.8%), (61.3%), (58.9%),
(23.6%), (26.3%), (29.4%)

가

< 5.8>

%()

48.2	37.6	31.6	62.9	31.0	13.9	51.1	17.3	47.5	27.1	37.0
7.6	16.8	18.4	4.3	36.6	39.4	11.3	33.8	8.5	25.2	20.0
11.8	15.4	21.5	6.4	16.2	26.3	12.8	30.2	8.5	23.4	17.2
10.0	14.8	17.1	12.9	8.5	13.1	12.0	10.8	9.3	10.3	12.0
9.4	8.1	5.7	5.7	1.4	3.6	4.5	5.8	9.3	7.5	6.1
12.9	7.4	5.7	7.9	6.3	3.6	8.3	2.2	16.9	6.5	7.8
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(170)	(149)	(158)	(140)	(142)	(137)	(133)	(139)	(118)	(107)	(1393)

가

, , , , , , , , , ,
가

: 가

: 가

: / 가 가

: 60 가

: 가 50

: 가 50 가

: 가

: 가

가
가
가
가

3.

18.3% (47.9%)
(35.1%), (26.6%), (22.4%)
, (3.4%), (6.3%), (8.3%), (9.2%) 10%

< 5.9 >

%()

9.2	22.4	10.5	35.1	8.3	47.9	6.3	26.6	12.0	3.4	18.3
90.8	77.6	89.5	64.9	91.7	52.1	93.7	73.4	88.0	96.6	81.7
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(184)	(165)	(171)	(154)	(145)	(146)	(143)	(139)	(133)	(117)	(1497)

, , 가

(正)
(47.7%) 60 (51.9%)

: (正)
 : (正)
 : 30 (28.6%)
 : 가 ,
 : /
 : (正)
 : ()

가 13 , 가 39
 2-3

< 5.10>

()	17	37	18	53	12	61	8	35	14	3	258
()	39	29	24	38	20	37	25	13	21	35	28

4.

, ‘ 가 32.3% , ‘ 가 27.0%
 60%
 20%가
 가 (84.3%) , (80.0%)

(77.1%), (71.0%), (68.5%), (57.4%), (50.3%)
 50% (46.5%), (30.5%)
 가

< 5.11>

%()

/	21.4	10.8	13.5	.7	31.9	4.8	9.2	9.3	15.4	10.4	12.9
	12.1	34.9	11.8	49.0	27.1	46.2	31.9	55.0	36.2	26.1	32.3
	28.6	36.1	21.2	35.3	10.4	33.8	18.4	22.1	32.3	31.3	27.0
	14.3	7.8	7.1	9.2	4.9	9.0	9.9	3.6	8.5	13.9	8.8
	11.5	6.0	14.1	4.6	6.9	3.4	12.8	5.7	1.5	7.8	7.7
	12.1	4.2	32.4	1.3	18.8	2.8	17.7	4.3	6.2	10.4	11.3
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	(182)	(166)	(170)	(153)	(144)	(145)	(141)	(140)	(130)	(115)	(1486)

, , 가
 , , , , 가
 :
 (正)
 :
 : '200 - 500'
 (10.3% - 30.6%)
 : , ,
 : ,
 가 ,
 : (正)
 : 30 (36.1%) ,

가 가

:

/ 가

:

: 30 50

19.0% 54.2% , ‘ 가 35.2% , ‘ 가
32.6%

5.14> 가 <
(93.5%), (84.9%), (80.0%), (78.3%) (49.5%)
50%

(71.3%), (53.9%), (49.0%), (49.0%)
가

< 5.12>

%()

/	7.6	2.4	8.2	.6	18.2	2.1	2.8	6.4	7.7	4.3	6.0
	23.4	57.2	7.6	68.2	21.0	58.2	27.3	60.0	16.2	8.7	35.2
	26.1	21.1	6.4	25.3	7.7	26.7	13.3	20.0	26.9	15.7	19.0
	8.7	4.8	6.4	3.2	4.2	8.2	7.7	4.3	10.0	17.4	7.2
	12.0	5.4	21.6	-	20.3	2.1	14.7	4.3	16.9	16.5	11.3
	22.3	9.0	49.7	2.6	28.7	2.7	34.3	5.0	22.3	37.4	21.3
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	(184)	(166)	(171)	(154)	(143)	(146)	(143)	(140)	(130)	(115)	(1492)

가 .

: 가 .

: , 가 .

: 가 , 가 .

: , ,

: , / 가

(正) 가 ,

: (正)

: 30 (25.0%) / 가 ,

: , 가 ,

: / 가 .

: , 50 , , 가 가 .

(正) 가 ,

: 가

. 30 가 .

5.

가 가 . 가 가

0.6% 6.8% , , 가, 가
 36.6%, 24.8%, 22.3% . , , 가, 가
 가 10-16% .
 가 가 (14%)
 , (10.9%)
 (9.3%)

91.6%, 90.4%, 78.5%, 77.7%, 55.4%,
 52.6%, 52.1%, 41.0%, 36.6% (< 5.13>).
 / (25.7%)
 가 (,)

< 5.13>

%()

/	22.3	11.4	13.5	.6	36.6	6.8	15.4	13.6	24.8	9.6	15.5
/	10.9	3.6	14.0	6.5	.7	.7	6.9	2.9	6.8	.9	5.7
가	52.7	69.3	24.0	91.6	28.3	81.5	39.6	56.4	32.3	35.0	51.6
가	2.7	8.4	17.0	-	8.3	8.9	9.0	22.1	20.3	17.1	10.9
	3.8	2.4	9.4	-	2.1	-	11.8	2.1	2.3	4.3	3.9
/	3.3	-	11.7	.6	8.3	.7	11.8	2.1	3.0	22.2	6.0
/	1.6	.6	-	-	5.5	-	-	-	-	.9	.9
	1.1	-	5.3	-	4.8	1.4	2.1	-	3.0	2.6	2.1
	-	-	-	-	1.4	-	-	-	.8	-	.2
	1.6	4.2	5.3	.6	4.1	-	3.5	.7	6.8	7.7	3.3
	12.3	11.1	11.4	10.3	9.7	9.7	9.6	9.3	8.9	7.8	100.0
	(184)	(166)	(171)	(154)	(145)	(146)	(144)	(140)	(133)	(117)	(1500)

가

< 5.14>

33.9%

가/

(22.0%)

/

(20.1%)

/ 53.6%, 33.1%, 21.5% , 가 ,

< 5.14>

%()

/	23.2	12.3	12.4	2.0	36.1	6.8	16.1	13.7	26.2	8.7	15.8
/	11.0	14.2	33.1	53.6	21.5	6.2	11.2	13.7	12.7	20.0	20.1
가	15.5	25.3	16.6	7.3	17.4	15.8	32.2	20.1	42.9	35.7	22.0
	45.9	36.4	34.3	36.4	12.5	62.3	28.0	43.9	13.5	15.7	33.9
	1.1	9.3	1.2	.7	5.6	5.5	10.5	7.9	.8	15.7	5.5
	3.3	2.5	2.4	-	6.9	1.4	2.1	.7	4.0	4.3	2.7
	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	(181)	(162)	(169)	(151)	(144)	(146)	(143)	(139)	(126)	(115)	(1476)

(84.3%), (69.8%), (63.8%)

< 5.15>

< 5.15>

%

/	13.3	37.6	4.0	34.0	4.6	34.0	10.4	18.8	6.8	2.6
/	28.3	21.5	6.7	0.0	3.8	39.9	4.2	22.5	1.5	1.7
	2.4	10.7	4.7	0.0	13.8	10.4	4.2	22.5	2.3	5.2
/	51.8	24.2	80.5	66.0	72.3	12.2	78.5	33.3	86.4	87.0

13-28%

6.

가
 (388) , (217) ,
 (133) 100
 (596) 가 , (279) , (255) , (210
) 200 가 274
 700 .

< 5.16>

	28.5	55.3	41.2	388.4	55.9	81.6	60.1	86.6	133.2	216.9
	185.0	171.2	254.7	595.6	132.7	210.1	161.5	159.6	176.9	279.1
가	308.8	300.9	333.9	669.1	273.9	363.2	259.4	391.1	289.4	345.5

210
 , (75) , (72) , (52)
 ,
 (78.9%) (69.6%)
 , 354
 가 가 , (153) , (130)
 80 -120
 가 158 ()-507 () .

< 5.17>

	22.5	51.6	43.3	210.1	28.5	35.4	41.8	45.4	75.1	72.1
	83.2	98.7	97.5	353.9	76.5	102.5	76.2	116.7	130.0	153.0
가	227.3	236.9	213.7	506.5	157.7	263.5	185.9	281.4	220.1	238.1

< 5.18 >

%()

.5	1.2	1.2	.7	1.4	1.4	1.4	1.4			.9
3.3	3.0	1.2	8.5	2.8	4.8	.7	5.7	.8	1.7	3.3
51.9	53.6	56.2	78.4	42.7	68.5	35.4	64.3	45.0	39.7	54.1
30.1	29.5	30.8	11.8	39.9	22.6	45.1	27.1	36.6	41.4	31.1
10.9	10.8	10.1	.7	9.1	2.1	12.5	1.4	11.5	13.8	8.2
3.3	1.8	.6		4.2	.7	4.9		6.1	3.4	2.4
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
(183)	(166)	(169)	(153)	(143)	(146)	(144)	(140)	(131)	(116)	(1491)

가 (0.7%), (17.6%) (17.4%), (17.2%)

, 80-90%

< >

, . 1995. 1995 .
, . 1994. .
, . 1992. 1992 .
, . 1991. .
, . 1989. 1989 .
, . 1989. .

< >

- Adorno, Theodor. 1970. *Asthetische Theorie*. Frankfurt: Schurkamp.
1984. .
- Albrecht, Milton C. 1970. "Art as an Institution." in Milton C. Albrecht, James H. Barnett and Mason Griff (eds.) *The Sociology of Art and Literature: A Reader*. New York: Praeger.
- Albrecht, Milton C., James H. Barnett and Mason Griff (eds.) 1970. *The Sociology of Art and Literature: A Reader*. New York: Praeger.
- Barnett, James. 1970. "The Sociology of Art." in Milton C. Albrecht, James H. Barnett and Mason Griff (eds.) *The Sociology of Art and Literature: A Reader*. New York: Praeger.
- Becker, Howard S. 1974. "Art as Collective Action." *American Sociological Review*, 39.
_____. 1982. *Art Worlds*. Berkeley: University of California Press.
- Clark, Kenneth. 1970. "Art and Society." in Milton C. Albrecht, James H. Barnett and Mason Griff (eds.) *The Sociology of Art and Literature: A Reader*. New York: Praeger.
- Couch, Stephen R. 1983. "Patronage and Organizational Structure in Symphony Orchestra in London and New York." in Jack B. Kamerman and Rosanne Martorella (eds.) *Performers and Performances: The Social Organization of Artistic Work*. New York: Praeger.
- Cummings, Milton C., Jr. and Richard S. Katz (eds.) 1987. *The Patron State: Government and the Arts in Europe, North America and Japan*. Oxford: Oxford University Press.
- DiMaggio, Phil and Michael Useem. 1978. "Social Structure and Arts Consumption: The Origins and Consequences of Class Differences in Exposure to the

- Arts in America." *Theory and Society* 5. pp. 141-161.
- Farrell, Michael. 1982. "Artists' Circles and the Development of Artists." *Small Group Behavior* 13. pp. 445-474.
- Federico, Ronald Charles. 1974. "Recruitment, Training and Performance: The Case of Ballet." In Phyllis L. Stewart and Muriel G. Cartor (eds.) *Varieties of Work Experience*. New York: John Wiley
- Foster, Arnold W. and Judith R. Blau (eds.) 1989. *Art and Society: Readings in the Sociology of the Arts*. Albany: SUNY Press.
- Goldmann, Lucien. 1965. *Pour une sociologie du roman*. . ¶
- _____ . 1967. "The Sociology of Literature: Status and Problems of Method." in Milton C. Albrecht, James H. Barnett and Mason Griff (eds.) *The Sociology of Art and Literature: A Reader*. New York: Praeger.
- Gombrich, E. H. 1972. *The Story of Art* (12th ed.) London: Phaidon.
- Greenfeld, Liah. 1989. *Different Worlds: A sociological study of taste, choice, and success in art*. Cambridge: Cambridge University Press.
- Hamilton, Peter. 1974. *Knowledge and Social Structure: An Introduction to the Classical Argument in the Sociology of Knowledge*. London: RKP.
- Hauser, Arnold. 1982. *The Sociology of Art*. Chicago: University of Chicago Press.
- _____ . 1958. *Methoden moderner Kunstbetrachtung*. C.H. Beck. .
1983. ¶
- Jay, Martin. 1973. *The Dialectical Imagination: A History of the Frankfurt School and the Institute of Social Research 1923-1951*. Boston: Little Brown.
- . 1981. ¶
- Kamerman, Jack B. 1983. "Symphony Conducting as an Occupation. in Jack B. Kamerman and Rosanne Martorella (eds.) *Performers and Performances: The Social Organization of Artistic Work*. New York: Praeger.
- Kern, Alexander. 1970. "The Sociology of Knowledge in the Study of Literature." in Milton C. Albrecht, James H. Barnett and Mason Griff (eds.) *The Sociology of Art and Literature: A Reader*. New York: Praeger.
- Kiralyfalvi, Bela. 1965. *The Aesthetics of George Lukacs*. London: Princeton University Press. . 1984. ¶
- Lichtheim, George. 1970. *Georg Lukacs*. New York: Viking.
- Lukacs, Georg. 1971. *The Theory of the Novel*. Cambridge: MIT Press.
- _____ . 1971. *History and Class Consciousness: Studies in Marxist Dialectics*. Cambridge: MIT Press.
- Marcuse, Herbert. 1972. *Counterrevolution and Revolt*. London: Allen Lane.
- Marx, Karl. 1956. "Preface to a Contribution to the Critique of Political Economy."


- in T. B. Bottomore and Maxmillian Rubel (eds.) *Karl Marx*. New York: McGraw-Hill.
- Mueller, John H. 1951. *The American Symphony Orchestra: A Social History of Musical Taste*. Bloomington: Indiana University Press.
- Nash, Dennison J. 1957. "The Socialization of an Artist: The American Composer." *Social Forces*, XXXV. pp.307-313.
- Parsons, Talcott. 1951. *The Social System*. New York: Free Press.
- Slater, Phil. 1977. *Origin and Significance of the Frankfurt School: A Marxist Perspective*. London: RKP.
- White, Harrison C. 1993. *Careers and Creativity: Social Forces in the Arts*. Boulder: Westview.
- Williams, Raymond. 1982. *The Sociology of Culture*. New York: Schocken Books.
- Wolff, Janet. 1975. *Hermeneutic Philosophy and the Sociology of Art*. London: Routledge and Kegan Paul.
- _____. 1981. *The Social Production of Art*. London: Macmillan.
- _____. 1983. *Aesthetics and the Sociology of Art*. London: George Allen and Unwin.
- Zolberg, Vera L. 1990. *Constructing a Sociology of the Arts*. Cambridge: Cambridge University Press.

1

11302

13

--	--	--	--	--



: 02-760-0407
fax 02-744-6169
Email ssrc@yurim.skku.ac.kr

가

7. 가 ?
 ___ 1) ___ 4) ___ 7) ___ 10)
 ___ 2) ___ 5) ___ 8) ___ 11) (:)
 ___ 3) ___ 6) ___ 9)

8. 가 ?
 ___ 1) ___ 4) ___ 7) ___ 10)
 ___ 2) ___ 5) ___ 8) ___ 11) (:)
 ___ 3) ___ 6) ___ 9)

9. ?
 ___ 1) ___ 4)
 ___ 2) ___ 5)
 ___ 3)

10. 가가 ?
 ___ 1) 가 ___ 4) 가
 ___ 2) 가 ___ 5) 가
 ___ 3)

11. ?
 ___ 1) ___ 4)
 ___ 2) ___ 5)
 ___ 3)

12. 가 ?
 ___ 1) ___ 4)
 ___ 2) ___ 5)
 ___ 3)

13. ?
 ___ 1) ___ 4)
 ___ 2) ___ 5)
 ___ 3)

14. 가 ?
 ___ 1) ___ 4)
 ___ 2) ___ 5)
 ___ 3)

15. _____ ?

- _____ 1)
- _____ 2)
- _____ 3)

- _____ 4)
- _____ 5)

16. _____ 가 _____ ?

- _____ 1)
- _____ 2)
- _____ 3)
- _____ 4)
- _____ 5)

- _____ 6)
- _____ 7)
- _____ 8)
- _____ 9)
- _____ 10) (:)

17.

		(1)	(2)	(3)	(4)	(5)	(6)
1)		_____	_____	_____	_____	_____	_____
2)	가	_____	_____	_____	_____	_____	_____
3)		_____	_____	_____	_____	_____	_____
4)		_____	_____	_____	_____	_____	_____
5)	가	_____	_____	_____	_____	_____	_____
6)		_____	_____	_____	_____	_____	_____
7)		_____	_____	_____	_____	_____	_____
8)		_____	_____	_____	_____	_____	_____
9)		_____	_____	_____	_____	_____	_____
10)		_____	_____	_____	_____	_____	_____
11)		_____	_____	_____	_____	_____	_____
12)		_____	_____	_____	_____	_____	_____

18.

		(1)	(2)	(3)	(4)	(5)	(6)
1)		_____	_____	_____	_____	_____	_____
2)		_____	_____	_____	_____	_____	_____
3)	가	_____	_____	_____	_____	_____	_____
4)		_____	_____	_____	_____	_____	_____
5)		_____	_____	_____	_____	_____	_____

19.

		(1)	(2)	(3)	(4)	(5)	(6)
1)		_____	_____	_____	_____	_____	_____
2)		_____	_____	_____	_____	_____	_____
3)	가 가	_____	_____	_____	_____	_____	_____
4)	가	_____	_____	_____	_____	_____	_____

20.

			가		?
_____ 1)		_____ 3)		_____ 5)	
_____ 2)		_____ 4)		_____ 6)	(:)

21.

	가			?
_____ 1)		_____ 2)	가	_____ 3)

22.

가

(1) (2) (3) (4) (5)

1)	_____	_____	_____	_____	_____
2)	_____	_____	_____	_____	_____
3)	_____	_____	_____	_____	_____
4)	_____	_____	_____	_____	_____
5)	_____	_____	_____	_____	_____

23.

가

(1) (2) (3) (4) (5)

1)	_____	_____	_____	_____	_____
2)	_____	_____	_____	_____	_____
3)	_____	_____	_____	_____	_____
4)	_____	_____	_____	_____	_____
5)	_____	_____	_____	_____	_____
6)	_____	_____	_____	_____	_____

가

24.

1 (1996.7.1 - 1997. 6.30)

?

			()
1)			
2)	(. . .)		
3)			
4)	()		
5)			

25. ?

___ 0) (/) ___ 3)
___ 1) ___ 4)
___ 2) ___ 5)

26. ?

___ 0) (/) ___ 3)
___ 1) ___ 4)
___ 2) ___ 5)

27. ?

	(0)	(1)	(2)	(3)	(4)	(5)
1) ·	___	___	___	___	___	___
2)	___	___	___	___	___	___
3)	___	___	___	___	___	___
4)	___	___	___	___	___	___
5)	___	___	___	___	___	___

28. ?

___ 1) ___ 2)

28.1. () ?

29. ?

___ 1) ___ 2)

29.1. () ? _____

37. 가 ? ___ 1) ___ 2)

37.1 (가) ?

- ___ 0) ___ 5) /
- ___ 1) / ___ 6) /
- ___ 2) 가(, 가, 가,) ___ 7)
- ___ 3) 가(, ,) ___ 8)
- ___ 4) ___ 9) ()

37.1.1 () ?

- ___ 0) ___ 3) ___ 6) ()
- ___ 1) ___ 4)
- ___ 2) ___ 5)

37.2 (가) ?

- ___ 0) ___ 3)
- ___ 1) / ___ 4)
- ___ 2) 가 ___ 5) ()

37.3 (가) ?

- ___ 0) 가 ___ 4)
- ___ 1) ___ 5)
- ___ 2) ___ 6)
- ___ 3) 가

38. ? ___ 1) ___ 3) ___ 5)
___ 2) ___ 4) ___ 6)

39.

- 39.1. (1) 가 _____
 (2) 가 _____
 (3) (가) _____
- 39.2. (1) 가 _____
 (2) 가 _____
 (3) (가) _____

:	_____	:	_____	_____			
		:	_____				
:	_____	:	_____				
		:	_____				
:	1	_____	_____	_____ , 2	_____	_____	_____
:	_____	1)	_____	2)	_____	3)	()
:	_____	1)	_____	2)	_____	3)	()
:	_____	1)	_____	2)			

2

1.

1)	139
2)	146
3)	153
4)	160
5)	166
6)	173
7)	180
8)	183
9)	190
10)	193

2.

1)	202
2)	208
3)	212
4)	229
5)	235
6)	240
7)	246
8)	251

1.1.1		1.4.1)					%	
		1-9	10-19	20-29	30-39	40	()	
(1)		20.7	62.1	13.8	3.4	-	-	100.0 (29)
		6.3	29.1	15.2	21.5	12.7	15.2	100.0 (79)
		26.3	-	42.1	15.8	5.3	10.5	100.0 (19)
		3.7	63.0	18.5	3.7	7.4	3.7	100.0 (27)
		7.1	35.7	21.4	14.3	14.3	7.1	100.0 (14)
/		-	66.7	33.3	-	-	-	100.0 (3)
/		-	100.0	-	-	-	-	100.0 (1)
(2)		16.2	51.4	18.9	5.4	2.7	5.4	100.0 (37)
10		10.0	47.5	17.5	15.0	7.5	2.5	100.0 (40)
10-19		8.3	35.4	20.8	16.7	10.4	8.3	100.0 (48)
20-29		7.1	21.4	17.9	21.4	21.4	10.7	100.0 (28)
30-39		12.5	31.3	6.3	12.5	-	37.5	100.0 (16)
40								
(3)		11.4	36.6	18.7	14.6	8.9	9.8	100.0 (123)
		8.0	44.0	20.0	12.0	8.0	8.0	100.0 (50)
(4)		-	100.0	-	-	-	-	100.0 (2)
/		12.0	32.0	40.0	12.0	4.0	-	100.0 (25)
/		12.4	41.6	13.5	15.7	10.1	6.7	100.0 (89)
/		7.0	35.1	19.3	12.3	8.8	17.5	100.0 (57)
(5)		12.5	37.5	17.0	17.0	8.0	8.0	100.0 (88)
		6.9	24.1	34.5	6.9	6.9	20.7	100.0 (29)
		8.9	48.2	14.3	12.5	10.7	5.4	100.0 (56)
(6)		19.4	44.4	8.3	11.1	13.9	2.8	100.0 (36)
/		5.6	44.4	5.6	16.7	22.2	5.6	100.0 (18)
/		10.6	37.2	21.3	12.8	6.4	11.7	100.0 (94)
가		-	40.0	40.0	20.0	-	-	100.0 (5)
가		-	-	57.1	28.6	-	14.3	100.0 (7)
/		-	60.0	20.0	-	-	20.0	100.0 (5)
		-	40.0	20.0	40.0	-	-	100.0 (5)
		-	33.3	33.3	-	-	33.3	100.0 (3)
(7)		-	100.0	-	-	-	-	100.0 (1)
		-	33.3	16.7	16.7	-	33.3	100.0 (6)
		7.9	37.1	16.9	12.4	12.4	13.5	100.0 (89)
		14.0	48.0	22.0	10.0	4.0	2.0	100.0 (50)
		10.0	25.0	25.0	25.0	10.0	5.0	100.0 (20)
		33.3	33.3	16.7	16.7	-	-	100.0 (6)
(8)	가	-	50.0	20.0	-	10.0	20.0	100.0 (10)
100		15.4	30.8	26.9	15.4	11.5	-	100.0 (26)
100-199		16.2	45.9	18.9	13.5	-	5.4	100.0 (37)
200-299		7.9	36.8	15.8	10.5	13.2	15.8	100.0 (38)
300-399		-	31.6	26.3	21.1	10.5	10.5	100.0 (19)
400-499		4.5	45.5	13.6	13.6	9.1	13.6	100.0 (22)
500								

1.1.2		:					(1.4.2)		%
		1	2	3	4	5	()		
(1)		80.6	9.7	6.5	-	3.2	-	100.0 (31)	
		66.3	13.8	8.8	2.5	5.0	3.8	100.0 (80)	
		68.4	26.3	-	-	5.3	-	100.0 (19)	
		96.9	-	-	-	3.1	-	100.0 (32)	
		86.7	13.3	-	-	-	-	100.0 (15)	
	/	66.7	-	-	33.3	-	-	100.0 (3)	
	/	-	-	-	-	100.0	-	100.0 (1)	
(2)									
	10	90.0	5.0	5.0	-	-	-	100.0 (40)	
	10-19	92.7	7.3	-	-	-	-	100.0 (41)	
	20-29	64.7	17.6	3.9	2.0	9.8	2.0	100.0 (51)	
	30-39	62.1	10.3	10.3	3.4	10.3	3.4	100.0 (29)	
	40	52.9	23.5	11.8	5.9	-	5.9	100.0 (17)	
(3)									
		72.4	11.0	5.5	2.4	6.3	2.4	100.0 (127)	
		83.6	12.7	3.6	-	-	-	100.0 (55)	
(4)									
	/	100.0	-	-	-	-	-	100.0 (2)	
	/	93.1	3.4	-	-	3.4	-	100.0 (29)	
	/	89.2	7.5	2.2	-	1.1	-	100.0 (93)	
	/	44.8	22.4	12.1	5.2	10.3	5.2	100.0 (58)	
(5)									
		78.3	10.9	3.3	1.1	5.4	1.1	100.0 (92)	
		56.3	25.0	9.4	3.1	3.1	3.1	100.0 (32)	
		82.8	5.2	5.2	1.7	3.4	1.7	100.0 (58)	
(6)									
	/	85.4	12.2	-	-	2.4	-	100.0 (41)	
	/	73.7	21.1	5.3	-	-	-	100.0 (19)	
	가	68.8	10.4	8.3	3.1	6.3	3.1	100.0 (96)	
	가	100.0	-	-	-	-	-	100.0 (5)	
		85.7	-	-	-	14.3	-	100.0 (7)	
	/	83.3	16.7	-	-	-	-	100.0 (6)	
		100.0	-	-	-	-	-	100.0 (5)	
		66.7	33.3	-	-	-	-	100.0 (3)	
(7)									
		100.0	-	-	-	-	-	100.0 (1)	
		100.0	-	-	-	-	-	100.0 (6)	
		62.8	16.0	8.5	2.1	7.4	3.2	100.0 (94)	
		88.9	5.6	1.9	1.9	1.9	-	100.0 (54)	
		85.0	15.0	-	-	-	-	100.0 (20)	
		100.0	-	-	-	-	-	100.0 (6)	
(8)	가								
	100	70.0	20.0	10.0	-	-	-	100.0 (10)	
	100-199	84.6	7.7	-	3.8	3.8	-	100.0 (26)	
	200-299	78.9	10.5	5.3	-	2.6	2.6	100.0 (38)	
	300-399	61.5	23.1	5.1	2.6	5.1	2.6	100.0 (39)	
	400-499	66.7	9.5	9.5	4.8	9.5	-	100.0 (21)	
	500	77.3	4.5	9.1	-	4.5	4.5	100.0 (22)	

1.1.3		:					(1.4.3)		%
		1	2	3	4	()			
(1)		32.3	48.4	6.5	3.2	9.7	100.0	(31)	
		22.0	72.0	3.7	1.2	1.2	100.0	(82)	
		15.8	78.9	5.3	-	-	100.0	(19)	
		46.9	53.1	-	-	-	100.0	(32)	
		20.0	53.3	20.0	6.7	-	100.0	(15)	
	/	-	66.7	-	33.3	-	100.0	(3)	
	/	100.0	-	-	-	-	100.0	(1)	
(2)									
10		50.0	50.0	-	-	-	100.0	(40)	
10-19		23.8	71.4	4.8	-	-	100.0	(42)	
20-29		17.6	70.6	7.8	2.0	2.0	100.0	(51)	
30-39		27.6	69.0	-	-	3.4	100.0	(29)	
40		17.6	35.3	17.6	17.6	11.8	100.0	(17)	
(3)									
		28.9	58.6	6.3	3.1	3.1	100.0	(128)	
		23.2	75.0	1.8	-	-	100.0	(56)	
(4)									
/		100.0	-	-	-	-	100.0	(2)	
/		37.9	62.1	-	-	-	100.0	(29)	
/		27.7	60.6	8.5	1.1	2.1	100.0	(94)	
		18.6	71.2	1.7	5.1	3.4	100.0	(59)	
(5)									
		23.7	62.4	6.5	3.2	4.3	100.0	(93)	
		18.8	71.9	9.4	-	-	100.0	(32)	
		37.3	61.0	-	1.7	-	100.0	(59)	
(6)									
/		31.7	61.0	4.9	-	2.4	100.0	(41)	
/		35.0	60.0	-	5.0	-	100.0	(20)	
가		23.7	64.9	5.2	3.1	3.1	100.0	(97)	
가		20.0	60.0	20.0	-	-	100.0	(5)	
		14.3	71.4	14.3	-	-	100.0	(7)	
/		16.7	83.3	-	-	-	100.0	(6)	
		60.0	40.0	-	-	-	100.0	(5)	
		33.3	66.7	-	-	-	100.0	(3)	
(7)									
		-	100.0	-	-	-	100.0	(1)	
		50.0	50.0	-	-	-	100.0	(6)	
		24.2	68.4	4.2	2.1	1.1	100.0	(95)	
		32.7	58.2	3.6	1.8	3.6	100.0	(55)	
		20.0	65.0	5.0	5.0	5.0	100.0	(20)	
		33.3	50.0	16.7	-	-	100.0	(6)	
(8)	가								
100		20.0	50.0	10.0	10.0	10.0	100.0	(10)	
100-199		19.2	76.9	-	3.8	-	100.0	(26)	
200-299		43.6	53.8	-	2.6	-	100.0	(39)	
300-399		22.5	67.5	7.5	-	2.5	100.0	(40)	
400-499		9.5	90.5	-	-	-	100.0	(21)	
500		22.7	68.2	4.5	-	4.5	100.0	(22)	

1.1.4 : 1 (1.5.1) %

		1-9	10-19	20-29	30-39	40	()
(1)		50.0	43.3	-	3.3	-	3.3 100.0 (30)
		13.6	21.0	28.4	17.3	7.4	12.3 100.0 (81)
		15.8	10.5	36.8	15.8	10.5	10.5 100.0 (19)
		13.3	36.7	33.3	6.7	-	10.0 100.0 (30)
		13.3	40.0	40.0	-	-	6.7 100.0 (15)
/		33.3	33.3	-	33.3	-	- 100.0 (3)
/		100.0	-	-	-	-	- 100.0 (1)
(2)		20.5	30.8	20.5	17.9	2.6	7.7 100.0 (39)
10		11.9	33.3	31.0	9.5	7.1	7.1 100.0 (42)
10-19		28.0	32.0	16.0	10.0	4.0	10.0 100.0 (50)
20-29		11.1	14.8	44.4	11.1	3.7	14.8 100.0 (27)
30-39		41.2	17.6	17.6	5.9	5.9	11.8 100.0 (17)
40							
(3)		23.2	27.2	28.0	8.0	4.0	9.6 100.0 (125)
		16.4	29.1	20.0	20.0	5.5	9.1 100.0 (55)
(4)		50.0	-	50.0	-	-	- 100.0 (2)
/		11.1	22.2	29.6	22.2	11.1	3.7 100.0 (27)
/		25.0	29.3	21.7	12.0	4.3	7.6 100.0 (92)
/		18.6	28.8	28.8	6.8	1.7	15.3 100.0 (59)
(5)		27.8	28.9	13.3	15.6	5.6	8.9 100.0 (90)
		12.5	28.1	37.5	6.3	-	15.6 100.0 (32)
		15.5	25.9	37.9	8.6	5.2	6.9 100.0 (58)
(6)		30.0	25.0	20.0	17.5	5.0	2.5 100.0 (40)
/		22.2	44.4	22.2	5.6	5.6	- 100.0 (18)
/		19.8	26.0	29.2	10.4	2.1	12.5 100.0 (96)
가		20.0	20.0	20.0	-	40.0	- 100.0 (5)
가		-	28.6	28.6	14.3	-	28.6 100.0 (7)
/		16.7	16.7	33.3	-	-	33.3 100.0 (6)
		-	20.0	20.0	40.0	20.0	- 100.0 (5)
		33.3	66.7	-	-	-	- 100.0 (3)
(7)		100.0	-	-	-	-	- 100.0 (1)
		-	33.3	33.3	-	-	33.3 100.0 (6)
		22.8	28.3	25.0	8.7	4.3	10.9 100.0 (92)
		22.2	27.8	22.2	14.8	5.6	7.4 100.0 (54)
		10.0	25.0	35.0	20.0	5.0	5.0 100.0 (20)
		33.3	16.7	33.3	16.7	-	- 100.0 (6)
(8)	가	10.0	20.0	20.0	20.0	20.0	10.0 100.0 (10)
100		23.1	19.2	26.9	19.2	3.8	7.7 100.0 (26)
100-199		17.9	35.9	23.1	15.4	2.6	5.1 100.0 (39)
200-299		23.1	25.6	30.8	5.1	2.6	12.8 100.0 (39)
300-399		10.5	36.8	31.6	5.3	5.3	10.5 100.0 (19)
400-499		31.8	22.7	9.1	13.6	9.1	13.6 100.0 (22)
500							

1.1.5	:	1	/	(1.5.2)	%	
		1	2	3	4	5	()
(1)		93.5	3.2	3.2	-	-	100.0 (31)
		80.5	7.3	4.9	1.2	1.2	100.0 (82)
		84.2	5.3	5.3	-	-	100.0 (19)
		96.9	-	-	-	-	100.0 (32)
		93.3	-	6.7	-	-	100.0 (15)
/		66.7	-	33.3	-	-	100.0 (3)
/		100.0	-	-	-	-	100.0 (1)
(2)							
10		95.0	2.5	2.5	-	-	100.0 (40)
10-19		95.2	4.8	-	-	-	100.0 (42)
20-29		84.3	3.9	5.9	-	2.0	100.0 (51)
30-39		79.3	6.9	6.9	3.4	-	100.0 (29)
40		70.6	5.9	11.8	-	-	100.0 (17)
(3)							
		84.4	3.1	6.3	.8	.8	100.0 (128)
		92.9	7.1	-	-	-	100.0 (56)
(4)							
/		100.0	-	-	-	-	100.0 (2)
/		96.6	-	-	-	-	100.0 (29)
/		96.8	1.1	-	1.1	-	100.0 (94)
		66.1	11.9	13.6	-	1.7	100.0 (59)
(5)							
		87.1	4.3	3.2	1.1	1.1	100.0 (93)
		84.4	6.3	9.4	-	-	100.0 (32)
		88.1	3.4	3.4	-	-	100.0 (59)
(6)							
/		95.1	2.4	-	-	-	100.0 (41)
/		85.0	-	5.0	5.0	-	100.0 (20)
가		81.4	7.2	7.2	-	-	100.0 (97)
가		100.0	-	-	-	-	100.0 (5)
		100.0	-	-	-	-	100.0 (7)
/		100.0	-	-	-	-	100.0 (6)
		100.0	-	-	-	-	100.0 (5)
		66.7	-	-	-	33.3	100.0 (3)
(7)							
		100.0	-	-	-	-	100.0 (1)
		100.0	-	-	-	-	100.0 (6)
		80.0	7.4	6.3	1.1	1.1	100.0 (95)
		92.7	-	3.6	-	-	100.0 (55)
		95.0	5.0	-	-	-	100.0 (20)
		100.0	-	-	-	-	100.0 (6)
(8)							
가							
100		90.0	-	-	-	-	100.0 (10)
100-199		88.5	-	3.8	-	-	100.0 (26)
200-299		87.2	5.1	5.1	-	-	100.0 (39)
300-399		82.5	10.0	5.0	-	2.5	100.0 (40)
400-499		76.2	4.8	14.3	4.8	-	100.0 (21)
500		86.4	4.5	-	-	-	100.0 (22)

1.1.6		: 1					(1.5.3)		%
		1	2	3	4	5	()		
(1)		71.0	9.7	6.5	6.5	3.2	3.2	100.0 (31)	
		72.0	20.7	4.9	-	-	2.4	100.0 (82)	
		78.9	10.5	5.3	-	-	5.3	100.0 (19)	
		93.5	6.5	-	-	-	-	100.0 (31)	
	/	80.0	6.7	6.7	6.7	-	-	100.0 (15)	
	/	66.7	33.3	-	-	-	-	100.0 (3)	
	/	100.0	-	-	-	-	-	100.0 (1)	
(2)									
	10	80.0	12.5	-	5.0	-	2.5	100.0 (40)	
	10-19	78.6	19.0	-	-	2.4	-	100.0 (42)	
	20-29	74.5	15.7	3.9	2.0	2.0	2.0	100.0 (51)	
	30-39	79.3	10.3	6.9	-	-	3.4	100.0 (29)	
	40	58.8	11.8	23.5	-	-	5.9	100.0 (17)	
(3)									
		76.4	11.0	6.3	1.6	1.6	3.1	100.0 (127)	
		76.8	21.4	-	1.8	-	-	100.0 (56)	
(4)									
	/	100.0	-	-	-	-	-	100.0 (2)	
	/	92.9	-	3.6	-	-	3.6	100.0 (28)	
	/	75.5	14.9	2.1	3.2	2.1	2.1	100.0 (94)	
	/	69.5	20.3	8.5	-	-	1.7	100.0 (59)	
(5)									
		73.1	15.1	4.3	3.2	1.1	3.2	100.0 (93)	
		68.8	25.0	6.3	-	-	-	100.0 (32)	
		86.2	6.9	3.4	-	1.7	1.7	100.0 (58)	
(6)									
	/	78.0	14.6	4.9	-	-	2.4	100.0 (41)	
	/	75.0	15.0	10.0	-	-	-	100.0 (20)	
	가	74.0	14.6	4.2	2.1	2.1	3.1	100.0 (96)	
	가	100.0	-	-	-	-	-	100.0 (5)	
	/	71.4	14.3	-	14.3	-	-	100.0 (7)	
	/	83.3	16.7	-	-	-	-	100.0 (6)	
	/	100.0	-	-	-	-	-	100.0 (5)	
	/	66.7	33.3	-	-	-	-	100.0 (3)	
(7)									
		-	100.0	-	-	-	-	100.0 (1)	
		83.3	16.7	-	-	-	-	100.0 (6)	
		77.9	15.8	5.3	-	-	1.1	100.0 (95)	
		74.5	12.7	1.8	5.5	3.6	1.8	100.0 (55)	
		75.0	5.0	10.0	-	-	10.0	100.0 (20)	
		80.0	20.0	-	-	-	-	100.0 (5)	
(8)									
	가								
	100	66.7	-	33.3	-	-	-	100.0 (9)	
	100-199	80.8	15.4	-	-	-	3.8	100.0 (26)	
	200-299	71.8	10.3	5.1	5.1	5.1	2.6	100.0 (39)	
	300-399	80.0	15.0	-	2.5	-	2.5	100.0 (40)	
	400-499	81.0	19.0	-	-	-	-	100.0 (21)	
	500	68.2	22.7	4.5	-	-	-	100.0 (22)	

1.1.7 : 1 (1.6.1)
%

	1	2	3	()	
(1)	45.2	38.7	9.7	6.5	100.0 (31)
	35.8	43.2	17.3	3.7	100.0 (81)
	15.8	36.8	31.6	15.8	100.0 (19)
	62.1	34.5	3.4	-	100.0 (29)
	58.3	25.0	-	16.7	100.0 (12)
/	33.3	33.3	-	33.3	100.0 (3)
/	-	-	100.0	-	100.0 (1)
(2)					
10	45.9	32.4	21.6	-	100.0 (37)
10-19	30.0	52.5	10.0	7.5	100.0 (40)
20-29	47.9	37.5	10.4	4.2	100.0 (48)
30-39	41.4	34.5	17.2	6.9	100.0 (29)
40	41.2	29.4	11.8	17.6	100.0 (17)
(3)					
	40.3	36.3	14.5	8.9	100.0 (124)
	42.3	44.2	13.5	-	100.0 (52)
(4)					
/	100.0	-	-	-	100.0 (2)
/	42.9	39.3	17.9	-	100.0 (28)
/	42.7	42.7	11.2	3.4	100.0 (89)
	35.1	33.3	17.5	14.0	100.0 (57)
(5)					
	45.1	36.3	13.2	5.5	100.0 (91)
	34.5	41.4	17.2	6.9	100.0 (29)
	37.5	41.1	14.3	7.1	100.0 (56)
(6)					
/	53.8	33.3	10.3	2.6	100.0 (39)
/	27.8	50.0	16.7	5.6	100.0 (18)
가	37.6	37.6	16.1	8.6	100.0 (93)
가	60.0	40.0	-	-	100.0 (5)
	42.9	28.6	14.3	14.3	100.0 (7)
/	50.0	33.3	16.7	-	100.0 (6)
	40.0	60.0	-	-	100.0 (5)
	-	66.7	33.3	-	100.0 (3)
(7)					
	-	100.0	-	-	100.0 (1)
	33.3	33.3	33.3	-	100.0 (6)
	44.0	39.6	12.1	4.4	100.0 (91)
	37.3	37.3	19.6	5.9	100.0 (51)
	35.0	35.0	10.0	20.0	100.0 (20)
	66.7	33.3	-	-	100.0 (6)
(8)					
가					
100	40.0	40.0	10.0	10.0	100.0 (10)
100-199	46.2	38.5	11.5	3.8	100.0 (26)
200-299	43.2	27.0	21.6	8.1	100.0 (37)
300-399	43.2	37.8	16.2	2.7	100.0 (37)
400-499	35.0	50.0	5.0	10.0	100.0 (20)
500	36.4	40.9	13.6	9.1	100.0 (22)

1.2.1 : (2.4.1) %

		0-99	100-199	200-299	300-399	400	()
(1)		5.6	33.3	16.7	11.1	16.7	100.0 (18)
		15.6	39.1	18.8	9.4	7.8	100.0 (64)
		20.0	60.0	10.0	-	10.0	100.0 (10)
		15.0	35.0	40.0	5.0	5.0	100.0 (20)
		13.6	50.0	-	18.2	4.5	100.0 (22)
		25.0	50.0	-	25.0	-	100.0 (4)
		11.1	55.6	33.3	-	-	100.0 (9)
		50.0	-	50.0	-	-	100.0 (2)
(2)		26.7	66.7	6.7	-	-	100.0 (15)
	10	13.6	49.2	20.3	5.1	10.2	100.0 (59)
	10-19	11.9	40.5	28.6	14.3	2.4	100.0 (42)
	20-29	11.8	23.5	11.8	11.8	5.9	100.0 (17)
	30-39	8.3	8.3	-	25.0	16.7	100.0 (12)
	40						
(3)		13.1	33.3	19.2	12.1	10.1	100.0 (99)
		19.6	56.9	17.6	3.9	-	100.0 (51)
(4)		-	50.0	-	50.0	-	100.0 (2)
	/	27.3	18.2	-	9.1	9.1	100.0 (11)
	/	12.3	55.4	12.3	7.7	3.1	100.0 (65)
	/	16.7	31.9	27.8	9.7	9.7	100.0 (72)
(5)		14.5	44.9	18.8	8.7	7.2	100.0 (69)
		14.6	34.1	14.6	12.2	9.8	100.0 (41)
		17.5	42.5	22.5	7.5	2.5	100.0 (40)
(6)		5.9	58.8	5.9	11.8	11.8	100.0 (17)
	/	40.0	20.0	20.0	-	-	100.0 (5)
	/	14.4	38.5	20.2	11.5	7.7	100.0 (104)
	가	23.1	61.5	7.7	-	-	100.0 (13)
	가	25.0	50.0	25.0	-	-	100.0 (4)
	가	-	-	100.0	-	-	100.0 (1)
	가	16.7	16.7	33.3	-	-	100.0 (6)
(7)		-	-	-	-	100.0	100.0 (1)
		50.0	25.0	-	25.0	-	100.0 (4)
		16.5	41.8	21.5	7.6	5.1	100.0 (79)
		14.9	38.3	14.9	14.9	8.5	100.0 (47)
		5.9	52.9	17.6	-	11.8	100.0 (17)
		-	50.0	50.0	-	-	100.0 (2)
(8)	가	-	66.7	-	-	33.3	100.0 (3)
	100	8.0	40.0	20.0	12.0	4.0	100.0 (25)
	100-199	20.0	45.0	15.0	10.0	5.0	100.0 (40)
	200-299	6.7	43.3	16.7	16.7	10.0	100.0 (30)
	300-399	-	53.8	30.8	-	-	100.0 (13)
	400-499	26.1	21.7	30.4	4.3	8.7	100.0 (23)
	500						

1.2.2

:

(2.4.2)

%

		1	2	3	4	5	()	
(1)		9.5	33.3	4.8	9.5	14.3	28.6	100.0 (21)
		35.8	10.4	10.4	10.4	6.0	26.9	100.0 (67)
		45.5	18.2	-	-	9.1	27.3	100.0 (11)
		52.2	8.7	8.7	17.4	8.7	4.3	100.0 (23)
		69.6	26.1	-	-	4.3	-	100.0 (23)
		25.0	-	25.0	-	-	50.0	100.0 (4)
		81.8	-	-	9.1	-	9.1	100.0 (11)
		-	-	66.7	-	-	33.3	100.0 (3)
(2)								
	10	52.9	29.4	-	17.6	-	-	100.0 (17)
	10-19	41.3	14.3	11.1	9.5	6.3	17.5	100.0 (63)
	20-29	51.1	6.7	8.9	8.9	6.7	17.8	100.0 (45)
	30-39	31.6	26.3	-	-	10.5	31.6	100.0 (19)
	40	7.1	14.3	7.1	7.1	14.3	50.0	100.0 (14)
(3)								
		37.1	12.4	6.7	8.6	9.5	25.7	100.0 (105)
		52.5	18.6	10.2	8.5	1.7	8.5	100.0 (59)
(4)								
	/	50.0	-	-	-	-	50.0	100.0 (2)
	/	45.5	9.1	9.1	-	9.1	27.3	100.0 (11)
	/	56.9	11.1	5.6	8.3	4.2	13.9	100.0 (72)
	/	29.1	19.0	10.1	10.1	8.9	22.8	100.0 (79)
(5)								
		38.5	16.7	6.4	7.7	7.7	23.1	100.0 (78)
		45.7	17.4	8.7	6.5	4.3	17.4	100.0 (46)
		47.5	7.5	10.0	12.5	7.5	15.0	100.0 (40)
(6)								
	/	47.4	10.5	15.8	-	5.3	21.1	100.0 (19)
	/	50.0	16.7	-	16.7	-	16.7	100.0 (6)
	가	37.2	15.9	7.1	8.8	8.0	23.0	100.0 (113)
	가	71.4	14.3	-	7.1	-	7.1	100.0 (14)
	가	75.0	-	25.0	-	-	-	100.0 (4)
	가	100.0	-	-	-	-	-	100.0 (1)
	가	28.6	14.3	14.3	28.6	14.3	-	100.0 (7)
(7)								
		50.0	-	-	50.0	-	-	100.0 (2)
		60.0	-	-	-	-	40.0	100.0 (5)
		47.1	12.6	9.2	6.9	4.6	19.5	100.0 (87)
		34.7	16.3	4.1	12.2	10.2	22.4	100.0 (49)
		38.9	22.2	11.1	5.6	11.1	11.1	100.0 (18)
		33.3	33.3	33.3	-	-	-	100.0 (3)
(8)								
	가	33.3	66.7	-	-	-	-	100.0 (3)
	100	37.0	14.8	14.8	11.1	11.1	11.1	100.0 (27)
	100-199	38.1	21.4	4.8	9.5	9.5	16.7	100.0 (42)
	200-299	43.8	12.5	12.5	-	6.3	25.0	100.0 (32)
	300-399	42.9	-	14.3	14.3	-	28.6	100.0 (14)
	400-499	46.2	11.5	-	15.4	3.8	23.1	100.0 (26)

1.2.3		2.4.3						%	
		0-9	10-91	20-29	30-39	40-49	50	()	
(1)		-	10.5	21.1	5.3	10.5	5.3	47.4	100.0 (19)
		3.3	14.8	21.3	9.8	11.5	8.2	31.1	100.0 (61)
		-	20.0	-	-	20.0	-	60.0	100.0 (10)
		13.0	8.7	13.0	4.3	8.7	-	52.2	100.0 (23)
		-	13.6	22.7	13.6	13.6	4.5	31.8	100.0 (22)
		-	-	33.3	33.3	-	-	33.3	100.0 (3)
		30.0	10.0	20.0	10.0	-	10.0	20.0	100.0 (10)
		50.0	-	-	50.0	-	-	-	100.0 (2)
(2)		-	25.0	43.8	6.3	12.5	6.3	6.3	100.0 (16)
	10	3.5	15.8	17.5	8.8	3.5	7.0	43.9	100.0 (57)
	10-19	9.5	9.5	19.0	9.5	16.7	2.4	33.3	100.0 (42)
	20-29	-	5.3	15.8	10.5	21.1	5.3	42.1	100.0 (19)
	30-39	9.1	9.1	-	9.1	9.1	-	63.6	100.0 (11)
	40								
(3)		6.2	9.3	14.4	8.2	12.4	5.2	44.3	100.0 (97)
		7.4	18.5	25.9	11.1	7.4	5.6	24.1	100.0 (54)
(4)		-	-	-	50.0	-	-	50.0	100.0 (2)
	/	9.1	-	18.2	18.2	9.1	-	45.5	100.0 (11)
	/	7.6	24.2	25.8	1.5	9.1	6.1	25.8	100.0 (66)
	/	5.6	4.2	12.5	13.9	12.5	5.6	45.8	100.0 (72)
(5)		5.6	15.5	18.3	11.3	11.3	5.6	32.4	100.0 (71)
		7.0	4.7	18.6	9.3	11.6	4.7	44.2	100.0 (43)
		8.1	16.2	18.9	5.4	8.1	5.4	37.8	100.0 (37)
(6)		-	31.6	10.5	10.5	10.5	5.3	31.6	100.0 (19)
	/	-	-	20.0	-	20.0	20.0	40.0	100.0 (5)
	/	7.8	8.8	16.7	10.8	9.8	3.9	42.2	100.0 (102)
	가	7.7	15.4	30.8	7.7	15.4	7.7	15.4	100.0 (13)
	가	-	-	25.0	-	25.0	-	50.0	100.0 (4)
		-	100.0	-	-	-	-	-	100.0 (1)
		14.3	14.3	42.9	-	-	14.3	14.3	100.0 (7)
(7)		50.0	-	-	-	-	-	50.0	100.0 (2)
		33.3	33.3	-	-	-	33.3	-	100.0 (3)
		8.5	15.9	24.4	12.2	6.1	7.3	25.6	100.0 (82)
		2.2	6.7	11.1	6.7	20.0	2.2	51.1	100.0 (45)
		-	12.5	12.5	6.3	12.5	-	56.3	100.0 (16)
		-	-	33.3	-	-	-	66.7	100.0 (3)
(8)	가	-	33.3	66.7	-	-	-	-	100.0 (3)
	100	3.8	19.2	3.8	7.7	7.7	-	57.7	100.0 (26)
	100-199	7.9	10.5	23.7	10.5	13.2	2.6	31.6	100.0 (38)
	200-299	3.4	10.3	24.1	6.9	13.8	3.4	37.9	100.0 (29)
	300-399	7.7	15.4	23.1	7.7	-	7.7	38.5	100.0 (13)
	400-499	4.5	9.1	18.2	18.2	4.5	9.1	36.4	100.0 (22)
	500								

1.2.4		: 1 (2.5.1)						%	
		0-4	5-9	10-14	15-19	20-24	30	()	
(1)		35.0	5.0	15.0	10.0	5.0	6.3	10.9	100.0 (20)
		34.4	21.9	14.1	9.4	3.1	8.3	8.3	100.0 (64)
		58.3	8.3	8.3	-	8.3	-	9.5	100.0 (12)
		28.6	23.8	33.3	4.8	-	4.3	17.4	100.0 (21)
		26.1	26.1	8.7	13.0	4.3	25.0	-	100.0 (23)
		25.0	-	25.0	-	25.0	10.0	-	100.0 (4)
		20.0	20.0	40.0	10.0	-	-	-	100.0 (10)
		100.0	-	-	-	-	-	-	100.0 (3)
(2)									
	10	43.8	6.3	25.0	12.5	-	-	12.5	100.0 (16)
	10-19	32.8	21.3	16.4	4.9	3.3	6.6	14.8	100.0 (61)
	20-29	28.6	26.2	11.9	14.3	2.4	7.1	9.5	100.0 (42)
	30-39	35.0	15.0	15.0	5.0	5.0	5.0	20.0	100.0 (20)
	40	35.7	7.1	28.6	7.1	14.3	7.1	-	100.0 (14)
(3)									
		27.5	16.7	20.6	7.8	5.9	4.9	16.7	100.0 (102)
		48.2	21.4	10.7	8.9	-	7.1	3.6	100.0 (56)
(4)									
	/	50.0	-	50.0	-	-	-	-	100.0 (2)
	/	27.3	9.1	9.1	18.2	-	9.1	27.3	100.0 (11)
	/	39.1	21.7	15.9	8.7	2.9	4.3	7.2	100.0 (69)
		31.6	17.1	18.4	6.6	5.3	6.6	14.5	100.0 (76)
(5)									
		40.5	13.5	18.9	9.5	4.1	6.8	6.8	100.0 (74)
		25.6	18.6	18.6	9.3	4.7	4.7	18.6	100.0 (43)
		34.1	26.8	12.2	4.9	2.4	4.9	14.6	100.0 (41)
(6)									
	/	33.3	22.2	22.2	-	-	16.7	5.6	100.0 (18)
	/	83.3	16.7	-	-	-	-	-	100.0 (6)
	가	30.3	16.5	19.3	10.1	4.6	5.5	13.8	100.0 (109)
	가	46.2	30.8	-	7.7	7.7	-	7.7	100.0 (13)
		50.0	-	25.0	-	-	-	25.0	100.0 (4)
		-	-	-	100.0	-	-	-	100.0 (1)
		42.9	28.6	14.3	-	-	-	14.3	100.0 (7)
(7)									
		50.0	50.0	-	-	-	-	-	100.0 (2)
		50.0	25.0	-	25.0	-	-	-	100.0 (4)
		39.5	16.3	19.8	7.0	4.7	3.5	9.3	100.0 (86)
		28.3	23.9	17.4	8.7	2.2	10.9	8.7	100.0 (46)
		27.8	11.1	11.1	11.1	5.6	5.6	27.8	100.0 (18)
		-	-	-	-	-	-	100.0	100.0 (2)
(8)	가								
	100	33.3	-	33.3	-	-	-	33.3	100.0 (3)
	100-199	16.0	20.0	20.0	12.0	4.0	8.0	20.0	100.0 (25)
	200-299	46.2	12.8	7.7	12.8	7.7	2.6	10.3	100.0 (39)
	300-399	33.3	24.2	12.1	6.1	3.0	3.0	18.2	100.0 (33)
	400-499	20.0	13.3	40.0	6.7	-	20.0	-	100.0 (15)
	500	44.0	20.0	16.0	4.0	4.0	4.0	8.0	100.0 (25)

1.2.5		1			(2.5.2) %	
		1	2	5	()	
(1)		76.2	14.3	9.5	-	100.0 (21)
		70.1	26.9	1.5	1.5	100.0 (67)
		66.7	25.0	8.3	-	100.0 (12)
		82.6	17.4	-	-	100.0 (23)
		95.8	4.2	-	-	100.0 (24)
		50.0	50.0	-	-	100.0 (4)
		90.9	9.1	-	-	100.0 (11)
		66.7	33.3	-	-	100.0 (3)
(2)						
	10	76.5	23.5	-	-	100.0 (17)
	10-19	70.3	26.6	3.1	-	100.0 (64)
	20-29	77.8	15.6	4.4	2.2	100.0 (45)
	30-39	90.0	10.0	-	-	100.0 (20)
	40	85.7	14.3	-	-	100.0 (14)
(3)						
		74.3	21.9	3.8	-	100.0 (105)
		82.0	16.4	-	1.6	100.0 (61)
(4)						
	/	100.0	-	-	-	100.0 (2)
	/	81.8	18.2	-	-	100.0 (11)
	/	87.7	9.6	1.4	1.4	100.0 (73)
		66.3	30.0	3.8	-	100.0 (80)
(5)						
		75.9	21.5	1.3	1.3	100.0 (79)
		73.9	23.9	2.2	-	100.0 (46)
		82.9	12.2	4.9	-	100.0 (41)
(6)						
	/	84.2	15.8	-	-	100.0 (19)
	/	100.0	-	-	-	100.0 (6)
	가	72.2	23.5	3.5	.9	100.0 (115)
	가	92.9	7.1	-	-	100.0 (14)
		75.0	25.0	-	-	100.0 (4)
		100.0	-	-	-	100.0 (1)
		85.7	14.3	-	-	100.0 (7)
(7)						
		100.0	-	-	-	100.0 (2)
		100.0	-	-	-	100.0 (5)
		83.1	16.9	-	-	100.0 (89)
		71.4	24.5	2.0	2.0	100.0 (49)
		61.1	22.2	16.7	-	100.0 (18)
		33.3	66.7	-	-	100.0 (3)
(8)						
	가	100.0	-	-	-	100.0 (3)
	100	70.4	25.9	3.7	-	100.0 (27)
	100-199	73.8	23.8	2.4	-	100.0 (42)
	200-299	72.7	21.2	6.1	-	100.0 (33)
	300-399	80.0	20.0	-	-	100.0 (15)
	400-499	88.5	11.5	-	-	100.0 (26)
	500					

1.2.6	: 1 (2.4.3)									%
	1	2	3	4	5-9	10-14	5-19	20	()	
(1)	28.6	-	14.3	9.5	4.8	23.8	14.3	4.8	-	100.0 (21)
	26.9	9.0	13.4	10.4	9.0	19.4	9.0	1.5	1.5	100.0 (67)
	16.7	-	8.3	8.3	-	41.7	16.7	8.3	-	100.0 (12)
	17.4	8.7	17.4	8.7	4.3	34.8	8.7	-	-	100.0 (23)
	16.7	8.3	8.3	12.5	16.7	20.8	12.5	4.2	-	100.0 (24)
	-	25.0	-	25.0	-	-	25.0	-	25.0	100.0 (4)
	36.4	-	9.1	-	9.1	45.5	-	-	-	100.0 (11)
	66.7	33.3	-	-	-	-	-	-	-	100.0 (3)
(2)										
10	23.5	-	29.4	11.8	-	29.4	5.9	-	-	100.0 (17)
10-19	20.3	10.9	9.4	10.9	7.8	23.4	10.9	3.1	3.1	100.0 (64)
20-29	33.3	6.7	11.1	8.9	8.9	20.0	11.1	-	-	100.0 (45)
30-39	15.0	10.0	20.0	10.0	5.0	35.0	-	5.0	-	100.0 (20)
40	21.4	-	-	7.1	14.3	28.6	21.4	7.1	-	100.0 (14)
(3)										
	21.0	6.7	7.6	8.6	10.5	26.7	13.3	3.8	1.9	100.0 (105)
	31.1	8.2	19.7	11.5	3.3	21.3	4.9	-	-	100.0 (61)
(4)										
/	-	-	-	-	-	50.0	50.0	-	-	100.0 (2)
/	9.1	9.1	18.2	-	9.1	45.5	9.1	-	-	100.0 (11)
/	37.0	5.5	13.7	6.8	6.8	17.8	8.2	2.7	1.4	100.0 (73)
	16.3	8.8	10.0	13.8	8.8	27.5	11.3	2.5	1.3	100.0 (80)
(5)										
	29.1	8.9	13.9	16.5	10.1	11.4	5.1	2.5	2.5	100.0 (79)
	19.6	6.5	4.3	2.2	6.5	39.1	17.4	4.3	-	100.0 (46)
	22.0	4.9	17.1	4.9	4.9	34.1	12.2	-	-	100.0 (41)
(6)										
/	26.3	10.5	10.5	10.5	26.3	5.3	10.5	-	-	100.0 (19)
/	16.7	16.7	16.7	-	-	50.0	-	-	-	100.0 96)
가	21.7	5.2	11.3	10.4	7.0	29.6	10.4	2.6	1.7	100.0 (115)
가	28.6	21.4	21.4	7.1	-	-	14.3	7.1	-	100.0 (14)
	25.0	-	25.0	-	-	25.0	25.0	-	-	100.0 (4)
	100.0	-	-	-	-	-	-	-	-	100.0 (1)
	57.1	-	-	14.3	-	28.6	-	-	-	100.0 (7)
(7)										
	50.0	-	-	-	-	50.0	-	-	-	100.0 (2)
	20.0	40.0	20.0	-	-	20.0	-	-	-	100.0 (5)
	31.5	7.9	14.6	10.1	3.4	25.8	3.4	1.1	2.2	100.0 (89)
	12.2	6.1	8.2	14.3	18.4	16.3	18.4	6.1	-	100.0 (49)
	27.8	-	5.6	-	5.6	38.9	22.2	-	-	100.0 (18)
	-	-	33.3	-	-	33.3	33.3	-	-	100.0 (3)
(8)										
가										
100	33.3	-	-	-	-	33.3	33.3	-	-	100.0 (3)
100-199	14.8	11.1	3.7	7.4	11.1	22.2	29.6	-	-	100.0 (27)
200-299	31.0	2.4	9.5	9.5	11.9	16.7	9.5	7.1	2.4	100.0 (42)
300-399	24.2	3.0	24.2	6.1	3.0	24.2	12.1	-	3.0	100.0 (33)
400-499	20.0	13.3	6.7	13.3	-	40.0	-	6.7	-	100.0 (15)
500	23.1	11.5	15.4	11.5	3.8	34.6	-	-	-	100.0 (26)

1.2.7 : 1 (2.6.1)
%

	1	2	()
(1)	95.2	4.8	- 100.0 (21)
	86.6	13.4	- 100.0 (67)
	83.3	8.3	8.3 100.0 (12)
	82.6	17.4	- 100.0 (23)
	95.7	4.3	- 100.0 (23)
	50.0	50.0	- 100.0 (4)
	81.8	18.2	- 100.0 (11)
	33.3	66.7	- 100.0 (3)
(2)			
10	82.4	17.6	- 100.0 (17)
10-19	85.9	12.5	1.6 100.0 (64)
20-29	82.2	17.8	- 100.0 (45)
30-39	94.7	5.3	- 100.0 (19)
40	85.7	14.3	- 100.0 (14)
(3)			
	86.7	13.3	- 100.0 (105)
	85.0	13.3	1.7 100.0 (60)
(4)			
/	100.0	-	- 100.0 (2)
/	81.8	18.2	- 100.0 (11)
/	90.3	9.7	- 100.0 (72)
	82.5	16.3	1.3 100.0 (80)
(5)			
	84.6	15.4	- 100.0 (78)
	91.3	8.7	- 100.0 (46)
	82.9	14.6	2.4 100.0 (41)
(6)			
/	89.5	10.5	- 100.0 (19)
/	100.0	-	- 100.0 (6)
가	84.2	14.9	.9 100.0 (114)
가	92.9	7.1	- 100.0 (14)
	75.0	25.0	- 100.0 (4)
	100.0	-	- 100.0 (1)
	85.7	14.3	- 100.0 (7)
(7)			
	100.0	-	- 100.0 (2)
	80.0	20.0	- 100.0 (5)
	89.8	9.1	1.1 100.0 (88)
	79.6	20.4	- 100.0 (49)
	83.3	16.7	- 100.0 (18)
	100.0	-	- 100.0 (3)
(8)			
가			
100	66.7	33.3	- 100.0 (3)
100-199	92.6	7.4	- 100.0 (27)
200-299	85.7	14.3	- 100.0 (42)
300-399	90.6	9.4	- 100.0 (32)
400-499	86.7	6.7	6.7 100.0 (15)
500	84.6	15.4	- 100.0 (26)

1.3.1		3.4.1)					%	
		0-49	50-99	100-149	150-199	200	()	
(1)		33.6	35.8	7.5	8.2	3.7	11.2	100.0 (134)
		44.4	22.2	-	-	11.1	22.2	100.0 (9)
		54.5	27.3	-	9.1	-	9.1	100.0 (11)
		33.3	44.4	22.2	-	-	-	100.0 (9)
(2)		39.3	60.7	-	-	-	-	100.0 (28)
	10	35.9	25.6	11.5	15.4	5.1	6.4	100.0 (78)
	10-19	41.0	33.3	7.7	-	2.6	15.4	100.0 (39)
	20-29	11.1	44.4	-	-	-	44.4	100.0 (9)
	30-39	14.3	28.6	-	-	14.3	42.9	100.0 (7)
	40							
(3)		35.4	34.8	7.6	7.6	3.8	10.8	100.0 (158)
		33.3	50.0	-	-	-	16.7	100.0 (6)
(4)		28.6	28.6	-	-	14.3	28.6	100.0 (7)
	/	31.6	43.9	1.8	10.5	1.8	10.5	100.0 (57)
	/	40.5	25.3	11.4	7.6	3.8	11.4	100.0 (79)
	/	31.6	52.6	10.5	-	5.3	-	100.0 (19)
(5)		45.7	34.8	2.2	-	6.5	10.9	100.0 (46)
		29.2	29.2	8.3	8.3	6.3	18.8	100.0 (48)
		32.9	40.0	10.0	11.4	-	5.7	100.0 (70)
(6)		21.1	52.6	-	-	5.3	21.1	100.0 (19)
	/	43.5	30.4	13.0	4.3	4.3	4.3	100.0 (23)
	/	34.1	31.7	4.9	12.2	2.4	14.6	100.0 (41)
	가	41.4	27.6	10.3	6.9	3.4	10.3	100.0 (29)
	가	40.0	40.0	6.7	-	13.3	-	100.0 (15)
	/	21.1	52.6	10.5	10.5	-	5.3	100.0 (19)
		44.4	44.4	-	11.1	-	-	100.0 (9)
		44.4	-	11.1	11.1	-	33.3	100.0 (9)
(7)		-	50.0	-	50.0	-	-	100.0 (2)
		50.0	50.0	-	-	-	-	100.0 (2)
		33.3	30.0	8.9	5.6	4.4	17.8	100.0 (90)
		37.3	43.1	5.9	9.8	3.9	-	100.0 (51)
		47.1	35.3	5.9	5.9	-	5.9	100.0 (17)
		-	100.0	-	-	-	-	100.0 (1)
(8)	가	50.0	50.0	-	-	-	-	100.0 (2)
	100	-	100.0	-	-	-	-	100.0 (1)
	100-199	52.4	19.0	9.5	4.8	4.8	9.5	100.0 (21)
	200-299	32.0	34.0	10.0	6.0	6.0	12.0	100.0 (50)
	300-399	34.6	26.9	3.8	15.4	7.7	11.5	100.0 (26)
	400-499	47.1	41.2	5.9	-	-	5.9	100.0 (17)
	500	22.2	44.4	7.4	11.1	-	14.8	100.0 (27)

1.3.2		: (3.4.2)					%	
		1	2	3	4	5	()	
(1)		75.2	11.3	5.0	1.4	.7	6.4	100.0 (141)
		77.8	-	-	-	11.1	11.1	100.0 (9)
		63.6	-	9.1	-	9.1	18.2	100.0 (11)
		88.9	-	11.1	-	-	-	100.0 (9)
(2)								
	10	89.7	3.4	3.4	-	-	3.4	100.0 (29)
	10-19	80.0	13.8	3.8	1.3	1.3	-	100.0 (80)
	20-29	73.2	4.9	4.9	2.4	2.4	12.2	100.0 (41)
	30-39	50.0	10.0	10.0	-	-	30.0	100.0 (10)
	40	25.0	12.5	25.0	-	12.5	25.0	100.0 (8)
(3)								
		75.5	8.6	5.5	1.2	1.8	7.4	100.0 (163)
		75.0	25.0	-	-	-	-	100.0 (8)
(4)								
	/	71.4	-	14.3	-	-	14.3	100.0 (7)
	/	82.8	5.2	5.2	-	-	6.9	100.0 (58)
	/	74.1	11.8	4.7	2.4	1.2	5.9	100.0 (85)
	/	63.2	10.5	5.3	-	10.5	10.5	100.0 (19)
(5)								
		75.0	6.3	6.3	-	6.3	6.3	100.0 (48)
		70.6	9.8	5.9	3.9	-	9.8	100.0 (51)
		79.2	11.1	4.2	-	-	5.6	100.0 (72)
(6)								
	/	78.3	-	4.3	4.3	-	13.0	100.0 (23)
	/	79.2	8.3	-	4.2	-	8.3	100.0 (24)
	가	63.4	17.1	4.9	-	4.9	9.8	100.0 (41)
	가	72.4	3.4	13.8	-	3.4	6.9	100.0 (29)
	/	75.0	18.8	6.3	-	-	-	100.0 (16)
	/	80.0	10.0	5.0	-	-	5.0	100.0 (20)
	/	100.0	-	-	-	-	-	100.0 (9)
	/	88.9	11.1	-	-	-	-	100.0 (9)
(7)								
		50.0	-	-	-	50.0	-	100.0 (2)
		50.0	-	50.0	-	-	-	100.0 (2)
		76.8	10.5	4.2	-	1.1	7.4	100.0 (95)
		76.9	7.7	3.8	3.8	1.9	5.8	100.0 (52)
		70.6	5.9	11.8	-	-	11.8	100.0 (17)
		100.0	-	-	-	-	-	100.0 (1)
(8)	가							
	100	100.0	-	-	-	-	-	100.0 (2)
	100	100.0	-	-	-	-	-	100.0 (1)
	100-199	66.7	-	14.3	-	-	19.0	100.0 (21)
	200-299	80.0	6.0	4.0	-	2.0	8.0	100.0 (50)
	300-399	74.1	22.2	3.7	-	-	-	100.0 (27)
	400-499	84.2	5.3	5.3	5.3	-	-	100.0 (19)
	500	67.9	10.7	7.1	-	3.6	10.7	100.0 (28)

1.3.3

:

(3.4.3)

%

	0-9	10-19	20-29	30-39	40-49	50	()
(1)	10.3	22.8	25.0	15.4	8.8	7.4	10.3
	22.2	22.2	22.2	22.2	11.1	-	-
	27.3	36.4	27.3	-	-	-	9.1
	33.3	11.1	33.3	-	22.2	-	-
(2)							
10	15.4	57.7	15.4	7.7	-	3.8	-
10-19	13.8	21.3	33.8	12.5	7.5	3.8	7.5
20-29	12.5	7.5	22.5	22.5	12.5	12.5	10.0
30-39	10.0	10.0	10.0	30.0	20.0	-	20.0
40	14.3	-	-	-	28.6	14.3	42.9
(3)							
	13.8	20.8	26.4	14.5	8.8	6.3	9.4
	-	71.4	-	14.3	14.3	-	-
(4)							
/	14.3	-	14.3	-	42.9	14.3	14.3
/	10.5	19.3	22.8	17.5	7.0	10.5	12.3
/	13.4	30.5	30.5	9.8	7.3	3.7	4.9
	21.1	10.5	10.5	31.6	10.5	-	15.8
(5)							
	17.0	31.9	29.8	8.5	4.3	2.1	6.4
	10.0	22.0	22.0	20.0	14.0	6.0	6.0
	13.0	17.4	24.6	14.5	8.7	8.7	13.0
(6)							
/	-	23.8	23.8	14.3	19.0	4.8	14.3
/	4.3	26.1	13.0	39.1	8.7	4.3	4.3
가	17.1	22.0	24.4	14.6	7.3	2.4	12.2
가	17.2	24.1	17.2	10.3	10.3	3.4	17.2
	12.5	31.3	37.5	-	6.3	12.5	-
/	20.0	10.0	50.0	10.0	5.0	-	5.0
	12.5	37.5	12.5	12.5	12.5	12.5	-
	25.0	12.5	25.0	-	-	37.5	-
(7)							
	-	-	-	50.0	-	-	50.0
	50.0	-	50.0	-	-	-	-
	14.1	21.7	29.3	10.9	12.0	6.5	5.4
	9.6	28.8	17.3	23.1	3.8	5.8	11.5
	17.6	17.6	29.4	5.9	5.9	5.9	17.6
	-	-	-	-	100.0	-	-
(8)							
가	-	50.0	-	-	-	50.0	-
100	100.0	-	-	-	-	-	-
100-199	19.0	14.3	14.3	9.5	9.5	9.5	23.8
200-299	14.0	20.0	24.0	20.0	6.0	4.0	12.0
300-399	8.0	40.0	24.0	4.0	16.0	4.0	4.0
400-499	-	33.3	33.3	11.1	5.6	16.7	-
500	14.3	14.3	32.1	14.3	14.3	-	10.7

1.3.4		:		1		(3.5.1)		%	
		0-4	5-9	10-14	15-19	20	()		
(1)		-	-	-					
		57.9	19.3	7.9	7.9	2.1	-	100.0	(140)
		87.5	-	-	12.5	-	9.1	100.0	(8)
		54.5	18.2	-	18.2	-	-	100.0	(11)
		44.4	44.4	11.1	-	-	-	100.0	(9)
(2)									
	10	64.3	17.9	17.9	-	-	-	100.0	(28)
	10-19	53.8	21.3	6.3	13.8	-	5.0	100.0	(80)
	20-29	62.5	17.5	5.0	5.0	2.5	7.5	100.0	(40)
	30-39	60.0	30.0	-	-	-	10.0	100.0	(10)
	40	50.0	12.5	-	12.5	25.0	-	100.0	(8)
(3)									
		57.4	19.8	7.4	8.6	1.9	4.9	100.0	(162)
		71.4	28.6	-	-	-	-	100.0	(7)
(4)									
	/	57.1	14.3	-	-	14.3	14.3	100.0	(7)
	/	48.3	27.6	10.3	8.6	1.7	3.4	100.0	(58)
	/	65.5	15.5	3.6	8.3	1.2	6.0	100.0	(84)
	/	55.6	16.7	16.7	11.1	-	-	100.0	(18)
(5)									
		66.7	18.8	2.1	8.3	-	4.2	100.0	(48)
		60.8	11.8	7.8	9.8	5.9	3.9	100.0	(51)
		50.0	27.1	10.0	7.1	-	5.7	100.0	(70)
(6)									
	/	72.7	18.2	-	-	4.5	4.5	100.0	(22)
	/	50.0	20.8	12.5	12.5	4.2	-	100.0	(24)
	가	55.0	20.0	7.5	5.0	-	12.5	100.0	(40)
	가	65.5	17.2	-	6.9	3.4	6.9	100.0	(29)
	/	50.0	18.8	18.8	12.5	-	-	100.0	(16)
	/	50.0	30.0	-	20.0	-	-	100.0	(20)
	/	44.4	33.3	22.2	-	-	-	100.0	(9)
	/	77.8	-	11.1	11.1	-	-	100.0	(9)
(7)									
		-	-	-	100.0	-	-	100.0	(2)
		00.0	-	-	-	-	-	100.0	(2)
		52.6	20.0	8.4	9.5	3.2	6.3	100.0	(95)
		70.6	17.6	5.9	5.9	-	-	100.0	(51)
		52.9	29.4	5.9	-	-	11.8	100.0	(17)
		-	100.0	-	-	-	-	100.0	(1)
(8)	가								
	100	100.0	-	-	-	-	-	100.0	(2)
	100-199	-	100.0	-	-	-	-	100.0	(1)
	200-299	66.7	19.0	-	4.8	4.8	4.8	100.0	(21)
	300-399	58.0	14.0	10.0	10.0	4.0	4.0	100.0	(50)
	400-499	59.3	14.8	3.7	14.8	-	7.4	100.0	(27)
	500	52.6	31.6	15.8	-	-	-	100.0	(19)
		42.9	32.1	7.1	10.7	-	7.1	100.0	(28)

1.3.5 : 1 (3.5.2)
%

		1	5	()	
(1)		96.5	2.8	.7	100.0 (141)
		100.0	-	-	100.0 (9)
		100.0	-	-	100.0 (11)
		100.0	-	-	100.0 (9)
(2)		100.0	-	-	100.0 (29)
	10	96.3	3.8	-	100.0 (80)
	10- 19	95.1	2.4	2.4	100.0 (41)
	20- 29	100.0	-	-	100.0 (10)
	30- 39	100.0	-	-	100.0 (8)
	40				
(3)		97.5	1.8	.6	100.0 (163)
		87.5	12.5	-	100.0 (8)
(4)		85.7	14.3	-	100.0 (7)
	/	100.0	-	-	100.0 (58)
	/	95.3	3.5	1.2	100.0 (85)
	/	100.0	-	-	100.0 (19)
(5)		97.9	2.1	-	100.0 (48)
		100.0	-	-	100.0 (51)
		94.4	4.2	1.4	100.0 (72)
(6)		95.7	4.3	-	100.0 (23)
	/	100.0	-	-	100.0 (24)
	/	95.1	2.4	2.4	100.0 (41)
	가	96.6	3.4	-	100.0 (29)
	가	100.0	-	-	100.0 (16)
	/	95.0	5.0	-	100.0 (20)
	/	100.0	-	-	100.0 (9)
	/	100.0	-	-	100.0 (9)
(7)		100.0	-	-	100.0 (2)
		100.0	-	-	100.0 (2)
		97.9	1.1	1.1	100.0 (95)
		98.1	1.9	-	100.0 (52)
		88.2	11.8	-	100.0 (17)
		100.0	-	-	100.0 (1)
(8)	가	100.0	-	-	100.0 (2)
	100	100.0	-	-	100.0 (1)
	100- 199	95.2	4.8	-	100.0 (21)
	200- 299	96.0	4.0	-	100.0 (50)
	300- 399	100.0	-	-	100.0 (27)
	400- 499	100.0	-	-	100.0 (19)
	500	92.9	3.6	3.6	100.0 (28)

1.3.6 : 1 (3.5.3) %

		1	2	3	4	5	()	%
(1)		29.5	18.0	22.3	13.7	4.3	12.2	100.0 (139)
		55.6	22.2	22.2	-	-	-	100.0 (9)
		36.4	27.3	27.3	-	-	9.1	100.0 (11)
		33.3	33.3	11.1	-	22.2	-	100.0 (9)
(2)								
	10	32.1	21.4	21.4	10.7	-	14.3	100.0 (28)
	10-19	30.4	21.5	22.8	11.4	5.1	8.9	100.0 (79)
	20-29	24.4	9.8	26.8	14.6	9.8	14.6	100.0 (41)
	30-39	40.0	30.0	10.0	20.0	-	-	100.0 (10)
	40	50.0	25.0	12.5	-	-	12.5	100.0 (8)
(3)								
		30.4	19.9	21.1	12.4	5.0	11.2	100.0 (161)
		50.0	12.5	37.5	-	-	-	100.0 (8)
(4)								
	/	28.6	14.3	-	-	28.6	28.6	100.0 (7)
	/	26.3	21.1	19.3	17.5	7.0	8.8	100.0 (57)
	/	35.7	17.9	23.8	10.7	2.4	9.5	100.0 (84)
	/	26.3	21.1	31.6	5.3	-	15.8	100.0 (19)
(5)								
		39.6	27.1	16.7	12.5	-	4.2	100.0 (48)
		27.5	19.6	23.5	11.8	2.0	15.7	100.0 (51)
		28.6	14.3	24.3	11.4	10.0	11.4	100.0 (70)
(6)								
	/	34.8	26.1	13.0	4.3	4.3	17.4	100.0 (23)
	/	25.0	20.8	20.8	16.7	4.2	12.5	100.0 (24)
	가	20.0	32.5	25.0	12.5	2.5	7.5	100.0 (40)
	가	31.0	10.3	24.1	10.3	6.9	17.2	100.0 (29)
	/	50.0	-	25.0	18.8	-	6.3	100.0 (16)
	/	40.0	15.0	35.0	10.0	-	-	100.0 (20)
	/	25.0	25.0	-	12.5	12.5	25.0	100.0 (8)
	/	44.4	11.1	11.1	11.1	22.2	-	100.0 (9)
(7)								
		-	-	100.0	-	-	-	100.0 (2)
		50.0	-	50.0	-	-	-	100.0 (2)
		34.0	22.3	22.3	8.5	4.3	8.5	100.0 (94)
		27.5	15.7	15.7	21.6	5.9	13.7	100.0 (51)
		23.5	23.5	29.4	-	5.9	17.6	100.0 (17)
		-	-	-	100.0	-	-	100.0 (1)
(8)	가							
	100	-	-	50.0	-	50.0	-	100.0 (2)
	100	100.0	-	-	-	-	-	100.0 (1)
	100-199	23.8	14.3	19.0	9.5	14.3	19.0	100.0 (21)
	200-299	30.6	24.5	14.3	18.4	-	12.2	100.0 (49)
	300-399	33.3	14.8	18.5	18.5	-	14.8	100.0 (27)
	400-499	21.1	21.1	26.3	10.5	15.8	5.3	100.0 (19)
	500	29.6	25.9	33.3	3.7	3.7	3.7	100.0 (27)

1.3.7 : 1 (3.6.1)
%

	1	2	()	
(1)	66.9	26.5	6.6	100.0 (136)
	62.5	25.0	12.5	100.0 (8)
	30.0	60.0	10.0	100.0 (10)
	66.7	11.1	22.2	100.0 (9)
(2)				
10	64.3	35.7	-	100.0 (28)
10-19	65.4	23.1	11.5	100.0 (78)
20-29	52.8	38.9	8.3	100.0 (36)
30-39	80.0	10.0	10.0	100.0 (10)
40	75.0	25.0	-	100.0 (8)
(3)				
	64.5	27.7	7.7	100.0 (155)
	62.5	25.0	12.5	100.0 (8)
(4)				
/	83.3	-	16.7	100.0 (6)
/	60.7	30.4	8.9	100.0 (56)
/	66.7	24.7	8.6	100.0 (81)
	61.1	38.9	-	100.0 (18)
(5)				
	68.9	26.7	4.4	100.0 (45)
	75.5	20.4	4.1	100.0 (49)
	53.6	33.3	13.0	100.0 (69)
(6)				
/	77.3	18.2	4.5	100.0 (22)
/	66.7	33.3	-	100.0 (21)
가	51.3	33.3	15.4	100.0 (39)
가	50.0	39.3	10.7	100.0 (28)
	73.3	26.7	-	100.0 (15)
/	85.0	5.0	10.0	100.0 (20)
	66.7	33.3	-	100.0 (9)
	66.7	22.2	11.1	100.0 (9)
(7)				
	50.0	50.0	-	100.0 (2)
	100.0	-	-	100.0 (2)
	63.4	26.9	9.7	100.0 (93)
	68.1	27.7	4.3	100.0 (47)
	56.3	31.3	12.5	100.0 (16)
	100.0	-	-	100.0 (1)
(8)				
가	100.0	-	-	100.0 (2)
100-199	47.6	42.9	9.5	100.0 (21)
200-299	63.8	23.4	12.8	100.0 (47)
300-399	73.1	26.9	-	100.0 (26)
400-499	73.7	21.1	5.3	100.0 (19)
500	60.7	28.6	10.7	100.0 (28)

1.4.1		4.4.1)						%	
		1-9	10-19	20-29	30-39	40-49	50	()	
(1)		26.9	24.1	12.0	10.2	8.3	.9	17.6	100.0(108)
		40.0	20.0	-	-	-	-	40.0	100.0 (5)
		100.0	-	-	-	-	-	-	100.0 (6)
			50.0	25.0	25.0	-	-	-	100.0 (4)
		100.0	-	-	-	-	-	-	100.0 (1)
	/	41.7	16.7	16.7	8.3	8.3	-	8.3	100.0 (12)
		100.0	-	-	-	-	-	-	100.0 (1)
		60.0	20.0	-	10.0	-	10.0	-	100.0 (10)
(2)									
	10	60.0	20.0	20.0	-	-	-	-	100.0 (5)
	10-19	37.8	31.1	15.6	2.2	4.4	2.2	6.7	100.0 (45)
	20-29	26.0	22.0	12.0	16.0	6.0	-	18.0	100.0 (50)
	30-39	46.7	13.3	3.3	6.7	6.7	-	23.3	100.0 (30)
	40	10.0	10.0	-	20.0	30.0	10.0	20.0	100.0 (10)
(3)		34.0	22.4	10.9	9.5	6.8	1.4	15.0	100.0(147)
(4)	/	37.1	17.7	4.8	16.1	6.5	1.6	16.1	100.0 (62)
		31.8	25.9	15.3	4.7	7.1	1.2	14.1	100.0 (85)
(5)		28.9	22.2	10.0	11.1	10.0	1.1	16.7	100.0 (90)
		43.9	17.1	9.8	9.8	2.4	2.4	14.6	100.0 (41)
		37.5	37.5	18.8	-	-	-	6.3	100.0 (16)
(6)	/	100.0	-	-	-	-	-	-	100.0 (1)
	/	70.0	20.0	10.0	-	-	-	-	100.0 (10)
	가	30.6	23.1	11.2	10.4	7.5	.7	16.4	100.0(134)
	/	100.0	-	-	-	-	-	-	100.0 (1)
		-	-	-	-	-	100.0	-	100.0 (1)
(7)		-	-	-	-	-	-	100.0	100.0 (1)
		50.0	8.3	8.3	8.3	8.3	-	16.7	100.0 (12)
		33.0	22.6	10.4	11.3	6.1	1.7	14.8	100.0(115)
		27.8	33.3	16.7	-	11.1	-	11.1	100.0 (18)
(8)	가								
	100-199	50.0	50.0	-	-	-	-	-	100.0 (2)
	199-299	33.3	33.3	13.3	-	-	6.7	13.3	100.0 (15)
	300-399	41.2	20.6	11.8	8.8	5.9	-	11.8	100.0 (34)
	400-499	28.6	25.0	7.1	17.9	7.1	3.6	10.7	100.0 (28)
	500	32.0	20.0	14.0	6.0	8.0	-	20.0	100.0 (50)

1.4.2 : (4.4.2) %

		1	2	3	()
(1)					
	97.4	1.8	.9	-	100.0(114)
	100.0	-	-	-	100.0 (5)
	100.0	-	-	-	100.0 (6)
	75.0	-	-	25.0	100.0 (4)
	100.0	-	-	-	100.0 (1)
	92.3	-	-	7.7	100.0 (13)
/	100.0	-	-	-	100.0 (1)
	90.0	10.0	-	-	100.0 (10)
(2)					
10	100.0	-	-	-	100.0 (5)
10-19	97.9	2.1	-	-	100.0 (47)
20-29	96.2	3.8	-	-	100.0 (53)
30-39	96.8	-	-	3.2	100.0 (31)
40	81.8	-	9.1	9.1	100.0 (11)
(3)					
	96.1	2.0	.7	1.3	100.0(153)
	100.0	-	-	-	100.0 (1)
(4)					
/	98.4	-	-	1.6	100.0 (40)
	94.5	3.3	1.1	1.1	100.0 (59)
(5)					
	95.8	1.1	1.1	2.1	100.0 (95)
	97.7	2.3	-	-	100.0 (43)
	93.8	6.3	-	-	100.0 (16)
(6)					
/	100.0	-	-	-	100.0 (1)
/	100.0	-	-	-	100.0 (10)
가	96.5	1.4	.7	1.4	100.0(141)
/	100.0	-	-	-	100.0 (1)
	-	100.0	-	-	100.0 (1)
(7)					
	100.0	-	-	-	100.0 (1)
	92.3	-	7.7	-	100.0 (13)
	96.7	1.7	-	1.7	100.0(120)
	94.4	5.6	-	-	100.0 (18)
	100.0	-	-	-	100.0 (1)
(8)가					
100- 199	100.0	-	-	-	100.0 (2)
199- 299	81.3	12.5	-	6.3	100.0 (16)
300- 399	100.0	-	-	-	100.0 (35)
400- 499	92.9	-	3.6	3.6	100.0 (28)
500	98.0	2.0	-	-	100.0 (50)

1.4.3		: (4.4.3)						%		
		1	2	3	4	5	6	()		
(1)		70.3	5.4	7.2	3.6	2.7	5.4	5.4	100.0(111)	
		40.0	-	-	20.0	-	-	40.0	100.0 (5)	
		83.3	-	-	16.7	-	-	-	100.0 (6)	
		50.0	25.0	-	25.0	-	-	-	100.0 (4)	
		100.0	-	-	-	-	-	-	100.0 (1)	
	/	76.9	-	-	7.7	7.7	7.7	-	100.0 (13)	
		100.0	-	-	-	-	-	-	100.0 (1)	
		100.0	-	-	-	-	-	-	100.0 (10)	
(2)		100.0	-	-	-	-	-	-	100.0 (5)	
	10	78.3	6.5	4.3	2.2	2.2	6.5	-	100.0 (46)	
	20-29	60.4	1.9	9.4	7.5	5.7	5.7	9.4	100.0 (53)	
	30-39	82.8	6.9	-	6.9	-	-	3.4	100.0 (29)	
	40	81.8	9.1	-	9.1	-	-	-	100.0 (11)	
(3)		72.0	4.7	5.3	5.3	2.7	4.7	5.3	100.0(150)	
		100.0	-	-	-	-	-	-	100.0 (1)	
(4)	/	71.0	3.2	4.8	9.7	1.6	4.8	4.8	100.0 (62)	
		73.0	5.6	5.6	2.2	3.4	4.5	5.6	100.0 (89)	
(5)		75.0	5.4	5.4	3.3	2.2	4.3	4.3	100.0 (92)	
		69.8	4.7	2.3	9.3	2.3	4.7	7.0	100.0 (43)	
		62.5	-	12.5	6.3	6.3	6.3	6.3	100.0 (16)	
(6)	/	100.0	-	-	-	-	-	-	100.0 (1)	
	/	100.0	-	-	-	-	-	-	100.0 (10)	
	가	69.6	5.1	5.8	5.8	2.9	5.1	5.8	100.0(138)	
	/	100.0	-	-	-	-	-	-	100.0 (1)	
		100.0	-	-	-	-	-	-	100.0 (1)	
(7)		100.0	-	-	-	-	-	-	100.0 (1)	
		76.9	-	-	7.7	-	7.7	7.7	100.0 (13)	
		70.9	6.0	6.0	5.1	2.6	3.4	6.0	100.0(117)	
		77.8	-	5.6	5.6	5.6	5.6	-	100.0 (18)	
		100.0	-	-	-	-	-	-	100.0 (1)	
(8)	가	100-199	50.0	-	50.0	-	-	-	100.0 (2)	
		199-299	75.0	-	6.3	6.3	6.3	6.3	100.0 (16)	
		300-399	65.7	8.6	8.6	5.7	2.9	8.6	100.0 (35)	
		400-499	89.3	-	7.1	3.6	-	-	100.0 (28)	
		500	72.0	6.0	-	6.0	4.0	8.0	4.0	100.0 (50)

1.4.4		1					4.5.1)	
							%	
		1-4	5-9	10-14	15-19	20	()	
(1)		46.4	35.5	10.9	3.6	1.8	1.8	100.0(110)
		60.0	-	40.0	-	-	-	100.0 (5)
		83.3	-	16.7	-	-	-	100.0 (6)
		75.0	25.0	-	-	-	-	100.0 (4)
		100.0	-	-	-	-	-	100.0 (1)
	/	61.5	38.5	-	-	-	-	100.0 (13)
		100.0	-	-	-	-	-	100.0 (1)
		80.0	10.0	10.0	-	-	-	100.0 (10)
(2)								
	10	60.0	40.0	-	-	-	-	100.0 (5)
	10-19	53.2	36.2	6.4	2.1	2.1	-	100.0 (47)
	20-29	51.0	31.4	9.8	5.9	-	2.0	100.0 (51)
	30-39	63.3	13.3	20.0	-	-	3.3	100.0 (30)
	40	40.0	50.0	10.0	-	-	-	100.0 (10)
(3)		53.7	30.2	10.7	2.7	1.3	1.3	100.0(149)
		-	100.0	-	-	-	-	100.0 (1)
(4)	/	57.1	25.4	14.3	1.6	1.6	-	100.0 (63)
		50.6	34.5	8.0	3.4	1.1	2.3	100.0 (87)
(5)		44.0	37.4	13.2	1.1	2.2	2.2	100.0 (91)
		69.8	16.3	9.3	4.7	-	-	100.0 (43)
		62.5	31.3	-	6.3	-	-	100.0 (16)
(6)	/	100.0	-	-	-	-	-	100.0 (1)
	/	80.0	20.0	-	-	-	-	100.0 (10)
	가	51.1	32.1	10.9	2.9	1.5	1.5	100.0(137)
	/	100.0	-	-	-	-	-	100.0 (1)
		-	-	100.0	-	-	-	100.0 (1)
(7)		-	-	-	-	100.0	-	100.0 (1)
		50.0	33.3	-	8.3	-	8.3	100.0 (12)
		53.0	31.6	12.0	1.7	.9	.9	100.0(117)
		61.1	22.2	11.1	5.6	-	-	100.0 (18)
		-	100.0	-	-	-	-	100.0 (1)
(8)가								
	100-199	100.0	-	-	-	-	-	100.0 (2)
	199-299	53.3	26.7	6.7	6.7	6.7	-	100.0 (15)
	300-399	57.1	37.1	5.7	-	-	-	100.0 (35)
	400-499	53.6	39.3	-	3.6	-	3.6	100.0 (28)
	500	51.0	24.5	18.4	4.1	2.0	-	100.0 (49)

1.4.5 : 1 (4.5.2)
%

		1	2	5	()	
(1)		89.4	7.1	2.7	.9	100.0(113)
		100.0	-	-	-	100.0 (5)
		100.0	-	-	-	100.0 (6)
		100.0	-	-	-	100.0 (4)
		100.0	-	-	-	100.0 (1)
		100.0	-	-	-	100.0 (13)
	/	100.0	-	-	-	100.0 (1)
		100.0	-	-	-	100.0 (10)
(2)		100.0	-	-	-	100.0 (5)
	10	89.4	8.5	2.1	-	100.0 (47)
	10-19	92.5	7.5	-	-	100.0 (53)
	20-29	96.7	-	3.3	-	100.0 (30)
	30-39	100.0	-	-	-	100.0 (11)
	40					
(3)		92.1	5.3	2.0	.7	100.0(152)
		100.0	-	-	-	100.0 (1)
(4)		95.2	3.2	-	1.6	100.0 (62)
	/	90.1	6.6	3.3	-	100.0 (91)
(5)		92.6	4.3	3.2	-	100.0 (94)
		90.7	7.0	-	2.3	100.0 (43)
		93.8	6.3	-	-	100.0 (16)
(6)		100.0	-	-	-	100.0 (1)
	/	91.4	5.7	2.1	.7	100.0 (10)
	가	100.0	-	-	-	100.0(140)
	/	100.0	-	-	-	100.0 (1)
		100.0	-	-	-	100.0 (1)
(7)		92.3	7.7	-	-	100.0 (1)
		91.6	5.0	2.5	.8	100.0 (13)
		100.0	-	-	-	100.0(119)
		100.0	-	-	-	100.0 (18)
		100.0	-	-	-	100.0 (1)
(8)	가	100.0	-	-	-	100.0 (2)
	100-199	93.8	6.3	-	-	100.0 (16)
	199-299	94.3	2.9	2.9	-	100.0 (35)
	300-399	96.4	-	3.6	-	100.0 (28)
	400-499	96.0	4.0	-	-	100.0 (50)
	500					

1.4.6 : 1 (4.6.1)
%

	1	2	3	()	
(1)	76.1	20.2	3.7	-	100.0 (109)
	60.0	40.0	-	-	100.0 (5)
	66.7	33.3	-	-	100.0 (5)
	75.0	25.0	-	-	100.0 (4)
	-	100.0	-	-	100.0 (1)
	61.5	30.8	-	7.7	100.0 (13)
/	100.0	-	-	-	100.0 (1)
	100.0	-	-	-	100.0 (10)
(2)					
10	100.0	-	-	-	100.0 (5)
10-19	71.7	23.9	2.2	2.2	100.0 (46)
20-29	73.6	22.6	3.8	-	100.0 (53)
30-39	78.6	21.4	-	-	100.0 (28)
40	63.6	27.3	9.1	-	100.0 (11)
(3)	75.0	21.6	2.7	.7	100.0 (148)
	100.0	-	-	-	100.0 (1)
(4)					
/	84.1	14.3	1.6	-	100.0 (63)
	68.6	26.7	3.5	1.2	100.0 (86)
(5)	71.1	25.6	3.3	-	100.0 (90)
	74.4	20.9	2.3	2.3	100.0 (43)
	100.0	-	-	-	100.0 (16)
(6)					
/	100.0	-	-	-	100.0 (1)
/	90.0	10.0	-	-	100.0 (10)
가	73.5	22.8	2.9	.7	100.0 (136)
/	100.0	-	-	-	100.0 (1)
	100.0	-	-	-	100.0 (1)
(7)					
	100.0	-	-	-	100.0 (1)
	76.9	23.1	-	-	100.0 (13)
	72.9	23.7	3.4	-	100.0 (118)
	86.7	6.7	-	6.7	100.0 (15)
	100.0	-	-	-	100.0 (1)
(8)가					
100-199	100.0	-	-	-	100.0 (2)
199-299	87.5	12.5	-	-	100.0 (16)
300-399	76.5	20.6	2.9	-	100.0 (34)
400-499	59.3	37.0	3.7	-	100.0 (27)
500	74.0	22.0	2.0	2.0	100.0 (50)

1.5.1		: (5.4.1)						%	
		1-9	10-19	20-29	30-39	40-49	50	()	
(1)		63.3	13.3	3.3	3.3	-	-	16.7	100.0 (30)
가		45.8	12.5	12.5	-	4.2	4.2	20.8	100.0 (24)
		80.0	-	-	-	-	-	20.0	100.0 (5)
		70.8	4.2	4.2	8.3	4.2	-	8.3	100.0 (24)
		77.4	12.9	3.2	-	-	-	6.5	100.0 (31)
		-	-	-	-	-	-	100.0	100.0 (1)
		-	50.0	50.0	-	-	-	-	100.0 (2)
		41.7	8.3	8.3	8.3	8.3	-	25.0	100.0 (12)
		85.7	14.3	-	-	-	-	-	100.0 (7)
(2)		73.2	16.1	5.4	3.6	1.8	-	100.0 (56)	
10		53.3	13.3	10.0	-	-	3.3	20.0	100.0 (30)
10-19		47.4	-	5.3	10.5	-	-	36.8	100.0 (19)
20-29		46.7	13.3	6.7	-	13.3	-	20.0	100.0 (15)
30-39		46.7	13.3	6.7	-	13.3	-	20.0	100.0 (15)
40		66.7	-	-	-	-	-	33.3	100.0 (9)
(3)		73.6	5.6	8.3	2.8	-	1.4	8.3	100.0 (72)
		52.3	16.9	3.1	3.1	4.6	-	-	100.0 (65)
(4)		77.8	11.1	-	3.7	-	-	7.4	100.0 (27)
/		67.8	8.5	10.2	3.4	1.7	-	8.5	100.0 (59)
/		53.7	14.6	2.4	2.4	2.4	2.4	22.0	100.0 (41)
/		40.0	10.0	10.0	-	10.0	-	30.0	100.0 (10)
(5)		50.0	19.2	3.8	3.8	7.7	-	15.4	100.0 (26)
		54.5	9.1	9.1	2.3	2.3	2.3	20.5	100.0 (44)
		74.6	9.0	4.5	3.0	-	-	9.0	100.0 (67)
(6)		71.7	11.3	-	5.7	1.9	1.9	7.5	100.0 (53)
/		100.0	-	-	-	-	-	-	100.0 (1)
가		40.0	12.5	7.5	-	5.0	-	35.0	100.0 (40)
가		55.6	22.2	11.1	11.1	-	-	-	100.0 (9)
		100.0	-	-	-	-	-	-	100.0 (3)
/		90.9	-	9.1	-	-	-	-	100.0 (11)
		80.0	6.7	13.3	-	-	-	-	100.0 (15)
		40.0	20.0	20.0	-	-	-	20.0	100.0 (5)
(7)		-	-	-	-	-	-	100.0	100.0 (0)
		50.0	25.0	-	-	25.0	-	-	100.0 (4)
		55.9	11.9	10.2	5.1	1.7	1.7	13.6	100.0 (59)
		68.6	9.8	3.9	2.0	2.0	-	13.7	100.0 (51)
		76.9	7.7	-	-	-	-	15.4	100.0 (13)
		83.3	16.7	-	-	-	-	-	100.0 (6)
(8)	가	-	-	-	-	-	-	100.0	100.0 (0)
100		69.2	15.4	7.7	7.7	-	-	-	100.0 (13)
100-199		61.3	3.2	9.7	3.2	3.2	3.2	16.1	100.0 (31)
200-299		57.7	23.1	3.8	3.8	-	-	11.5	100.0 (26)
300-399		61.1	11.1	11.1	5.6	5.6	-	5.6	100.0 (18)
400-499		60.0	-	-	-	-	-	40.0	100.0 (5)
500		47.1	17.6	5.9	-	5.9	-	23.5	100.0 (17)

1.5.2

:

(5.4.2)

%

		1	2	3	4	5	6	7	()	
(1)		62.5	18.8	6.3	-	3.1	3.1	-	6.3	100.0 (32)
	가	70.8	12.5	-	8.3	-	-	-	8.3	100.0 (24)
		40.0	-	20.0	-	20.0	-	-	20.0	100.0 (5)
		83.3	-	4.2	4.2	-	4.2	-	4.2	100.0 (24)
		93.9	3.0	-	-	-	-	-	3.0	100.0 (33)
		100.0	-	-	-	-	-	-	-	100.0 (1)
		66.7	-	33.3	-	-	-	-	-	100.0 (3)
		61.5	-	-	-	-	-	15.4	23.1	100.0 (13)
		85.7	-	-	-	-	-	-	14.3	100.0 (7)
(2)		87.7	5.3	1.8	3.5	-	-	-	1.8	100.0 (57)
	10-19	70.0	13.3	6.7	3.3	-	-	3.3	3.3	100.0 (30)
	20-29	68.2	9.1	-	-	4.5	4.5	-	13.6	100.0 (22)
	30-39	46.7	6.7	6.7	-	-	6.7	-	33.3	100.0 (15)
	40	60.0	-	10.0	-	10.0	-	10.0	10.0	100.0 (10)
(3)		86.7	4.0	2.7	1.3	-	1.3	-	4.0	100.0 (75)
		63.2	10.3	4.4	2.9	2.9	1.5	2.9	11.8	100.0 (68)
(4)		75.9	6.9	3.4	-	3.4	-	3.4	6.9	100.0 (29)
	/	83.6	1.6	3.3	1.6	-	3.3	1.6	4.9	100.0 (61)
	/	67.4	11.6	4.7	4.7	2.3	-	-	9.3	100.0 (43)
	/	60.0	20.0	-	-	-	-	-	20.0	100.0 (10)
(5)		53.3	10.0	3.3	3.3	6.7	-	3.3	20.0	100.0 (30)
		86.7	2.2	2.2	2.2	-	-	-	6.7	100.0 (45)
		77.9	8.8	4.4	1.5	-	2.9	1.5	2.9	100.0 (68)
(6)		84.9	5.7	1.9	1.9	-	1.9	1.9	1.9	100.0 (53)
	/	100.0	-	-	-	-	-	-	-	100.0 (1)
	가	53.7	12.2	2.4	2.4	4.9	2.4	2.4	19.5	100.0 (41)
	가	58.3	8.3	16.7	8.3	-	-	-	8.3	100.0 (12)
		100.0	-	-	-	-	-	-	-	100.0 (3)
	/	100.0	-	-	-	-	-	-	-	100.0 (12)
		93.3	-	-	-	-	-	-	6.7	100.0 (15)
		66.7	16.7	16.7	-	-	-	-	-	100.0 (6)
(7)		-	50.0	-	-	-	-	-	50.0	100.0 (2)
		75.0	25.0	-	-	-	-	-	-	100.0 (4)
		71.7	8.3	5.0	3.3	1.7	1.7	1.7	6.7	100.0 (60)
		75.0	5.4	3.6	1.8	1.8	1.8	1.8	8.9	100.0 (56)
		100.0	-	-	-	-	-	-	-	100.0 (13)
		83.3	-	-	-	-	-	-	16.7	100.0 (6)
(8)	가	100.0	-	-	-	-	-	-	-	100.0 (2)
	100	76.9	15.4	-	-	-	7.7	-	-	100.0 (13)
	100-199	83.9	6.5	-	3.2	-	-	3.2	3.2	100.0 (31)
	200-299	75.0	10.7	-	3.6	-	-	-	10.7	100.0 (28)
	300-399	83.3	-	5.6	-	-	-	-	11.1	100.0 (18)
	400-499	50.0	-	-	16.7	-	-	-	33.3	100.0 (6)
	500	47.1	17.6	11.8	-	5.9	5.9	-	11.8	100.0 (17)

1.5.3

:

(5.4.3)

%

		1-4	5-9	10-14	15-19	20-24	25-29	30	()	
(1)		42.9	25.0	3.6	10.7	7.1	-	-	10.7	100.0 (28)
	가	30.4	13.0	4.3	-	-	4.3	-	47.8	100.0 (23)
		-	20.0	20.0	-	-	20.0	-	40.0	100.0 (5)
		45.8	12.5	8.3	8.3	-	8.3	-	16.7	100.0 (24)
		16.7	30.0	13.3	10.0	6.7	-	3.3	20.0	100.0 (30)
		100.0	-	-	-	-	-	-	-	100.0 (1)
		-	33.3	-	-	-	33.3	-	33.3	100.0 (3)
		30.8	15.4	7.7	7.7	-	-	-	38.5	100.0 (13)
		42.9	-	14.3	-	-	14.3	-	28.6	100.0 (7)
(2)		40.0	29.1	12.7	7.3	-	1.8	1.8	7.3	100.0 (55)
	10	20.7	20.7	3.4	10.3	6.9	6.9	-	31.0	100.0 (29)
	10-19	19.0	4.8	4.8	4.8	-	-	-	61.9	100.0 (21)
	20-29	13.3	6.7	6.7	6.7	13.3	-	-	46.7	100.0 (15)
	30-39	57.1	14.3	-	-	-	-	-	14.3	100.0 (7)
	40									
(3)		35.2	16.9	8.5	5.6	5.6	4.2	1.4	22.5	100.0 (71)
		29.7	21.9	7.8	7.8	-	4.7	-	28.1	100.0 (64)
(4)		44.4	25.9	3.7	7.4	3.7	3.7	-	11.1	100.0 (27)
	/	32.8	19.0	10.3	6.9	5.2	5.2	1.7	19.0	100.0 (58)
	/	25.0	20.0	7.5	7.5	-	5.0	-	35.0	100.0 (40)
	/	30.0	-	10.0	-	-	-	-	60.0	100.0 (10)
(5)		14.8	14.8	11.1	3.7	7.4	-	-	48.1	100.0 (27)
		36.4	18.2	6.8	4.5	2.3	4.5	-	27.3	100.0 (44)
		37.5	21.9	7.8	9.4	1.6	6.3	1.6	14.1	100.0 (64)
(6)		42.3	19.2	13.5	5.8	3.8	3.8	-	11.5	100.0 (52)
	/	100.0	-	-	-	-	-	-	-	100.0 (1)
	가	21.6	10.8	2.7	5.4	-	-	-	59.5	100.0 (37)
	가	27.3	27.3	-	-	9.1	18.2	-	18.2	100.0 (11)
		-	33.3	33.3	-	-	-	33.3	-	100.0 (3)
	/	30.0	40.0	20.0	10.0	-	-	-	-	100.0 (10)
		46.7	20.0	-	6.7	6.7	6.7	-	13.3	100.0 (15)
		-	16.7	-	33.3	-	16.7	-	33.3	100.0 (6)
(7)		-	-	-	-	-	-	-	100.0	100.0 (2)
		25.0	-	50.0	-	-	-	-	25.0	100.0 (4)
		28.8	22.0	5.1	6.8	1.7	6.8	-	28.8	100.0 (59)
		32.7	24.5	8.2	4.1	4.1	2.0	2.0	22.4	100.0 (49)
		38.5	7.7	7.7	15.4	7.7	-	-	23.1	100.0 (13)
		66.7	-	16.7	-	-	16.7	-	-	100.0 (6)
(8)	가	50.0	-	50.0	-	-	-	-	-	100.0 (2)
	100	41.7	25.0	8.3	8.3	8.3	-	-	8.3	100.0 (12)
	100-199	36.7	13.3	3.3	6.7	3.3	6.7	-	30.0	100.0 (30)
	200-299	26.9	26.9	11.5	7.7	3.8	-	-	23.1	100.0 (26)
	300-399	35.3	23.5	-	11.8	-	5.9	-	23.5	100.0 (17)
	400-499	20.0	-	-	-	20.0	-	-	60.0	100.0 (5)
	500	35.3	-	5.9	5.9	-	-	-	52.9	100.0 (17)

1.5.4 : 1 (5.5.1) %

		1-4	5-9	10-14	15-19	20-24	25-29	30	()
(1)									
	가	74.2	19.4	3.2	3.2	-	-	-	100.0 (31)
		54.2	29.2	-	-	4.2	-	-	100.0 (24)
		80.0	-	-	-	-	-	20.0	100.0 (5)
		80.0	8.0	-	4.0	-	8.0	-	100.0 (25)
		84.8	6.1	-	-	3.0	-	6.1	100.0 (33)
		100.0	-	-	-	-	-	-	100.0 (1)
		66.7	33.3	-	-	-	-	-	100.0 (3)
		66.7	8.3	8.3	-	8.3	-	8.3	100.0 (12)
		85.7	14.3	-	-	-	-	-	100.0 (7)
(2)									
	10	82.8	13.8	-	-	1.7	1.7	-	100.0 (58)
	10-19	69.0	10.3	3.4	3.4	3.4	-	10.3	100.0 (29)
	20-29	52.4	23.8	-	-	-	4.8	19.0	100.0 (21)
	30-39	73.3	13.3	6.7	-	6.7	-	-	100.0 (15)
	40	72.7	18.2	-	9.1	-	-	-	100.0 (11)
(3)									
		80.0	13.3	-	1.3	2.7	-	2.7	100.0 (75)
		68.7	14.9	3.0	1.5	1.5	3.0	7.5	100.0 (67)
(4)									
	/	83.3	16.7	-	-	-	-	-	100.0 (30)
	/	80.3	11.5	-	3.3	3.3	1.6	-	100.0 (61)
	/	63.4	12.2	4.9	-	2.4	2.4	14.6	100.0 (41)
		60.0	30.0	-	-	-	-	10.0	100.0 (10)
(5)									
		72.4	17.2	6.9	-	-	-	3.4	100.0 (29)
		68.2	15.9	-	2.3	4.5	2.3	6.8	100.0 (44)
		79.7	11.6	-	1.4	1.4	1.4	4.3	100.0 (69)
(6)									
	/	84.6	13.5	-	1.9	-	-	-	100.0 (52)
	/	100.0	-	-	-	-	-	-	100.0 (1)
	가	56.1	14.6	4.9	2.4	4.9	2.4	14.6	100.0 (41)
	가	72.7	18.2	-	-	-	9.1	-	100.0 (11)
		100.0	-	-	-	-	-	-	100.0 (3)
	/	100.0	-	-	-	-	-	-	100.0 (11)
		82.4	11.8	-	-	5.9	-	-	100.0 (17)
		33.3	50.0	-	-	-	-	16.7	100.0 (6)
(7)									
		-	50.0	-	-	-	-	50.0	100.0 (2)
		75.0	25.0	-	-	-	-	-	100.0 (4)
		66.7	16.7	3.3	1.7	3.3	3.3	5.0	100.0 (60)
		82.1	10.7	-	1.8	1.8	-	3.6	100.0 (56)
		83.3	8.3	-	-	-	-	8.3	100.0 (12)
		83.3	16.7	-	-	-	-	-	100.0 (6)
(8)	가								
		50.0	50.0	-	-	-	-	-	100.0 (2)
	100	69.2	23.1	-	7.7	-	-	-	100.0 (13)
	100-199	73.3	16.7	-	-	-	3.3	6.7	100.0 (30)
	200-299	75.0	17.9	-	-	3.6	-	3.6	100.0 (28)
	300-399	80.0	5.0	5.0	-	5.0	-	5.0	100.0 (20)
	400-499	50.0	16.7	-	-	-	-	33.3	100.0 (6)
	500	58.8	17.6	5.9	-	5.9	5.9	5.9	100.0 (17)

1.5.4		:		1		(5.5.2)		%	
		1	2	4	5	7	()		
(1)		87.5	9.4	3.1	-	-	-	100.0	(32)
	가	83.3	4.2	-	4.2	-	8.3	100.0	(24)
		60.0	20.0	-	-	-	20.0	100.0	(5)
		92.0	8.0	-	-	-	-	100.0	(25)
		100.0	-	-	-	-	-	100.0	(34)
		100.0	-	-	-	-	-	100.0	(1)
		66.7	33.3	-	-	-	-	100.0	(3)
		61.5	23.1	7.7	-	7.7	-	100.0	(13)
		85.7	14.3	-	-	-	-	100.0	(7)
(2)									
	10	93.1	5.2	1.7	-	-	-	100.0	(58)
	10-19	86.7	10.0	-	3.3	-	-	100.0	(30)
	20-29	90.9	4.5	-	-	-	4.5	100.0	(22)
	30-39	60.0	13.3	6.7	-	6.7	13.3	100.0	(15)
	40	72.7	27.3	-	-	-	-	100.0	(11)
(3)									
		92.2	5.2	-	-	-	2.6	100.0	(77)
		80.9	11.8	2.9	1.5	1.5	1.5	100.0	(68)
(4)									
	/	83.3	13.3	-	-	-	3.3	100.0	(30)
	/	88.7	8.1	-	-	1.6	1.6	100.0	(62)
	/	86.0	7.0	4.7	-	-	2.3	100.0	(43)
		90.0	-	-	10.0	-	-	100.0	(10)
(5)									
		76.7	10.0	6.7	-	-	6.7	100.0	(30)
		88.9	4.4	-	2.2	2.2	2.2	100.0	(45)
		90.0	10.0	-	-	-	-	100.0	(70)
(6)									
	/	92.5	5.7	-	-	-	1.9	100.0	(53)
	/	100.0	-	-	-	-	-	100.0	(1)
	가	75.6	9.8	4.9	2.4	2.4	4.9	100.0	(41)
	가	75.0	25.0	-	-	-	-	100.0	(12)
		100.0	-	-	-	-	-	100.0	(3)
	/	100.0	-	-	-	-	-	100.0	(12)
		94.1	5.9	-	-	-	-	100.0	(17)
		83.3	16.7	-	-	-	-	100.0	(6)
(7)									
		50.0	-	-	-	-	50.0	100.0	(2)
		100.0	-	-	-	-	-	100.0	(4)
		85.2	9.8	1.6	1.6	-	1.6	100.0	(61)
		86.0	8.8	1.8	-	1.8	1.8	100.0	(57)
		100.0	-	-	-	-	-	100.0	(13)
		83.3	16.7	-	-	-	-	100.0	(6)
(8)	가								
		100.0	-	-	-	-	-	100.0	(2)
	100	92.3	7.7	-	-	-	-	100.0	(13)
	100-199	93.5	3.2	-	-	-	3.2	100.0	(31)
	200-299	92.9	-	3.6	-	3.6	-	100.0	(28)
	300-399	80.0	5.0	5.0	-	-	10.0	100.0	(20)
	400-499	50.0	33.3	-	16.7	-	-	100.0	(6)
	500	82.4	17.6	-	-	-	-	100.0	(17)

1.5.5		: 1 (5.5.3)						%
		1	2	3	4	5	7	()
(1)		53.3	16.7	10.0	3.3	-	3.3	13.3 (30)
	가	39.1	8.7	8.7	-	4.3	-	39.1 (23)
		40.0	20.0	-	-	-	-	40.0 (5)
		63.6	-	9.1	9.1	-	4.5	13.6 (22)
		39.4	12.1	21.2	6.1	6.1	-	15.2 (33)
		100.0	-	-	-	-	-	100.0 (1)
			33.3	-	-	33.3	-	33.3 (3)
		38.5	15.4	-	-	-	15.4	30.8 (13)
		57.1	14.3	14.3	-	-	-	14.3 (7)
(2)		57.1	16.1	12.5	3.6	1.8	-	8.9 (56)
	10-19	27.6	13.8	13.8	3.4	6.9	3.4	31.0 (29)
	20-29	33.3	4.8	-	9.5	-	-	52.4 (21)
	30-39	33.3	6.7	26.7	-	-	6.7	26.7 (15)
	40	66.7	11.1	-	-	11.1	11.1	- (9)
(3)		53.4	8.2	12.3	1.4	4.1	1.4	19.2 (73)
		40.0	15.4	9.2	6.2	1.5	4.6	23.1 (65)
(4)	/	55.2	17.2	6.9	3.4	6.9	3.4	6.9 (29)
	/	53.4	10.3	17.2	3.4	-	1.7	13.8 (58)
	/	36.6	12.2	4.9	4.9	4.9	4.9	31.7 (41)
		30.0	-	10.0	-	-	-	60.0 (10)
(5)		27.6	17.2	6.9	6.9	-	6.9	34.5 (29)
		53.3	11.1	8.9	2.2	2.2	2.2	20.0 (45)
		51.6	9.4	14.1	3.1	4.7	1.6	15.6 (64)
(6)	/	58.5	17.0	11.3	1.9	3.8	1.9	5.7 (53)
	/	100.0	-	-	-	-	-	100.0 (1)
	가	27.0	5.4	8.1	5.4	-	2.7	51.4 (37)
	가	50.0	16.7	-	8.3	-	8.3	16.7 (12)
		33.3	33.3	-	-	-	33.3	- (3)
	/	66.7	8.3	25.0	-	-	-	100.0 (12)
		57.1	-	21.4	7.1	7.1	-	7.1 (14)
		-	16.7	-	-	16.7	-	66.7 (6)
(7)		-	-	-	50.0	-	-	50.0 (2)
		-	25.0	50.0	-	-	25.0	- (4)
		42.1	7.0	14.0	5.3	1.8	3.5	26.3 (57)
		53.7	16.7	5.6	-	5.6	1.9	16.7 (54)
		53.8	7.7	7.7	7.7	-	-	23.1 (13)
		66.7	16.7	16.7	-	-	-	100.0 (6)
(8)	가	100.0	-	-	-	-	-	100.0 (2)
	100	53.8	23.1	7.7	-	-	7.7	7.7 (13)
	100-199	46.7	6.7	13.3	3.3	6.7	3.3	20.0 (30)
	200-299	40.7	22.2	7.4	3.7	-	-	25.9 (27)
	300-399	56.3	12.5	-	12.5	-	6.3	12.5 (16)
	400-499	16.7	16.7	16.7	-	-	-	50.0 (6)
	500	31.3	6.3	12.5	6.3	-	-	43.8 (16)

1.5.7 : 1 (5.6.1) %

	1	2	3	4	5	()
(1)						
가	62.5	21.9	3.1	6.3	3.1	3.1 100.0 (32)
	50.0	37.5	4.2	8.3	-	- 100.0 (24)
	20.0	40.0	40.0	-	-	- 100.0 (5)
	68.0	24.0	8.0	-	-	- 100.0 (25)
	64.7	29.4	-	5.9	-	- 100.0 (34)
	100.0	-	-	-	-	- 100.0 (1)
	100.0	-	-	-	-	- 100.0 (3)
	61.5	15.4	7.7	7.7	-	7.7 100.0 (13)
	100.0	-	-	-	-	- 100.0 (7)
(2)						
10	70.7	22.4	5.2	1.7	-	- 100.0 (58)
10-19	63.3	16.7	3.3	10.0	3.3	3.3 100.0 (30)
20-29	54.5	31.8	9.1	4.5	-	- 100.0 (22)
30-39	46.7	33.3	-	13.3	-	6.7 100.0 (15)
40	54.5	36.4	9.1	-	-	- 100.0 (11)
(3)						
	64.9	29.9	2.6	2.6	-	- 100.0 (77)
	61.8	19.1	7.4	7.4	1.5	2.9 100.0 (68)
(4)						
/	73.3	20.0	6.7	-	-	- 100.0 (30)
/	64.5	30.6	-	4.8	-	- 100.0 (62)
/	58.1	20.9	9.3	7.0	-	4.7 100.0 (43)
	50.0	20.0	10.0	10.0	10.0	- 100.0 (10)
(5)						
	50.0	30.0	6.7	6.7	-	6.7 100.0 (30)
	71.1	22.2	2.2	4.4	-	- 100.0 (45)
	64.3	24.3	5.7	4.3	1.4	- 100.0 (70)
(6)						
/	73.6	22.6	1.9	1.9	-	- 100.0 (53)
/	100.0	-	-	-	-	- 100.0 (1)
가	53.7	22.0	9.8	7.3	2.4	4.9 100.0 (41)
가	50.0	25.0	8.3	16.7	-	- 100.0 (12)
	100.0	-	-	-	-	- 100.0 (3)
/	58.3	41.7	-	-	-	- 100.0 (12)
	58.8	35.3	5.9	-	-	- 100.0 (17)
	66.7	16.7	-	16.7	-	- 100.0 (6)
(7)						
	50.0	-	50.0	-	-	- 100.0 (2)
	75.0	-	-	25.0	-	- 100.0 (4)
	50.8	34.4	8.2	1.6	1.6	3.3 100.0 (61)
	64.9	24.6	1.8	8.8	-	- 100.0 (57)
	92.3	7.7	-	-	-	- 100.0 (13)
	100.0	-	-	-	-	- 100.0 (6)
(8)						
가	100.0	-	-	-	-	- 100.0 (2)
100	76.9	15.4	7.7	-	-	- 100.0 (13)
100-199	67.7	22.6	6.5	3.2	-	- 100.0 (31)
200-299	60.7	21.4	-	14.3	3.6	- 100.0 (28)
300-399	45.0	40.0	10.0	-	-	5.0 100.0 (20)
400-499	83.3	16.7	-	-	-	- 100.0 (6)
500	47.1	29.4	5.9	11.8	-	5.9 100.0 (17)

1.6.1		: (6.4.1)						%	
		1-9	10-19	20-29	30-39	40-49	50	()	
(1)		74.1	7.4	3.7	7.4	-	-	7.4	100.0 (27)
		86.4	9.1	4.5	-	-	-	100.0 (22)	
		77.3	4.5	4.5	-	4.5	-	100.0 (22)	
		63.2	10.5	10.5	10.5	-	-	5.3	100.0 (19)
		100.0	-	-	-	-	-	-	100.0 (1)
		50.0	-	50.0	-	-	-	-	100.0 (2)
		70.0	10.0	-	-	10.0	-	10.0	100.0 (10)
	/	19.0	4.8	14.3	9.5	9.5	9.5	33.3	100.0 (21)
		75.0	-	-	-	-	-	25.0	100.0 (4)
		50.0	-	25.0	-	-	-	25.0	100.0 (4)
(2)		80.0	10.0	-	5.0	-	-	5.0	100.0 (20)
	10	66.7	5.6	11.1	2.8	2.8	5.6	5.6	100.0 (36)
	10-19	64.3	7.1	2.4	7.1	2.4	-	16.7	100.0 (42)
	20-29	61.9	4.8	9.5	4.8	4.8	-	14.3	100.0 (21)
	30-39	40.0	10.0	30.0	-	-	-	20.0	100.0 (10)
	40								
(3)		57.1	2.9	8.6	7.1	5.7	2.9	15.7	100.0 (70)
		74.2	11.3	6.5	1.6	-	-	6.5	100.0 (62)
(4)	/	80.0	-	20.0	-	-	-	-	100.0 (5)
	/	71.9	6.3	6.3	1.6	1.6	1.6	10.9	100.0 (64)
		57.1	7.9	7.9	7.9	4.8	1.6	12.7	100.0 (63)
(5)		61.8	7.3	9.1	7.3	1.8	3.6	9.1	100.0 (55)
		38.9	5.6	5.6	5.6	11.1	-	33.3	100.0 (18)
		77.6	6.9	6.9	1.7	1.7	-	5.2	100.0 (58)
(6)	/	62.5	-	25.0	-	-	-	12.5	100.0 (8)
	/	-	-	-	-	-	-	100.0	100.0 (1)
	가	64.8	6.5	6.5	5.6	2.8	1.9	12.0	100.0 (108)
	가	75.0	8.3	8.3	-	8.3	-	-	100.0 (12)
	/	-	100.0	-	-	-	-	-	100.0 (1)
		100.0	-	-	-	-	-	-	100.0 (2)
(7)		100.0	-	-	-	-	-	-	100.0 (1)
		50.0	16.7	-	33.3	-	-	-	100.0 (6)
		70.2	5.3	7.4	3.2	2.1	1.1	10.6	100.0 (94)
		48.3	10.3	10.3	3.4	6.9	3.4	17.2	100.0 (29)
		100.0	-	-	-	-	-	-	100.0 (1)
		100.0	-	-	-	-	-	-	100.0 (1)
(8)	가	33.3	11.1	11.1	-	11.1	11.1	22.2	100.0 (9)
	100-199	63.3	6.7	10.0	3.3	6.7	-	10.0	100.0 (30)
	200-299	75.9	3.4	3.4	3.4	-	-	13.8	100.0 (29)
	300-399	57.1	9.5	14.3	-	-	4.8	14.3	100.0 (21)
	400-499	60.0	8.0	4.0	12.0	4.0	-	12.0	100.0 (25)
	500								

1.6.2

:

(6.4.2)

%

	1	2	3	4	5	6	7	8	9	10	()	
(1)	36.7	-	10.0	20.0	-	10.0	3.3	3.3	6.7	-	10.0	100.0 (30)
	42.3	3.8	7.7	3.8	3.8	3.8	3.8	3.8	-	3.8	23.1	100.0 (26)
	52.2	8.7	8.7	4.3	-	4.3	-	-	-	-	21.7	100.0 (23)
	55.0	20.0	5.0	5.0	-	-	-	-	-	-	15.0	100.0 (20)
	100.0	-	-	-	-	-	-	-	-	-	-	100.0 (1)
	100.0	-	-	-	-	-	-	-	-	-	-	100.0 (2)
	75.0	8.3	-	-	-	8.3	-	-	-	-	8.3	100.0 (12)
	57.1	14.3	4.8	-	9.5	4.8	9.5	-	-	-	-	100.0 (21)
/	75.0	25.0	-	-	-	-	-	-	-	-	-	100.0 (4)
	75.0	-	-	-	-	25.0	-	-	-	-	-	100.0 (4)
(2)												
10	68.4	10.5	5.3	10.5	5.3	-	-	-	-	-	-	100.0 (19)
10-19	59.0	15.4	10.3	10.3	-	2.6	-	-	-	-	2.6	100.0 (39)
20-29	63.0	4.3	2.2	2.2	2.2	4.3	6.5	-	2.2	2.2	10.9	100.0 (46)
30-39	20.8	8.3	8.3	4.2	-	8.3	4.2	8.3	4.2	-	33.3	100.0 (24)
40	25.0	-	8.3	8.3	8.3	16.7	-	-	-	-	33.3	100.0 (12)
(3)												
	51.9	9.1	5.2	6.5	3.9	5.2	5.2	-	1.3	-	11.7	100.0 (77)
	53.0	7.6	7.6	6.1	-	4.5	1.5	3.0	1.5	1.5	13.6	100.0 (66)
(4)												
/	80.0	-	-	-	-	-	20.0	-	-	-	-	100.0 (5)
/	65.2	8.7	5.8	5.8	-	4.3	1.4	-	-	1.4	7.2	100.0 (6)
	37.7	8.7	7.2	7.2	4.3	5.8	4.3	2.9	2.9	-	18.8	100.0 (6)
(5)												
	42.2	9.4	4.7	7.8	3.1	6.3	3.1	1.6	3.1	-	18.8	100.0 (64)
	42.1	10.5	15.8	-	5.3	5.3	-	5.3	-	5.3	10.5	100.0 (19)
	67.8	6.8	5.1	6.8	-	1.7	5.1	-	-	-	6.8	100.0 (59)
(6)												
/	33.3	-	22.2	11.1	11.1	11.1	-	-	-	-	11.1	100.0 (9)
/	100.0	-	-	-	-	-	-	-	-	-	-	100.0 (1)
가	49.6	10.3	6.0	6.0	1.7	5.1	3.4	1.7	1.7	-	14.5	100.0 (117)
가	84.6	-	-	7.7	-	-	7.7	-	-	-	-	100.0 (13)
/	-	-	-	-	-	-	-	-	-	100.0	-	100.0 (1)
	100.0	-	-	-	-	-	-	-	-	-	-	100.0 (2)
(7)												
	-	-	-	-	-	-	-	50.0	50.0	-	-	100.0 (2)
	42.9	-	14.3	14.3	-	-	-	14.3	-	-	14.3	100.0 (7)
	53.1	8.2	5.1	6.1	2.0	6.1	2.0	-	1.0	1.0	15.3	100.0 (98)
	54.5	12.1	6.1	6.1	3.0	3.0	9.1	-	-	-	6.1	100.0 (33)
	50.0	-	50.0	-	-	-	-	-	-	-	-	100.0 (2)
	100.0	-	-	-	-	-	-	-	-	-	-	100.0 (1)
(8)												
가												
100-199	40.0	20.0	10.0	10.0	-	-	10.0	-	-	-	10.0	100.0 (10)
200-299	57.6	9.1	9.1	6.1	-	6.1	-	-	3.0	-	9.1	100.0 (33)
300-399	63.3	6.7	6.7	3.3	3.3	3.3	-	3.3	-	-	10.0	100.0 (30)
400-499	61.9	9.5	-	-	4.8	9.5	4.8	-	-	-	9.5	100.0 (21)
500	30.0	10.0	10.0	13.3	-	3.3	3.3	3.3	3.3	-	23.3	100.0 (30)

1.6.3

:

(6.4.2)

%

	19	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90	()	
(1)	13.3	10.0	3.3	10.0	10.0	3.3	10.0	6.7	-	3.3	30.0	100.0 (30)
	34.6	19.2	15.4	11.5	3.8	3.8	3.8	-	-	-	7.7	100.0 (26)
	9.1	13.6	4.5	-	4.5	4.5	4.5	4.5	-	4.5	50.0	100.0 (22)
	5.9	23.5	11.8	17.6	5.9	5.9	11.8	-	-	-	17.6	100.0 (17)
	100.0	-	-	-	-	-	-	-	-	-	-	100.0 (1)
	-	-	50.0	-	-	50.0	-	-	-	-	-	100.0 (2)
	-	-	16.7	25.0	-	16.7	25.0	8.3	-	-	8.3	100.0 (12)
	14.3	33.3	9.5	23.8	14.3	4.8	-	-	-	-	-	100.0 (21)
/	100.0	-	-	-	-	-	-	-	-	-	-	100.0 (4)
	50.0	25.0	-	-	-	-	-	-	25.0	-	-	100.0 (9)
(2)												
10	36.8	36.8	5.3	5.3	-	-	-	5.3	-	5.3	5.3	100.0 (19)
10-19	24.3	16.2	10.8	8.1	5.4	-	2.7	5.4	-	2.7	24.3	100.0 (37)
20-29	18.2	13.6	6.8	13.6	9.1	11.4	13.6	2.3	2.3	-	9.1	100.0 (44)
30-39	8.3	12.5	12.5	8.3	4.2	12.5	12.5	-	-	-	29.2	100.0 (24)
40	-	8.3	-	33.3	16.7	-	-	-	-	-	41.7	100.0 (12)
(3)												
	12.0	16.0	6.7	16.0	8.0	9.3	10.7	4.0	1.3	-	16.0	100.0 (75)
	26.6	17.2	12.5	7.8	4.7	1.6	3.1	1.6	-	3.1	21.9	100.0 (64)
(4)												
/	60.0	20.0	-	-	-	20.0	-	-	-	-	-	100.0 (5)
/	20.9	16.4	14.9	11.9	4.5	4.5	9.0	1.5	1.5	1.5	13.4	100.0 (67)
	13.4	16.4	4.5	13.4	9.0	6.0	6.0	4.5	-	1.5	25.4	100.0 (67)
(5)												
	16.7	11.7	6.7	8.3	5.0	3.3	8.3	1.7	-	1.7	36.7	100.0 (60)
	31.6	-	5.3	21.1	10.5	10.5	-	5.3	5.3	-	10.5	100.0 (19)
	16.9	27.1	13.6	13.6	6.8	6.8	6.8	3.4	-	1.7	3.4	100.0 (59)
(6)												
/	12.5	25.0	-	37.5	12.5	-	-	-	-	-	12.5	100.0 (8)
/	-	-	-	-	-	-	-	-	100.0	-	-	100.0 (1)
가	16.7	16.7	7.0	11.4	7.0	6.1	8.8	3.5	-	.9	21.9	100.0 (114)
가	38.5	7.7	38.5	7.7	-	-	-	-	-	7.7	-	100.0 (13)
/	100.0	-	-	-	-	-	-	-	-	-	-	100.0 (1)
	-	50.0	-	-	-	50.0	-	-	-	-	-	100.0 (2)
(7)												
	-	-	-	-	-	-	-	-	-	-	100.0	100.0 (2)
	28.6	28.6	-	-	14.3	-	-	-	-	-	28.6	100.0 (7)
	20.0	15.8	9.5	9.5	6.3	8.4	8.4	2.1	1.1	1.1	17.9	100.0 (95)
	12.5	18.8	12.5	21.9	6.3	-	6.3	6.3	-	3.1	12.5	100.0 (32)
	-	-	-	50.0	-	-	-	-	-	-	50.0	100.0 (2)
	100.0	-	-	-	-	-	-	-	-	-	-	100.0 (1)
(8)												
가												
10-19	10.0	10.0	20.0	30.0	20.0	-	-	-	-	-	10.0	100.0 (10)
20-29	12.5	12.5	9.4	18.8	9.4	9.4	6.3	3.1	-	3.1	15.6	100.0 (32)
30-39	23.3	23.3	13.3	6.7	3.3	-	10.0	6.7	-	-	13.3	100.0 (30)
40-49	25.0	15.0	10.0	10.0	5.0	10.0	15.0	-	-	-	10.0	100.0 (20)
50	16.7	10.0	3.3	3.3	-	10.0	6.7	3.3	3.3	-	43.3	100.0 (30)

1.6.4		1					(6.5.1)	
		1-4	5-9	10-14	20-24	30	%	
		()						
(1)		75.0	25.0	-	-	-	-	100.0 (28)
		91.7	8.3	-	-	-	-	100.0 (24)
		81.8	9.1	-	-	-	9.1	100.0 (22)
		84.2	10.5	5.3	-	-	-	100.0 (19)
		100.0	-	-	-	-	-	100.0 (1)
		100.0	-	-	-	-	-	100.0 (2)
		72.7	9.1	9.1	-	9.1	-	100.0 (11)
		38.1	38.1	4.8	14.3	4.8	-	100.0 (21)
	/	75.0	-	25.0	-	-	-	100.0 (4)
		50.0	25.0	-	-	25.0	-	100.0 (4)
(2)	10	85.0	10.0	5.0	-	-	-	100.0 (20)
	10-19	72.2	22.2	-	2.8	-	2.8	100.0 (36)
	20-29	75.0	13.6	4.5	-	2.3	4.5	100.0 (44)
	30-39	81.8	9.1	4.5	4.5	-	-	100.0 (22)
	40	45.5	45.5	-	-	9.1	-	100.0 (11)
(3)		68.9	18.9	4.1	4.1	2.7	1.4	100.0 (74)
		80.6	14.5	1.6	-	-	3.2	100.0 (62)
(4)	/	80.0	20.0	-	-	-	-	100.0 (5)
	/	80.6	7.5	1.5	4.5	1.5	4.5	100.0 (67)
		67.2	26.6	4.7	-	1.6	-	100.0 (64)
(5)		66.7	24.6	3.5	1.8	-	3.5	100.0 (57)
		65.0	20.0	-	-	10.0	5.0	100.0 (20)
		86.2	8.6	1.7	3.4	-	-	100.0 (58)
(6)	/	70.0	20.0	-	-	10.0	-	100.0 (10)
	/	-	-	-	-	-	100.0	100.0 (1)
	가	74.5	17.3	3.6	1.8	.9	1.8	100.0 (110)
	가	75.0	16.7	-	8.3	-	-	100.0 (12)
	/	100.0	-	-	-	-	-	100.0 (1)
		100.0	-	-	-	-	-	100.0 (2)
(7)		100.0	-	-	-	-	-	100.0 (1)
		50.0	33.3	16.7	-	-	-	100.0 (6)
		78.1	13.5	3.1	1.0	2.1	2.1	100.0 (96)
		62.1	27.6	-	6.9	-	3.4	100.0 (29)
		100.0	-	-	-	-	-	100.0 (3)
		100.0	-	-	-	-	-	100.0 (1)
(8)	가	100.0	-	-	-	-	-	100.0 (1)
	100-199	40.0	30.0	-	10.0	10.0	10.0	100.0 (10)
	200-299	86.7	13.3	-	-	-	-	100.0 (30)
	300-399	89.7	3.4	3.4	3.4	-	-	100.0 (29)
	400-499	61.9	23.8	9.5	4.8	-	-	100.0 (21)
	500	55.6	29.6	3.7	-	3.7	7.4	100.0 (27)

1.6.5		: 1					(6.5.2) %	
		1	2	3	4	5	()	
(1)		80.0	16.7	-	-	-	3.3	100.0 (30)
		80.8	3.8	3.8	3.8	7.7	-	100.0 (26)
		76.0	8.0	4.0	-	4.0	8.0	100.0 (25)
		80.0	15.0	-	5.0	-	-	100.0 (20)
		100.0	-	-	-	-	-	100.0 (1)
		100.0	-	-	-	-	-	100.0 (2)
		83.3	8.3	-	-	-	8.3	100.0 (12)
		90.5	9.5	-	-	-	-	100.0 (21)
/		100.0	-	-	-	-	-	100.0 (4)
		75.0	-	25.0	-	-	-	100.0 (4)
(2)	10	89.5	5.3	-	-	-	5.3	100.0 (19)
	10-19	89.7	5.1	-	5.1	-	-	100.0 (39)
	20-29	79.2	8.3	6.3	-	2.1	4.2	100.0 (48)
	30-39	79.2	16.7	-	-	4.2	-	100.0 (24)
	40	66.7	16.7	-	-	8.3	8.3	100.0 (12)
(3)		84.4	10.4	1.3	1.3	-	2.6	100.0 (77)
		79.4	8.8	2.9	1.5	4.4	2.9	100.0 (68)
(4)	/	80.0	-	20.0	-	-	-	100.0 (5)
	/	93.0	4.2	-	-	1.4	1.4	100.0 (71)
		71.0	15.9	2.9	2.9	2.9	4.3	100.0 (69)
(5)		76.9	10.8	1.5	3.1	4.6	3.1	100.0 (65)
		80.0	5.0	5.0	-	-	10.0	100.0 (20)
		89.8	8.5	1.7	-	-	-	100.0 (59)
(6)	/	80.0	10.0	-	10.0	-	-	100.0 (10)
	/	100.0	-	-	-	-	-	100.0 (1)
	가	80.5	10.2	2.5	.8	2.5	3.4	100.0 (118)
	가	92.3	7.7	-	-	-	-	100.0 (13)
	/	100.0	-	-	-	-	-	100.0 (1)
		100.0	-	-	-	-	-	100.0 (2)
(7)		50.0	50.0	-	-	-	-	100.0 (2)
		71.4	14.3	-	-	14.3	-	100.0 (7)
		82.0	9.0	2.0	2.0	2.0	3.0	100.0 (100)
		84.4	9.4	3.1	-	-	3.1	100.0 (32)
		100.0	-	-	-	-	-	100.0 (3)
		100.0	-	-	-	-	-	100.0 (1)
(8)	가	100.0	-	-	-	-	-	100.0 (1)
	100-199	70.0	30.0	-	-	-	-	100.0 (10)
	200-299	93.8	6.3	-	-	-	-	100.0 (32)
	300-399	86.7	3.3	3.3	3.3	-	3.3	100.0 (30)
	400-499	76.2	19.0	-	-	4.8	-	100.0 (21)
	500	68.8	12.5	3.1	-	6.3	9.4	100.0 (32)

1.6.6		: 1 (6.5.3)										%
		1	2	3	4	5	6	7	8	10	()	
(1)		36.7	10.0	3.3	-	3.3	16.7	6.7	3.3	-	20.0	100.0 (30)
		51.9	18.5	3.7	3.7	3.7	7.4	3.7	-	-	7.4	100.0 (27)
		26.1	4.3	4.3	4.3	4.3	4.3	-	-	-	52.2	100.0 (23)
		26.3	21.1	26.3	5.3	-	5.3	5.3	-	-	10.5	100.0 (19)
		100.0	-	-	-	-	-	-	-	-	-	100.0 (1)
		-	-	100.0	-	-	-	-	-	-	-	100.0 (2)
		8.3	33.3	25.0	8.3	-	-	-	8.3	-	16.7	100.0 (12)
		42.9	9.5	14.3	14.3	14.3	4.8	-	-	-	-	100.0 (21)
/		100.0	-	-	-	-	-	-	-	-	-	100.0 (4)
		75.0	-	-	-	25.0	-	-	-	-	-	100.0 (4)
(2)	10	63.2	-	15.8	-	10.5	5.3	-	-	-	5.3	100.0 (19)
	10-19	35.9	7.7	12.8	-	5.1	2.6	2.6	2.6	-	30.8	100.0 (39)
	20-29	29.8	19.1	12.8	8.5	6.4	4.3	4.3	-	2.1	12.8	100.0 (47)
	30-39	26.1	26.1	-	13.0	-	17.4	4.3	-	-	13.0	100.0 (23)
	40	41.7	8.3	16.7	-	-	16.7	-	-	-	16.7	100.0 (12)
(3)		34.2	15.8	14.5	6.6	3.9	6.6	2.6	1.3	1.3	13.2	100.0 (76)
		41.8	10.4	7.5	3.0	6.0	7.5	3.0	-	-	20.9	100.0 (67)
(4)	/	80.0	20.0	-	-	-	-	-	-	-	-	100.0 (5)
	/	42.0	15.9	11.6	2.9	4.3	4.3	2.9	1.4	-	14.5	100.0 (9)
		30.4	10.1	11.6	7.2	5.8	10.1	2.9	-	1.4	20.3	100.0 (9)
(5)		31.3	10.9	4.7	3.1	9.4	7.8	3.1	-	-	29.7	100.0 (64)
		36.8	5.3	21.1	10.5	5.3	5.3	-	-	5.3	10.5	100.0 (19)
		44.1	18.6	15.3	5.1	-	6.8	3.4	1.7	-	5.1	100.0 (59)
(6)	/	60.0	10.0	20.0	-	-	10.0	-	-	-	-	100.0 (10)
	/	-	-	-	-	100.0	-	-	-	-	-	100.0 (1)
	가	33.6	11.2	12.1	6.0	4.3	7.8	3.4	.9	.9	19.8	100.0 (116)
	가	53.8	30.8	-	-	7.7	-	-	-	-	7.7	100.0 (13)
	/	100.0	-	-	-	-	-	-	-	-	-	100.0 (1)
		50.0	50.0	-	-	-	-	-	-	-	-	100.0 (2)
(7)		-	50.0	-	-	-	-	-	-	-	50.0	100.0 (2)
		28.6	14.3	28.6	-	-	-	-	-	-	28.6	100.0 (7)
		40.8	11.2	11.2	5.1	4.1	7.1	4.1	-	1.0	15.3	100.0 (98)
		28.1	18.8	9.4	6.3	9.4	9.4	-	3.1	-	15.6	100.0 (32)
		66.7	-	-	-	-	-	-	-	-	33.3	100.0 (3)
		100.0	-	-	-	-	-	-	-	-	-	100.0 (1)
(8)	가	100.0	-	-	-	-	-	-	-	-	-	100.0 (1)
	100-199	50.0	10.0	10.0	-	10.0	-	-	-	-	20.0	100.0 (10)
	200-299	29.0	16.1	16.1	6.5	3.2	9.7	3.2	3.2	-	12.9	100.0 (31)
	300-399	46.7	20.0	10.0	3.3	3.3	-	-	-	-	16.7	100.0 (30)
	400-499	33.3	4.8	23.8	4.8	9.5	9.5	4.8	-	-	9.5	100.0 (21)
	500	19.4	16.1	6.5	9.7	3.2	9.7	3.2	-	3.2	29.0	100.0 (31)

1.6.7	:	1			(6.6.1)	%
		1	2	3		()
(1)		79.3	20.7	-	-	100.0	(29)
		84.6	7.7	7.7	-	100.0	(26)
		75.0	25.0	-	-	100.0	(24)
		52.6	36.8	5.3	5.3	100.0	(19)
		100.0	-	-	-	100.0	(1)
		50.0	50.0	-	-	100.0	(2)
		66.7	25.0	8.3	-	100.0	(12)
	/	76.2	19.0	4.8	-	100.0	(21)
		75.0	25.0	-	-	100.0	(4)
		75.0	25.0	-	-	100.0	(4)
(2)		85.0	15.0	-	-	100.0	(20)
10		71.1	26.3	2.6	-	100.0	(38)
10-19		76.1	19.6	2.2	2.2	100.0	(46)
20-29		60.9	26.1	13.0	-	100.0	(23)
30-39		83.3	16.7	-	-	100.0	(12)
40							
(3)		63.6	31.2	3.9	1.3	100.0	(77)
		86.2	10.8	3.1	-	100.0	(65)
(4)	/	60.0	20.0	20.0	-	100.0	(5)
	/	76.1	21.1	2.8	-	100.0	(71)
		72.7	22.7	3.0	1.5	100.0	(66)
(5)		81.0	15.9	1.6	1.6	100.0	(63)
		52.6	47.4	-	-	100.0	(19)
		72.9	20.3	6.8	-	100.0	(59)
(6)	/	88.9	11.1	-	-	100.0	(9)
	/	-	100.0	-	-	100.0	(1)
	가	72.4	24.1	2.6	.9	100.0	(116)
	가	84.6	7.7	7.7	-	100.0	(13)
	/	100.0	-	-	-	100.0	(1)
		50.0	-	50.0	-	100.0	(2)
(7)		100.0	-	-	-	100.0	(2)
		57.1	42.9	-	-	100.0	(7)
		77.1	17.7	4.2	1.0	100.0	(96)
		63.6	33.3	3.0	-	100.0	(33)
		100.0	-	-	-	100.0	(3)
		100.0	-	-	-	100.0	(1)
(8)	가	100.0	-	-	-	100.0	(1)
100-199		70.0	30.0	-	-	100.0	(10)
200-299		53.1	40.6	6.3	-	100.0	(32)
300-399		86.2	13.8	-	-	100.0	(29)
400-499		66.7	23.8	9.5	-	100.0	(21)
500		77.4	16.1	3.2	3.2	100.0	(31)

1.7.1	:											(7.4.1)	%
	19	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90	100	()	
(1)	3.4	3.4	17.2	13.8	17.2	6.9	10.3	6.9	3.4	6.9	10.3	100.0 (29)	
	3.6	24.1	18.1	15.7	9.6	3.6	8.4	4.8	1.2	2.4	8.4	100.0 (83)	
	11.1	11.1	11.1	33.3	11.1	-	11.1	-	-	-	11.1	100.0 (9)	
	16.7	-	16.7	16.7	33.3	-	-	-	-	-	16.7	100.0 (6)	
	11.1	-	11.1	11.1	22.2	11.1	33.3	-	-	-	-	100.0 (9)	
	100.0	-	-	-	-	-	-	-	-	-	-	100.0 (2)	
	25.0	-	25.0	-	-	-	-	-	-	-	50.0	100.0 (4)	
(2)	10	10.9	39.1	23.9	19.6	4.3	-	-	-	-	2.2	100.0 (46)	
	10-19	4.0	6.0	14.0	24.0	16.0	12.0	14.0	2.0	-	6.0	100.0 (50)	
	20-29	5.9	2.9	14.7	2.9	17.6	-	20.6	14.7	5.9	2.9	100.0 (34)	
	30-39	-	-	-	-	14.3	-	-	-	-	-	100.0 (7)	
	40	25.0	-	-	-	25.0	-	-	-	-	50.0	100.0 (4)	
(3)		7.8	4.9	14.7	17.6	14.7	4.9	13.7	2.9	2.0	3.9	100.0(102)	
		5.0	42.5	22.5	10.0	7.5	2.5	-	7.5	-	2.5	100.0 (40)	
(3)	/	50.0	-	-	-	-	-	-	-	-	50.0	100.0 (2)	
	/	6.7	26.7	10.0	13.3	6.7	3.3	13.3	6.7	-	13.3	100.0 (30)	
	/	5.2	14.6	17.7	17.7	13.5	5.2	10.4	3.1	1.0	4.2	100.0 (96)	
		14.3	-	28.6	7.1	21.4	-	-	7.1	7.1	-	100.0 (14)	
(4)		5.5	1.8	16.4	10.9	12.7	5.5	14.5	5.5	1.8	5.5	100.0 (55)	
		-	5.0	15.0	20.0	20.0	5.0	20.0	-	5.0	5.0	100.0 (20)	
		10.4	29.9	17.9	17.9	10.4	3.0	3.0	4.5	-	3.0	100.0 (67)	
(5)	/	4.5	27.3	4.5	18.2	22.7	4.5	9.1	4.5	-	4.5	100.0 (22)	
	/	-	10.0	-	20.0	20.0	10.0	20.0	-	-	10.0	100.0 (10)	
	가	7.3	7.3	21.8	10.9	10.9	1.8	10.9	5.5	1.8	5.5	100.0 (55)	
	가	-	7.7	7.7	15.4	15.4	-	23.1	7.7	7.7	-	100.0 (13)	
		11.8	47.1	17.6	11.8	11.8	-	-	-	-	-	100.0 (17)	
	/	11.8	-	35.3	29.4	-	11.8	5.9	-	-	5.9	100.0 (17)	
		33.3	33.3	-	-	-	-	-	33.3	-	-	100.0 (3)	
		-	20.0	20.0	20.0	20.0	-	-	-	-	-	100.0 (5)	
(6)		-	-	-	-	-	100.0	-	-	-	-	100.0 (2)	
		-	100.0	-	-	-	-	-	-	-	-	100.0 (1)	
		2.0	19.6	17.6	15.7	17.6	2.0	3.9	2.0	-	5.9	100.0 (51)	
		9.4	15.6	18.8	17.2	3.1	3.1	14.1	6.3	3.1	1.6	100.0 (64)	
		16.7	5.6	11.1	5.6	38.9	-	11.1	-	-	11.1	100.0 (18)	
		-	-	16.7	33.3	-	16.7	16.7	16.7	-	-	100.0 (6)	
(7)		-	100.0	-	-	-	-	-	-	-	-	100.0 (1)	
	100	8.3	16.7	8.3	33.3	8.3	-	16.7	-	8.3	-	100.0 (12)	
	100-199	2.9	20.0	20.0	8.6	8.6	8.6	5.7	11.4	-	14.3	100.0 (35)	
	200-299	11.1	13.9	16.7	16.7	11.1	2.8	11.1	2.8	2.8	5.6	100.0 (36)	
	300-399	-	6.3	31.3	18.8	12.5	-	12.5	-	-	12.5	100.0 (16)	
	400-499	-	40.0	-	-	20.0	-	-	20.0	-	20.0	100.0 (5)	
	500	-	12.5	-	18.8	25.0	12.5	12.5	-	-	18.8	100.0 (16)	

1.7.2		:	1		(7.5.1)		%
			1-4	5-9	10-14	50	()
(1)		23.3	66.7	6.7	3.3	-	100.0 (30)
		25.3	67.5	6.0	-	1.2	100.0 (83)
		33.3	44.4	11.1	11.1	-	100.0 (9)
		16.7	83.3	-	-	-	100.0 (6)
		22.2	44.4	33.3	-	-	100.0 (9)
		100.0	-	-	-	-	100.0 (2)
		50.0	25.0	-	-	25.0	100.0 (4)
(2)							
	10	32.6	63.0	4.3	-	-	100.0 (46)
	10-19	30.0	58.0	8.0	4.0	-	100.0 (50)
	20-29	17.6	67.6	8.8	-	5.9	100.0 (34)
	30-39	12.5	75.0	12.5	-	-	100.0 (8)
	40	25.0	50.0	25.0	-	-	100.0 (4)
(3)							
		22.3	64.1	9.7	1.9	1.9	100.0(103)
		37.5	60.0	2.5	-	-	100.0 (40)
(3)							
	/	50.0	50.0	-	-	-	100.0 (2)
	/	40.0	50.0	3.3	3.3	3.3	100.0 (30)
	/	19.6	68.0	10.3	1.0	1.0	100.0 (97)
		42.9	57.1	-	-	-	100.0 (14)
(4)							
		25.0	64.3	5.4	1.8	3.6	100.0 (56)
		25.0	70.0	5.0	-	-	100.0 (20)
		28.4	59.7	10.4	1.5	-	100.0 (67)
(5)							
	/	27.3	63.6	9.1	-	-	100.0 (22)
	/	30.0	50.0	10.0	10.0	-	100.0 (10)
	가	16.1	69.6	10.7	-	3.6	100.0 (56)
	가	23.1	69.2	-	7.7	-	100.0 (13)
		47.1	52.9	-	-	-	100.0 (17)
	/	41.2	52.9	5.9	-	-	100.0 (17)
		33.3	66.7	-	-	-	100.0 (3)
		20.0	60.0	20.0	-	-	100.0 (5)
(6)							
		50.0	-	50.0	-	-	100.0 (2)
		100.0	-	-	-	-	100.0 (1)
		27.5	68.6	-	2.0	2.0	100.0 (51)
		26.2	60.0	12.3	1.5	-	100.0 (65)
		22.2	61.1	11.1	-	5.6	100.0 (18)
		16.7	83.3	-	-	-	100.0 (6)
(7)							
		100.0	-	-	-	-	100.0 (1)
	100	16.7	66.7	16.7	-	-	100.0 (12)
	100-199	20.0	71.4	8.6	-	-	100.0 (35)
	200-299	35.1	51.4	10.8	-	2.7	100.0 (37)
	300-399	18.8	81.3	-	-	-	100.0 (16)
	400-499	20.0	60.0	-	20.0	-	100.0 (5)
	500	31.3	50.0	12.5	-	6.3	100.0 (16)

1.7.3 : 1 (7.6.1)
%

	1	2	3	()
(1)	60.0	33.3	3.3	3.3 100.0 (30)
	57.1	35.7	6.0	1.2 100.0 (84)
	77.8	22.2	-	- 100.0 (9)
	50.0	33.3	16.7	- 100.0 (6)
	55.6	33.3	11.1	- 100.0 (9)
	50.0	50.0	-	- 100.0 (2)
	100.0	-	-	- 100.0 (4)
(2)				
10	65.2	30.4	2.2	2.2 100.0 (46)
10-19	64.0	24.0	12.0	- 100.0 (50)
20-29	48.6	48.6	2.9	- 100.0 (35)
30-39	37.5	50.0	-	12.5 100.0 (8)
40	75.0	25.0	-	- 100.0 (4)
(3)				
	58.7	32.7	7.7	1.0 100.0 (104)
	62.5	35.0	-	2.5 100.0 (40)
(3)				
/	50.0	50.0	-	- 100.0 (2)
/	66.7	30.0	3.3	- 100.0 (30)
/	57.7	33.0	7.2	2.1 100.0 (97)
	60.0	40.0	-	- 100.0 (15)
(4)				
	59.6	36.8	1.8	1.8 100.0 (57)
	50.0	35.0	15.0	- 100.0 (20)
	62.7	29.9	6.0	1.5 100.0 (67)
(5)				
/	50.0	40.9	9.1	- 100.0 (22)
/	50.0	50.0	-	- 100.0 (10)
가	57.9	33.3	5.3	3.5 100.0 (57)
가	38.5	46.2	15.4	- 100.0 (13)
	82.4	17.6	-	- 100.0 (17)
/	70.6	29.4	-	- 100.0 (17)
	66.7	-	33.3	- 100.0 (3)
	80.0	20.0	-	- 100.0 (5)
(6)				
	-	100.0	-	- 100.0 (2)
	100.0	-	-	- 100.0 (1)
	64.7	35.3	-	- 100.0 (51)
	60.0	30.8	6.2	3.1 100.0 (65)
	61.1	22.2	16.7	- 100.0 (18)
	28.6	57.1	14.3	- 100.0 (7)
(7)				
	100.0	-	-	- 100.0 (1)
100	41.7	58.3	-	- 100.0 (12)
100-199	65.7	17.1	14.3	2.9 100.0 (35)
200-299	64.9	27.0	5.4	2.7 100.0 (37)
300-399	56.3	37.5	6.3	- 100.0 (16)
400-499	40.0	60.0	-	- 100.0 (5)
500	56.3	43.8	-	- 100.0 (16)

1.8.1 : (8.4.1) %

	1-4	5-9	10-14	15-19	20-24	25-29	30	()
(1)	32.5	23.8	3.8	12.5	6.3	3.8	3.8	13.8 100.0 (80)
	21.7	8.7	13.0	26.1	8.7	4.3	-	17.4 100.0 (23)
	36.0	36.0	8.0	8.0	-	4.0	-	8.0 100.0 (25)
	100.0	-	-	-	-	-	-	100.0 (1)
	100.0	-	-	-	-	-	-	100.0 (5)
(2)								
10	44.7	26.3	2.6	2.6	5.3	7.9	-	10.5 100.0 (38)
10-19	38.5	25.0	7.7	15.4	1.9	1.9	3.8	5.8 100.0 (52)
20-29	20.7	13.8	6.9	27.6	13.8	-	-	17.2 100.0 (29)
30-39	-	33.3	11.1	11.1	-	-	11.1	33.3 100.0 (9)
40	25.0	-	-	-	-	25.0	-	50.0 100.0 (4)
(3)								
	42.1	21.1	10.5	10.5	-	-	-	15.8 100.0 (19)
	33.0	22.6	5.2	13.9	6.1	4.3	2.6	12.2 100.0(115)
(4)								
/	60.0	20.0	-	-	-	-	-	20.0 100.0 (5)
/	39.5	26.3	3.9	7.9	5.3	1.3	3.9	11.8 100.0 (76)
	24.5	17.0	9.4	22.6	5.7	7.5	-	13.2 100.0 (53)
(5)								
	34.8	20.3	7.2	18.8	4.3	2.9	1.4	10.1 100.0 (69)
	26.1	21.7	-	8.7	8.7	-	-	34.8 100.0 (23)
	37.5	27.5	7.5	5.0	5.0	7.5	5.0	5.0 100.0 (40)
(6)								
/	33.3	38.9	-	-	5.6	11.1	-	11.1 100.0 (18)
/	25.0	-	-	-	-	50.0	-	25.0 100.0 (4)
가	28.4	17.6	9.5	21.6	5.4	1.4	2.7	13.5 100.0 (74)
가	45.2	25.8	3.2	3.2	6.5	-	3.2	12.9 100.0 (31)
	66.7	33.3	-	-	-	-	-	100.0 (3)
/	66.7	33.3	-	-	-	-	-	100.0 (3)
	-	-	-	100.0	-	-	-	100.0 (1)
(7)								
	50.0	50.0	-	-	-	-	-	100.0 (2)
	25.0	25.0	-	12.5	12.5	-	-	25.0 100.0 (8)
	34.9	22.1	3.5	11.6	5.8	5.8	2.3	14.0 100.0 (86)
	30.6	22.2	13.9	19.4	2.8	-	2.8	8.3 100.0 (36)
	100.0	-	-	-	-	-	-	100.0 (2)
(8)								
가	-	100.0	-	-	-	-	-	100.0 (1)
100	25.0	25.0	25.0	-	-	-	-	25.0 100.0 (4)
100-199	35.7	14.3	7.1	28.6	-	7.1	-	7.1 100.0 (14)
200-299	48.1	29.6	3.7	3.7	3.7	3.7	-	7.4 100.0 (27)
300-399	30.8	23.1	3.8	26.9	3.8	-	3.8	7.7 100.0 (26)
400-499	30.4	26.1	13.0	4.3	-	8.7	8.7	8.7 100.0 (23)
500	13.0	21.7	-	13.0	13.0	4.3	-	34.8 100.0 (23)

1.8.2

:

(8.4.2)

%

	1	2	3	4	5	6	7	8	9	10	()	
(1)	59.0	12.0	4.8	4.8	2.4	1.2	2.4	2.4	1.2	1.2	8.4	100.0 (83)
	28.0	20.0	16.0	8.0	12.0	-	-	-	-	-	16.0	100.0 (25)
	50.0	23.1	11.5	-	-	7.7	-	-	-	-	7.7	100.0 (26)
	100.0	-	-	-	-	-	-	-	-	-	-	100.0 (1)
	80.0	-	20.0	-	-	-	-	-	-	-	-	100.0 (5)
(2)												
10	65.8	13.2	7.9	7.9	2.6	2.6	-	-	-	-	-	100.0 (38)
10-19	58.2	25.5	9.1	1.8	-	1.8	-	1.8	-	-	1.8	100.0 (55)
20-29	41.9	6.5	9.7	-	12.9	-	-	3.2	-	-	25.8	100.0 (31)
30-39	11.1	-	11.1	11.1	-	-	22.2	-	11.1	-	33.3	100.0 (9)
40	-	-	-	25.0	-	25.0	-	-	-	25.0	25.0	100.0 (4)
(3)												
	36.8	26.3	10.5	10.5	-	-	-	-	-	5.3	10.5	100.0 (19)
	55.4	13.2	8.3	3.3	4.1	2.5	1.7	1.7	.8	-	9.1	100.0 (121)
(4)												
/	66.7	-	-	-	-	-	16.7	-	-	16.7	-	100.0 (6)
/	61.0	13.0	2.6	5.2	1.3	3.9	1.3	2.6	1.3	-	7.8	100.0 (77)
	40.4	19.3	17.5	3.5	7.0	-	-	-	-	-	12.3	100.0 (57)
(5)												
	49.3	19.2	5.5	5.5	4.1	1.4	-	2.7	1.4	1.4	9.6	100.0 (73)
	47.8	17.4	17.4	-	-	-	-	-	-	-	17.4	100.0 (23)
	61.9	7.1	9.5	4.8	4.8	2.4	4.8	-	-	-	4.8	100.0 (42)
(6)												
/	73.7	15.8	5.3	-	-	-	-	-	-	-	5.3	100.0 (19)
/	25.0	-	25.0	50.0	-	-	-	-	-	-	-	100.0 (4)
가	51.9	12.7	10.1	2.5	5.1	-	1.3	2.5	-	1.3	12.7	100.0 (79)
가	51.6	22.6	6.5	-	3.2	3.2	3.2	-	3.2	-	6.5	100.0 (31)
	33.3	33.3	-	-	-	33.3	-	-	-	-	-	100.0 (3)
/	33.3	-	-	33.3	-	33.3	-	-	-	-	-	100.0 (3)
	-	-	-	100.0	-	-	-	-	-	-	-	100.0 (1)
(7)												
	100.0	-	-	-	-	-	-	-	-	-	-	100.0 (2)
	25.0	12.5	-	-	-	-	-	12.5	-	-	50.0	100.0 (8)
	51.1	14.4	11.1	6.7	3.3	3.3	-	-	1.1	1.1	7.8	100.0 (90)
	57.9	18.4	5.3	-	5.3	-	5.3	2.6	-	-	5.3	100.0 (38)
	100.0	-	-	-	-	-	-	-	-	-	-	100.0 (2)
(8)												
가	-	-	100.0	-	-	-	-	-	-	-	-	100.0 (1)
100	75.0	-	-	-	-	-	-	-	-	-	25.0	100.0 (4)
100-199	62.5	12.5	-	6.3	6.3	-	-	6.3	-	-	6.3	100.0 (16)
200-299	64.3	25.0	-	-	-	-	-	-	-	-	10.7	100.0 (28)
300-399	57.1	14.3	14.3	-	3.6	-	3.6	-	-	3.6	3.6	100.0 (28)
400-499	52.2	17.4	8.7	4.3	-	4.3	4.3	-	4.3	-	4.3	100.0 (23)
500	34.8	17.4	13.0	13.0	4.3	-	-	-	-	-	17.4	100.0 (23)

1.8.3

:

(8.4.3)

%

	1-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	100	()	
(1)	8.9	17.7	27.8	17.7	6.3	3.8	5.1	2.5	1.3	2.5	6.3	100.0 (79)
	25.0	20.8	20.8	8.3	4.2	-	4.2	-	4.2	-	12.5	100.0 (24)
	16.0	36.0	16.0	16.0	16.0	-	-	-	-	-	-	100.0 (25)
	100.0	-	-	-	-	-	-	-	-	-	-	100.0 (1)
	100.0	-	-	-	-	-	-	-	-	-	-	100.0 (4)
(2)												
10	26.3	15.8	26.3	13.2	10.5	2.6	2.6	-	-	-	2.6	100.0 (38)
10-19	11.8	29.4	19.6	21.6	5.9	2.0	2.0	-	2.0	-	5.9	100.0 (51)
20-29	17.9	10.7	32.1	7.1	10.7	-	7.1	7.1	3.6	-	3.6	100.0 (28)
30-39	-	-	11.1	22.2	-	11.1	11.1	-	-	11.1	33.3	100.0 (9)
40	25.0	25.0	25.0	-	-	-	-	-	-	25.0	-	100.0 (4)
(3)												
	11.1	27.8	22.2	27.8	-	-	5.6	-	-	-	5.6	100.0 (18)
	17.4	20.0	23.5	13.0	8.7	2.6	3.5	1.7	1.7	1.7	6.1	100.0(115)
(4)												
/	20.0	20.0	20.0	20.0	-	20.0	-	-	-	-	-	100.0 (5)
/	21.6	27.0	24.3	9.5	4.1	1.4	2.7	-	2.7	2.7	4.1	100.0 (74)
	9.3	13.0	22.2	22.2	13.0	1.9	5.6	3.7	-	-	9.3	100.0 (54)
(5)												
	14.3	18.6	31.4	15.7	2.9	-	5.7	2.9	-	2.9	5.7	100.0 (70)
	21.7	8.7	13.0	8.7	21.7	4.3	4.3	-	4.3	-	13.0	100.0 (23)
	15.4	33.3	15.4	17.9	7.7	5.1	-	-	2.6	-	2.6	100.0 (39)
(6)												
/	21.1	36.8	10.5	26.3	-	-	5.3	-	-	-	-	100.0 (19)
/	33.3	33.3	-	33.3	-	-	-	-	-	-	-	100.0 (3)
가	14.5	15.8	27.6	13.2	9.2	1.3	5.3	2.6	1.3	-	9.2	100.0 (76)
가	13.8	24.1	27.6	6.9	6.9	6.9	-	-	3.4	6.9	3.4	100.0 (29)
	-	33.3	-	33.3	33.3	-	-	-	-	-	-	100.0 (3)
/	100.0	-	-	-	-	-	-	-	-	-	-	100.0 (2)
	-	-	-	100.0	-	-	-	-	-	-	-	100.0 (1)
(7)												
	50.0	-	-	-	-	-	-	-	50.0	-	-	100.0 (2)
	12.5	25.0	12.5	37.5	-	-	12.5	-	-	-	-	100.0 (8)
	15.1	22.1	25.6	14.0	8.1	2.3	3.5	2.3	1.2	2.3	3.5	100.0 (66)
	17.1	20.0	20.0	14.3	8.6	2.9	2.9	-	-	-	14.3	100.0 (35)
	50.0	-	50.0	-	-	-	-	-	-	-	-	100.0 (2)
(8)												
가												
100	25.0	25.0	-	50.0	-	-	-	-	-	-	-	100.0 (4)
100-199	12.5	31.3	18.8	18.8	-	-	6.3	12.5	-	-	-	100.0 (16)
200-299	17.9	21.4	21.4	17.9	7.1	3.6	3.6	-	-	-	7.1	100.0 (28)
300-399	15.4	7.7	30.8	15.4	11.5	3.8	-	-	-	-	15.4	100.0 (26)
400-499	17.4	34.8	21.7	13.0	-	-	-	-	4.3	8.7	-	100.0 (23)
500	13.0	17.4	17.4	13.0	17.4	4.3	8.7	-	4.3	-	4.3	100.0 (23)

1.8.4 : 1 (8.5.1) %

	1	2	3	5	6	7	10	()	
(1)	69.5	9.8	7.3	2.4	6.1	1.2	-	3.7	100.0 (82)
	52.0	12.0	12.0	16.0	-	8.0	-	-	100.0 (25)
	56.0	32.0	4.0	4.0	-	-	4.0	-	100.0 (25)
	100.0	-	-	-	-	-	-	-	100.0 (1)
	100.0	-	-	-	-	-	-	-	100.0 (5)
(2)									
10	73.0	10.8	8.1	2.7	5.4	-	-	-	100.0 (37)
10-19	70.9	16.4	1.8	7.3	1.8	-	-	1.8	100.0 (55)
20-29	45.2	16.1	16.1	3.2	3.2	9.7	3.2	3.2	100.0 (31)
30-39	37.5	12.5	12.5	12.5	12.5	-	-	12.5	100.0 (8)
40	100.0	-	-	-	-	-	-	-	100.0 (4)
(3)									
	63.2	21.1	10.5	-	-	-	-	5.3	100.0 (19)
	65.5	12.6	6.7	5.9	4.2	2.5	.8	1.7	100.0(119)
(4)									
/	83.3	-	16.7	-	-	-	-	-	100.0 (6)
/	76.6	7.8	5.2	5.2	2.6	-	-	2.6	100.0 (77)
	47.3	23.6	9.1	5.5	5.5	5.5	1.8	1.8	100.0 (55)
(5)									
	61.6	16.4	6.8	6.8	4.1	1.4	-	2.7	100.0 (73)
	54.5	13.6	4.5	9.1	-	9.1	4.5	4.5	100.0 (22)
	78.0	9.8	7.3	-	4.9	-	-	-	100.0 (41)
(6)									
/	78.9	15.8	-	-	5.3	-	-	-	100.0 (19)
/	100.0	-	-	-	-	-	-	-	100.0 (3)
가	56.4	17.9	7.7	6.4	2.6	3.8	1.3	3.8	100.0 (78)
가	71.0	6.5	9.7	6.5	6.5	-	-	-	100.0 (31)
	100.0	-	-	-	-	-	-	-	100.0 (3)
/	100.0	-	-	-	-	-	-	-	100.0 (3)
	-	-	100.0	-	-	-	-	-	100.0 (1)
(7)									
	100.0	-	-	-	-	-	-	-	100.0 (2)
	75.0	-	-	-	12.5	12.5	-	-	100.0 (8)
	62.5	15.9	8.0	4.5	4.5	1.1	1.1	2.3	100.0 (88)
	65.8	13.2	7.9	7.9	-	2.6	-	2.6	100.0 (38)
	100.0	-	-	-	-	-	-	-	100.0 (2)
(8)									
가	100.0	-	-	-	-	-	-	-	100.0 (1)
100	75.0	-	-	25.0	-	-	-	-	100.0 (4)
100-199	62.5	25.0	12.5	-	-	-	-	-	100.0 (16)
200-299	82.1	10.7	3.6	-	3.6	-	-	-	100.0 (28)
300-399	50.0	21.4	7.1	14.3	-	-	-	7.1	100.0 (28)
400-499	81.8	4.5	4.5	9.1	-	-	-	-	100.0 (22)
500	45.5	18.2	9.1	-	9.1	9.1	4.5	4.5	100.0 (22)

1.8.5		: (8.5.2)				%
		1	2	10	()	
(1)		88.0	10.8	-	1.2	100.0 (83)
		68.0	24.0	8.0	-	100.0 (25)
		80.8	19.2	-	-	100.0 (26)
		100.0	-	-	-	100.0 (1)
		100.0	-	-	-	100.0 (5)
(2)						
	10	94.7	5.3	-	-	100.0 (38)
	10-19	83.6	14.5	1.8	-	100.0 (55)
	20-29	74.2	22.6	3.2	-	100.0 (31)
	30-39	66.7	22.2	-	11.1	100.0 (9)
	40	75.0	25.0	-	-	100.0 (4)
(3)						
		73.7	21.1	5.3	-	100.0 (19)
		85.1	13.2	.8	.8	100.0(121)
(4)						
	/	83.3	16.7	-	-	100.0 (6)
	/	90.9	7.8	1.3	-	100.0 (77)
		73.7	22.8	1.8	1.8	100.0 (57)
(5)						
		80.8	17.8	1.4	-	100.0 (73)
		87.0	8.7	-	4.3	100.0 (22)
		85.7	11.9	2.4	-	100.0 (41)
(7)						
	/	94.7	5.3	-	-	100.0 (19)
	/	50.0	50.0	-	-	100.0 (4)
	가	79.7	17.7	1.3	1.3	100.0 (79)
	가	87.1	9.7	3.2	-	100.0 (31)
		100.0	-	-	-	100.0 (3)
	/	100.0	-	-	-	100.0 (3)
		100.0	-	-	-	100.0 (1)
(8)						
		100.0	-	-	-	100.0 (2)
		87.5	12.5	-	-	100.0 (8)
		81.1	16.7	1.1	1.1	100.0 (90)
		86.8	10.5	2.6	-	100.0 (38)
		100.0	-	-	-	100.0 (2)
(9)	가					
		-	100.0	-	-	100.0 (1)
	100	100.0	-	-	-	100.0 (4)
	100-199	87.5	12.5	-	-	100.0 (16)
	200-299	89.3	7.1	3.6	-	100.0 (28)
	300-399	82.1	17.9	-	-	100.0 (28)
	400-499	82.6	17.4	-	-	100.0 (23)
	500	78.3	17.4	-	4.3	100.0 (23)

1.8.6 : 1 (8.5.3) %

	1	2	3	4	5	6	7	10	()	
(1)	46.3	10.0	15.0	3.8	5.0	3.8	3.8	1.3	11.3	100.0 (80)
	48.0	20.0	12.0	12.0	-	-	-	-	8.0	100.0 (25)
	65.4	19.2	7.7	3.8	3.8	-	-	-	-	100.0 (26)
	100.0	-	-	-	-	-	-	-	-	100.0 (1)
	100.0	-	-	-	-	-	-	-	-	100.0 (5)
(2)										
10	51.4	10.8	16.2	8.1	5.4	5.4	-	-	2.7	100.0 (37)
10-19	57.4	13.0	11.1	1.9	1.9	-	1.9	1.9	11.1	100.0 (54)
20-29	43.3	16.7	10.0	6.7	3.3	-	6.7	-	13.3	100.0 (30)
30-39	44.4	11.1	22.2	11.1	-	11.1	-	-	-	100.0 (9)
40	75.0	-	-	-	25.0	-	-	-	-	100.0 (4)
(3)										
	47.4	15.8	15.8	5.3	10.5	-	-	-	5.3	100.0 (19)
	53.4	12.7	11.9	5.1	2.5	2.5	2.5	.8	8.5	100.0 (118)
(4)										
/	80.0	20.0	-	-	-	-	-	-	-	100.0 (5)
/	57.9	14.5	10.5	3.9	2.6	1.3	2.6	1.3	5.3	100.0 (76)
	42.9	10.7	16.1	7.1	5.4	3.6	1.8	-	12.5	100.0 (56)
(5)										
	51.4	7.1	14.3	4.3	5.7	4.3	1.4	-	11.4	100.0 (70)
	52.2	21.7	8.7	8.7	-	-	4.3	-	4.3	100.0 (23)
	52.4	19.0	11.9	4.8	2.4	-	2.4	2.4	4.8	100.0 (42)
(6)										
/	63.2	21.1	10.5	-	-	5.3	-	-	-	100.0 (19)
/	50.0	25.0	25.0	-	-	-	-	-	-	100.0 (4)
가	48.1	11.7	11.7	6.5	2.6	1.3	3.9	1.3	13.0	100.0 (77)
가	50.0	13.3	13.3	6.7	10.0	3.3	-	-	3.3	100.0 (30)
	100.0	-	-	-	-	-	-	-	-	100.0 (3)
/	100.0	-	-	-	-	-	-	-	-	100.0 (3)
	-	-	100.0	-	-	-	-	-	-	100.0 (1)
(7)										
	-	50.0	-	-	-	-	-	-	50.0	100.0 (2)
	62.5	12.5	12.5	-	-	-	-	-	12.5	100.0 (8)
	47.2	16.9	13.5	6.7	4.5	3.4	-	1.1	6.7	100.0 (89)
	66.7	2.8	11.1	2.8	-	-	8.3	-	8.3	100.0 (36)
	50.0	-	-	-	50.0	-	-	-	-	100.0 (2)
(8)										
가	100.0	-	-	-	-	-	-	-	-	100.0 (1)
100	75.0	-	-	25.0	-	-	-	-	-	100.0 (4)
100-199	50.0	12.5	6.3	-	12.5	-	-	-	18.8	100.0 (16)
200-299	64.3	3.6	14.3	3.6	3.6	3.6	-	-	7.1	100.0 (28)
300-399	60.7	7.1	14.3	-	3.6	-	3.6	-	10.7	100.0 (28)
400-499	59.1	13.6	13.6	-	4.5	-	-	4.5	4.5	100.0 (22)
500	34.8	26.1	8.7	13.0	-	4.3	4.3	-	8.7	100.0 (23)

1.8.7 : 1 (8.6.1)
%

	1	2	()
(1)	80.7	16.9	2.4 100.0 (83)
	80.0	20.0	- 100.0 (25)
	84.6	15.4	- 100.0 (26)
	-	100.0	- 100.0 (1)
	100.0	-	- 100.0 (5)
(2)			
10	86.8	13.2	- 100.0 (38)
10-19	80.0	18.2	1.8 100.0 (55)
20-29	83.9	12.9	3.2 100.0 (31)
30-39	55.6	44.4	- 100.0 (9)
40	75.0	25.0	- 100.0 (4)
(3)			
	63.2	31.6	5.3 100.0 (19)
	84.3	14.9	.8 100.0(121)
(4)			
/	83.3	16.7	- 100.0 (6)
/	89.6	9.1	1.3 100.0 (77)
	70.2	28.1	1.8 100.0 (57)
(5)			
	80.8	17.8	1.4 100.0 (73)
	82.6	17.4	- 100.0 (23)
	81.0	16.7	2.4 100.0 (42)
(6)			
/	100.0	-	- 100.0 (19)
/	75.0	25.0	- 100.0 (4)
가	74.7	22.8	2.5 100.0 (79)
가	87.1	12.9	- 100.0 (31)
	100.0	-	- 100.0 (3)
/	100.0	-	- 100.0 (3)
	-	100.0	- 100.0 (1)
(7)			
	100.0	-	- 100.0 (2)
	87.5	12.5	- 100.0 (8)
	82.2	16.7	1.1 100.0 (90)
	78.9	18.4	2.6 100.0 (38)
	50.0	50.0	- 100.0 (2)
(8)			
가	-	100.0	- 100.0 (1)
100	100.0	-	- 100.0 (4)
100-199	68.8	31.3	- 100.0 (16)
200-299	89.3	7.1	3.6 100.0 (28)
300-399	78.6	21.4	- 100.0 (28)
400-499	87.0	13.0	- 100.0 (23)
500	82.6	13.0	4.3 100.0 (23)

1.9.1

:

(9.4.1)

%

	19	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	100	()		
(1)	3.8	30.8	15.4	-	3.8	3.8	3.8	3.8	3.8	26.9	100.0 (26)		
	23.8	-	4.8	9.5	9.5	-	-	4.8	-	47.6	100.0 (21)		
	13.5	2.7	5.4	10.8	8.1	2.7	5.4	2.7	-	45.9	100.0 (37)		
	-	-	22.2	11.1	11.1	11.1	-	-	33.3	11.1	100.0 (9)		
	25.0	6.3	18.8	-	12.5	6.3	-	-	-	31.3	100.0 (16)		
	100.0	-	-	-	-	-	-	-	-	-	100.0 (1)		
	37.5	-	-	-	-	-	12.5	-	-	50.0	100.0 (8)		
(2)													
10	30.0	50.0	10.0	10.0	-	-	-	-	-	-	100.0 (10)		
10-19	25.0	12.5	16.7	12.5	25.0	-	-	4.2	-	4.2	-	100.0 (24)	
20-29	4.3	8.7	8.7	13.0	4.3	4.3	4.3	-	4.3	8.7	39.1	100.0 (23)	
30-39	13.5	-	10.8	-	2.7	8.1	8.1	-	-	5.4	51.4	100.0 (37)	
40	10.0	-	5.0	-	5.0	-	-	-	5.0	-	75.0	100.0 (20)	
(3)	16.1	8.0	9.8	6.3	7.1	3.6	3.6	1.8	1.8	4.5	37.5	100.0(112)	
	37.5	12.5	12.5	-	12.5	-	-	-	-	-	25.0	100.0 (8)	
(4)	/	20.0	-	-	-	-	-	-	20.0	-	60.0	100.0 (5)	
/	/	17.9	5.1	2.6	5.1	7.7	2.6	5.1	-	2.6	51.3	100.0 (39)	
/	/	18.1	9.7	13.9	6.9	6.9	4.2	2.8	2.8	1.4	5.6	27.8	100.0 (72)
		-	25.0	25.0	-	25.0	-	-	-	-	25.0	100.0 (4)	
(5)	12.3	7.5	10.4	6.6	8.5	3.8	3.8	1.9	.9	4.7	39.6	100.0(106)	
	50.0	50.0	-	-	-	-	-	-	-	-	-	100.0 (4)	
	83.3	-	-	-	-	-	-	-	-	-	16.7	100.0 (6)	
(6)	/	10.7	3.6	14.3	3.6	14.3	7.1	3.6	-	7.1	-	35.7	100.0 (28)
/	/	25.0	-	12.5	-	-	-	12.5	-	-	-	50.0	100.0 (8)
가	가	10.3	15.4	7.7	2.6	10.3	5.1	-	2.6	-	10.3	35.9	100.0 (39)
가	가	12.0	4.0	12.0	16.0	4.0	-	8.0	4.0	-	4.0	36.0	100.0 (25)
		100.0	-	-	-	-	-	-	-	-	-	-	100.0 (3)
/	/	75.0	-	-	-	-	-	-	-	-	-	25.0	100.0 (4)
		20.0	-	-	-	-	-	-	-	-	-	80.0	100.0 (5)
		25.0	25.0	12.5	12.5	-	-	-	-	-	25.0	100.0 (8)	
(7)	-	-	-	-	-	-	-	-	-	100.0	-	100.0 (1)	
	13.0	7.4	11.1	7.4	11.1	1.9	5.6	-	1.9	5.6	35.2	100.0 (54)	
	20.5	9.1	9.1	4.5	4.5	6.8	2.3	4.5	2.3	2.3	34.1	100.0 (44)	
	14.3	7.1	7.1	7.1	-	-	-	-	-	-	64.3	100.0 (14)	
	33.3	16.7	16.7	-	16.7	-	-	-	-	-	16.7	100.0 (6)	
(8)	가	-	-	-	-	-	-	-	-	-	100.0	100.0 (1)	
100	-	-	33.3	-	-	-	-	-	-	-	33.3	100.0 (3)	
100-199	20.0	-	5.0	10.0	10.0	5.0	5.0	5.0	5.0	-	35.0	100.0 (20)	
200-299	9.5	9.5	14.3	9.5	9.5	4.8	4.8	-	4.8	-	33.3	100.0 (21)	
300-399	17.4	13.0	13.0	4.3	13.0	8.7	-	-	-	4.3	26.1	100.0 (23)	
400-499	23.1	23.1	-	-	-	-	-	-	-	15.4	38.5	100.0 (13)	
500	22.2	-	11.1	11.1	-	-	11.1	-	-	22.2	22.2	100.0 (9)	

1.9.2 : 1 (9.5.1) %

		1	2	3	4	5	7	10	()
(1)		62.1	13.8	6.9	6.9	3.4	-	-	6.9 100.0 (29)
		56.0	-	4.0	12.0	16.0	4.0	-	8.0 100.0 (25)
		44.7	7.9	15.8	10.5	-	2.6	5.3	13.2 100.0 (38)
		66.7	-	11.1	11.1	-	-	-	11.1 100.0 (9)
		64.7	5.9	11.8	5.9	-	-	-	11.8 100.0 (17)
		100.0	-	-	-	-	-	-	100.0 (1)
		50.0	-	-	-	-	-	50.0	100.0 (8)
(2)									
	10	70.0	10.0	-	20.0	-	-	-	100.0 (10)
	10-19	65.4	7.7	7.7	7.7	3.8	-	7.7	100.0 (26)
	20-29	34.8	-	13.0	8.7	-	-	8.7	34.8 100.0 (23)
	30-39	48.8	11.6	14.0	4.7	7.0	4.7	-	9.3 100.0 (43)
	40	71.4	-	4.8	9.5	4.8	-	-	9.5 100.0 (21)
(3)									
		55.4	6.6	9.9	9.1	2.5	1.7	1.7	13.2 100.0(121)
		75.0	-	-	-	25.0	-	-	100.0 (8)
(4)									
	/	40.0	-	-	20.0	20.0	-	-	20.0 100.0 (5)
	/	65.9	2.3	6.8	6.8	4.5	-	4.5	9.1 100.0 (44)
	/	51.3	7.9	11.8	9.2	2.6	2.6	-	14.5 100.0 (76)
	/	75.0	25.0	-	-	-	-	-	100.0 (4)
(5)									
		52.6	5.3	10.5	9.6	4.4	1.8	1.8	14.0 100.0(114)
		50.0	50.0	-	-	-	-	-	100.0 (4)
		100.0	-	-	-	-	-	-	100.0 (6)
(6)									
	/	78.1	3.1	-	3.1	3.1	6.3	-	6.3 100.0 (32)
	/	44.4	-	-	-	-	-	-	55.6 100.0 (9)
	가	42.9	9.5	11.9	14.3	9.5	-	-	11.9 100.0 (42)
	가	46.2	3.8	23.1	7.7	-	-	7.7	11.5 100.0 (26)
	/	100.0	-	-	-	-	-	-	100.0 (3)
	/	100.0	-	-	-	-	-	-	100.0 (4)
	/	40.0	20.0	-	20.0	-	-	-	20.0 100.0 (5)
	/	62.5	12.5	12.5	12.5	-	-	-	100.0 (8)
(7)									
		100.0	-	-	-	-	-	-	100.0 (1)
		44.8	5.2	10.3	13.8	3.4	1.7	3.4	17.2 100.0 (58)
		65.2	8.7	8.7	2.2	4.3	-	-	10.9 100.0 (46)
		60.0	6.7	13.3	13.3	-	6.7	-	100.0 (15)
		75.0	-	-	-	12.5	-	-	12.5 100.0 (8)
(8)	가								
		100.0	-	-	-	-	-	-	100.0 (1)
	100	33.3	-	33.3	-	33.3	-	-	100.0 (3)
	100-199	59.1	9.1	4.5	9.1	4.5	4.5	-	9.1 100.0 (22)
	200-299	59.1	9.1	9.1	4.5	4.5	-	-	13.6 100.0 (22)
	300-399	56.5	-	17.4	17.4	-	-	-	8.7 100.0 (23)
	400-499	38.5	23.1	7.7	-	-	7.7	-	23.1 100.0 (13)
	500	36.4	-	-	9.1	9.1	-	9.1	36.4 100.0 (11)

1.9.3	: 1 (9.6.1)					%
	1	2	3	4	()	()
(1)	44.8	34.5	10.3	6.9	3.4	100.0 (29)
	59.3	40.7	-	-	-	100.0 (27)
	84.6	15.4	-	-	-	100.0 (39)
	88.9	-	11.1	-	-	100.0 (9)
	83.3	16.7	-	-	-	100.0 (18)
	100.0	-	-	-	-	100.0 (1)
	75.0	25.0	-	-	-	100.0 (8)
(2)						
10	50.0	40.0	-	10.0	-	100.0 (10)
10-19	85.2	14.8	-	-	-	100.0 (27)
20-29	75.0	20.8	-	4.2	-	100.0 (24)
30-39	62.2	31.1	4.4	-	2.2	100.0 (45)
40	76.2	19.0	4.8	-	-	100.0 (21)
(3)						
	71.8	22.6	3.2	1.6	.8	100.0(124)
	55.6	44.4	-	-	-	100.0 (9)
(4)						
/	80.0	20.0	-	-	-	100.0 (5)
/	73.3	22.2	2.2	-	2.2	100.0 (45)
/	70.5	25.6	2.6	1.3	-	100.0 (78)
	25.0	25.0	25.0	25.0	-	100.0 (4)
(5)						
	68.6	26.3	3.4	.8	.8	100.0(118)
	75.0	-	-	25.0	-	100.0 (4)
	83.3	16.7	-	-	-	100.0 (6)
(6)						
/	81.8	12.1	6.1	-	-	100.0 (33)
/	55.6	33.3	-	-	11.1	100.0 (9)
가	58.1	32.6	4.7	4.7	-	100.0 (43)
가	88.9	11.1	-	-	-	100.0 (27)
	100.0	-	-	-	-	100.0 (3)
/	100.0	-	-	-	-	100.0 (4)
	40.0	60.0	-	-	-	100.0 (5)
	44.4	55.6	-	-	-	100.0 (9)
(7)						
	100.0	-	-	-	-	100.0 (1)
	64.4	28.8	3.4	1.7	1.7	100.0 (59)
	79.2	14.6	4.2	2.1	-	100.0 (48)
	66.7	33.3	-	-	-	100.0 (15)
	75.0	25.0	-	-	-	100.0 (8)
(8)						
가	100.0	-	-	-	-	100.0 (1)
100	100.0	-	-	-	-	100.0 (3)
100-199	63.6	31.8	4.5	-	-	100.0 (22)
200-299	73.9	21.7	-	4.3	-	100.0 (23)
300-399	70.8	25.0	4.2	-	-	100.0 (24)
400-499	69.2	30.8	-	-	-	100.0 (13)
500	54.5	36.4	9.1	-	-	100.0 (11)

1.10.1		10.4.1						%
		1-9	10-19	20-29	30-39	40-49	50	()
(1)가	100.0	-	-	-	-	-	-	100.0 (15)
	100.0	-	-	-	-	-	-	100.0 (9)
	96.1	2.0	-	-	-	-	2.0	100.0 (51)
	100.0	-	-	-	-	-	-	100.0 (14)
가	-	33.3	-	16.7	-	-	50.0	100.0 (6)
가	100.0	-	100.0	-	-	-	-	100.0 (2)
	33.3	16.7	16.7	16.7	-	-	16.7	100.0 (1)
	77.8	-	-	11.1	-	-	11.1	100.0 (9)
(2)								
10	88.6	5.7	2.9	2.9	-	-	-	100.0 (35)
10-19	91.7	5.6	2.8	-	-	-	-	100.0 (36)
20-29	85.7	-	-	9.5	-	-	4.8	100.0 (21)
30-39	76.9	-	7.7	-	-	-	15.4	100.0 (13)
40	50.0	-	-	-	-	-	50.0	100.0 (6)
(3)								
	83.0	4.3	3.2	3.2	-	-	6.4	100.0 (94)
	100.0	-	-	-	-	-	-	100.0 (19)
(4)								
/	100.0	-	-	-	-	-	-	100.0 (1)
/	92.9	3.6	1.8	1.8	-	-	-	100.0 (56)
/	77.6	4.1	2.0	4.1	-	-	12.2	100.0 (49)
	80.0	-	20.0	-	-	-	-	100.0 (5)
(4)								
	78.6	2.4	4.8	4.8	-	-	9.5	100.0 (42)
	83.9	6.5	3.2	-	-	-	6.5	100.0 (31)
	95.0	2.5	-	2.5	-	-	-	100.0 (40)
(5)								
/	88.9	11.1	-	-	-	-	-	100.0 (9)
/	100.0	-	-	-	-	-	-	100.0 (1)
가	78.0	-	4.9	4.9	-	-	12.2	100.0 (41)
가	89.5	10.5	-	-	-	-	-	100.0 (19)
	100.0	-	-	-	-	-	-	100.0 (5)
/	92.0	4.0	4.0	-	-	-	-	100.0 (25)
	100.0	-	-	-	-	-	-	100.0 (4)
	77.8	-	-	11.1	-	-	11.1	100.0 (9)
(6)								
	100.0	-	-	-	-	-	-	100.0 (2)
	86.7	-	4.4	2.2	-	-	6.7	100.0 (45)
	84.8	6.5	2.2	4.3	-	-	2.2	100.0 (46)
	93.3	6.7	-	-	-	-	-	100.0 (15)
	75.0	-	-	-	-	-	25.0	100.0 (4)
(7)가								
100	100.0	-	-	-	-	-	-	100.0 (1)
100-199	88.0	4.0	-	4.0	-	-	4.0	100.0 (25)
200-299	82.1	10.7	-	-	-	-	7.1	100.0 (28)
300-399	92.3	-	7.7	-	-	-	-	100.0 (13)
400-499	66.7	-	16.7	16.7	-	-	-	100.0 (6)
500	87.5	-	-	-	-	-	12.5	100.0 (16)

1.10.2

:

(10.4.4)

%

		1-9	10-19	20-29	30-39	40-49	50	()
(1)가	35.7	21.4	7.1	14.3	-	7.1	14.3	100.0 (14)
	77.8	22.2	-	-	-	-	-	100.0 (9)
	76.0	12.0	6.0	6.0	-	-	-	100.0 (50)
	18.2	-	-	-	9.1	9.1	63.6	100.0 (11)
가	71.4	-	-	-	-	-	28.6	100.0 (7)
가	50.0	50.0	-	-	-	-	-	100.0 (2)
	100.0	-	-	-	-	-	-	100.0 (1)
	100.0	-	-	-	-	-	-	100.0 (6)
	50.0	12.5	-	-	-	-	37.5	100.0 (8)
(2)								
10	77.1	8.6	5.7	-	2.9	-	5.7	100.0 (35)
10-19	62.9	11.4	2.9	5.7	-	2.9	14.3	100.0 (35)
20-29	50.0	16.7	5.6	16.7	-	5.6	5.6	100.0 (18)
30-39	58.3	16.7	-	-	-	-	25.0	100.0 (12)
40	33.3	16.7	-	-	-	-	50.0	100.0 (6)
(3)								
	66.3	11.2	4.5	4.5	1.1	2.2	10.1	100.0 (89)
	52.6	15.8	-	5.3	-	-	26.3	100.0 (19)
(4)								
/	100.0	-	-	-	-	-	-	100.0 (1)
/	62.5	21.4	5.4	8.9	-	1.8	-	100.0 (56)
/	66.7	2.2	2.2	-	2.2	-	26.7	100.0 (45)
	50.0	-	-	-	-	25.0	25.0	100.0 (4)
(4)								
	50.0	5.3	5.3	-	2.6	2.6	34.2	100.0 (38)
	53.3	20.0	6.7	13.3	-	3.3	3.3	100.0 (30)
	85.0	12.5	-	2.5	-	-	-	100.0 (40)
(5)								
/	80.0	10.0	-	-	-	-	10.0	100.0 (10)
/	-	-	-	-	-	100.0	-	100.0 (1)
가	51.4	8.1	-	5.4	2.7	2.7	29.7	100.0 (37)
가	78.9	5.3	5.3	10.5	-	-	-	100.0 (19)
	100.0	-	-	-	-	-	-	100.0 (5)
/	60.0	24.0	8.0	4.0	-	-	4.0	100.0 (25)
	75.0	25.0	-	-	-	-	-	100.0 (4)
	57.1	14.3	14.3	-	-	-	14.3	100.0 (7)
(6)								
	-	-	-	-	-	-	100.0	100.0 (2)
	58.5	4.9	4.9	7.3	2.4	2.4	19.5	100.0 (41)
	70.2	17.0	4.3	2.1	-	-	6.4	100.0 (47)
	61.5	15.4	-	7.7	-	7.7	7.7	100.0 (13)
	100.0	-	-	-	-	-	-	100.0 (4)
(7)가								
100	100.0	-	-	-	-	-	-	100.0 (1)
100-199	73.1	15.4	-	11.5	-	-	-	100.0 (26)
200-299	59.3	18.5	7.4	3.7	-	-	11.1	100.0 (27)
300-399	84.6	7.7	-	7.7	-	-	-	100.0 (13)
400-499	66.7	33.3	-	-	-	-	-	100.0 (6)
500	42.9	-	7.1	-	7.1	7.1	35.7	100.0 (14)

1.10.3		: (10.4.5)						%	
		1-9	10-19	20-29	30-39	40-49	50	()	
(1)	가	73.3	13.3	6.7	-	-	-	6.7	100.0 (15)
		100.0	-	-	-	-	-	-	100.0 (9)
		86.3	7.8	2.0	2.0	-	-	2.0	100.0 (51)
		85.7	14.3	-	-	-	-	-	100.0 (14)
	가	85.7	14.3	-	-	-	-	-	100.0 (7)
	가	100.0	-	-	-	-	-	-	100.0 (2)
		100.0	-	-	-	-	-	-	100.0 (1)
		100.0	-	-	-	-	-	-	100.0 (6)
		100.0	-	-	-	-	-	-	100.0 (9)
(2)	10	97.1	2.9	-	-	-	-	-	100.0 (35)
	10-19	80.6	11.1	2.8	-	-	-	5.6	100.0 (36)
	20-29	85.7	4.8	4.8	-	-	-	-	100.0 (21)
	30-39	92.9	7.1	-	-	-	-	-	100.0 (14)
	40	66.7	33.3	-	-	-	-	-	100.0 (6)
(3)		87.2	8.5	2.1	1.1	-	-	1.1	100.0 (94)
		90.0	5.0	-	-	-	-	5.0	100.0 (20)
(4)	/	100.0	-	-	-	-	-	-	100.0 (1)
	/	91.2	3.5	1.8	1.8	-	-	1.8	100.0 (57)
	/	83.7	12.2	2.0	-	-	-	2.0	100.0 (49)
		80.0	20.0	-	-	-	-	-	100.0 (5)
(4)		83.3	7.1	4.8	-	-	-	4.8	100.0 (42)
		87.5	12.5	-	-	-	-	-	100.0 (32)
		92.5	5.0	-	2.5	-	-	-	100.0 (40)
(5)	/	90.0	10.0	-	-	-	-	-	100.0 (10)
	/	100.0	-	-	-	-	-	-	100.0 (1)
	가	85.4	9.8	2.4	-	-	-	2.4	100.0 (41)
	가	84.2	5.3	5.3	5.3	-	-	-	100.0 (19)
		100.0	-	-	-	-	-	-	100.0 (5)
	/	92.0	4.0	-	-	-	-	4.0	100.0 (25)
		100.0	-	-	-	-	-	-	100.0 (4)
		77.8	22.2	-	-	-	-	-	100.0 (9)
(6)		100.0	-	-	-	-	-	-	100.0 (2)
		88.9	6.7	2.2	-	-	-	2.2	100.0 (45)
		87.2	6.4	2.1	2.1	-	-	2.1	100.0 (47)
		86.7	13.3	-	-	-	-	-	100.0 (15)
		100.0	-	-	-	-	-	-	100.0 (4)
(7)	가	100.0	-	-	-	-	-	-	100.0 (1)
	100	80.8	11.5	3.8	3.8	-	-	-	100.0 (26)
	100-199	92.9	3.6	-	-	-	-	3.6	100.0 (28)
	200-299	92.3	7.7	-	-	-	-	-	100.0 (13)
	300-399	100.0	-	-	-	-	-	-	100.0 (6)
	400-499	93.8	6.3	-	-	-	-	-	100.0 (16)

1.10.3		: (10.4.6)						%	
		1-9	10-19	20-29	30-39	40-49	50	()	
(1)	가	38.5	23.1	15.4	7.7	-	-	15.4	100.0 (13)
		83.3	16.7	-	-	-	-	-	100.0 (6)
		41.7	18.8	14.6	4.2	-	-	20.8	100.0 (48)
		92.9	-	7.1	-	-	-	-	100.0 (14)
	가	85.7	14.3	-	-	-	-	-	100.0 (7)
	가	100.0	-	-	-	-	-	-	100.0 (2)
		100.0	-	-	-	-	-	-	100.0 (1)
		100.0	-	-	-	-	-	-	100.0 (6)
		88.9	11.1	-	-	-	-	-	100.0 (9)
(2)	10	64.7	14.7	11.8	2.9	-	-	5.9	100.0 (34)
	10-19	55.9	17.6	5.9	2.9	-	-	17.6	100.0 (34)
	20-29	65.0	10.0	20.0	-	-	-	5.0	100.0 (20)
	30-39	90.0	10.0	-	-	-	-	-	100.0 (10)
	40	33.3	16.7	-	16.7	-	-	33.3	100.0 (6)
(3)		62.5	13.6	9.1	3.4	-	-	11.4	100.0 (88)
		61.1	16.7	11.1	-	-	-	11.1	100.0 (18)
(4)	/	-	-	-	-	-	-	100.0	100.0 (1)
	/	46.3	18.5	16.7	3.7	-	-	14.8	100.0 (54)
	/	77.3	11.4	2.3	2.3	-	-	6.8	100.0 (44)
		100.0	-	-	-	-	-	-	100.0 (5)
(4)		75.7	-	2.7	5.4	-	-	16.2	100.0 (37)
		58.1	19.4	6.5	3.2	-	-	12.9	100.0 (31)
		52.6	23.7	18.4	-	-	-	5.3	100.0 (38)
(5)	/	50.0	12.5	12.5	-	-	-	25.0	100.0 (8)
	/	100.0	-	-	-	-	-	-	100.0 (1)
	가	76.9	15.4	-	-	-	-	7.7	100.0 (39)
	가	52.9	17.6	17.6	5.9	-	-	5.9	100.0 (17)
		60.0	-	-	-	-	-	40.0	100.0 (5)
	/	52.2	13.0	21.7	-	-	-	13.0	100.0 (23)
		25.0	50.0	-	-	-	-	25.0	100.0 (4)
		66.7	-	11.1	22.2	-	-	-	100.0 (9)
(6)		100.0	-	-	-	-	-	-	100.0 (2)
		70.7	9.8	9.8	2.4	-	-	7.3	100.0 (41)
		54.5	18.2	6.8	2.3	-	-	18.2	100.0 (44)
		53.3	20.0	20.0	-	-	-	6.7	100.0 (15)
		100.0	-	-	-	-	-	-	100.0 (3)
(7)	가	44.0	24.0	12.0	8.0	-	-	12.0	100.0 (25)
	100-199	53.6	14.3	14.3	-	-	-	17.9	100.0 (28)
	200-299	61.5	30.8	-	-	-	-	7.7	100.0 (13)
	300-399	100.0	-	-	-	-	-	-	100.0 (5)
	400-499	86.7	6.7	6.7	-	-	-	-	100.0 (15)

1.10.4		1						(10.5.1)	
								%	
		1-9	10-19	20-29	30-39	40-49	50	()	
(1)	가	100.0	-	-	-	-	-	100.0	(15)
		100.0	-	-	-	-	-	100.0	(9)
		100.0	-	-	-	-	-	100.0	(50)
		100.0	-	-	-	-	-	100.0	(15)
	가	28.6	28.6	14.3	14.3	14.3	-	100.0	(7)
	가	50.0	50.0	-	-	-	-	100.0	(2)
		-	-	-	-	-	100.0	100.0	(1)
		33.3	50.0	-	16.7	-	-	100.0	(6)
		77.8	22.2	-	-	-	-	100.0	(9)
(2)	10	88.6	11.4	-	-	-	-	100.0	(35)
	10-19	91.7	5.6	-	-	-	2.8	100.0	(36)
	20-29	90.9	4.5	-	-	4.5	-	100.0	(22)
	30-39	85.7	7.1	-	7.1	-	-	100.0	(14)
	40	60.0	-	20.0	20.0	-	-	100.0	(5)
(3)		86.2	8.5	1.1	2.1	1.1	-	1.1	100.0 (94)
		100.0	-	-	-	-	-	-	100.0 (20)
(4)	/	100.0	-	-	-	-	-	100.0	(1)
	/	96.5	3.5	-	-	-	-	100.0	(57)
	/	79.6	10.2	2.0	4.1	2.0	-	2.0	100.0 (49)
		80.0	20.0	-	-	-	-	-	100.0 (5)
(4)		81.4	9.3	-	4.7	2.3	-	2.3	100.0 (43)
		87.1	9.7	3.2	-	-	-	-	100.0 (31)
		97.5	2.5	-	-	-	-	-	100.0 (40)
(5)	/	90.0	10.0	-	-	-	-	-	100.0 (10)
	/	100.0	-	-	-	-	-	-	100.0 (1)
	가	82.9	7.3	2.4	4.9	2.4	-	-	100.0 (41)
	가	94.7	5.3	-	-	-	-	-	100.0 (19)
		80.0	-	-	-	-	20.0	-	100.0 (5)
	/	92.3	7.7	-	-	-	-	-	100.0 (26)
		100.0	-	-	-	-	-	-	100.0 (4)
		87.5	12.5	-	-	-	-	-	100.0 (8)
(6)		100.0	-	-	-	-	-	-	100.0 (2)
		87.0	6.5	2.2	2.2	2.2	-	-	100.0 (46)
		89.4	6.4	-	2.1	-	-	2.1	100.0 (47)
		93.3	6.7	-	-	-	-	-	100.0 (15)
		75.0	25.0	-	-	-	-	-	100.0 (4)
(7)	가	100.0	-	-	-	-	-	-	100.0 (1)
	100	100.0	-	-	-	-	-	-	100.0 (25)
	100-199	82.1	10.7	3.6	3.6	-	-	-	100.0 (28)
	200-299	84.6	7.7	-	-	-	7.7	-	100.0 (13)
	300-399	66.7	33.3	-	-	-	-	-	100.0 (6)
	400-499	88.2	-	-	5.9	5.9	-	-	100.0 (17)
	500								

1.10.5		1						(10.5.4)	
								%	
		1-9	10-19	20-29	30-39	40-49	50	()	
(1)	가	76.9	15.4	-	7.7	-	-	-	100.0 (13)
		88.9	11.1	-	-	-	-	-	100.0 (9)
		98.0	2.0	-	-	-	-	-	100.0 (49)
		8.3	16.7	8.3	8.3	8.3	-	50.0	100.0 (12)
	가	85.7	14.3	-	-	-	-	-	100.0 (7)
	가	50.0	50.0	-	-	-	-	-	100.0 (2)
		100.0	-	-	-	-	-	-	100.0 (1)
		100.0	-	-	-	-	-	-	100.0 (6)
		71.4	14.3	-	-	-	-	14.3	100.0 (7)
(2)	10	85.7	8.6	-	-	2.9	-	2.9	100.0 (35)
	10-19	81.3	6.3	3.1	3.1	-	-	6.3	100.0 (32)
	20-29	78.9	5.3	-	-	-	-	15.8	100.0 (19)
	30-39	69.2	15.4	-	7.7	-	-	7.7	100.0 (13)
	40	80.0	20.0	-	-	-	-	-	100.0 (5)
(3)		83.9	9.2	-	1.1	-	-	5.7	100.0 (87)
		68.4	5.3	5.3	5.3	5.3	-	10.5	100.0 (19)
(4)	/	100.0	-	-	-	-	-	-	100.0 (1)
	/	91.1	8.9	-	-	-	-	-	100.0 (56)
	/	72.1	9.3	2.3	2.3	2.3	-	11.6	100.0 (43)
		40.0	-	-	20.0	-	-	40.0	100.0 (5)
(4)		55.6	13.9	2.8	5.6	2.8	-	19.4	100.0 (36)
		93.5	6.5	-	-	-	-	-	100.0 (31)
		94.9	5.1	-	-	-	-	-	100.0 (39)
(5)	/	80.0	10.0	-	-	10.0	-	-	100.0 (10)
	/	-	-	-	-	-	-	100.0	100.0 (1)
	가	67.6	14.7	2.9	2.9	-	-	11.8	100.0 (34)
	가	89.5	10.5	-	-	-	-	-	100.0 (19)
		100.0	-	-	-	-	-	-	100.0 (5)
	/	92.0	-	-	4.0	-	-	4.0	100.0 (25)
		100.0	-	-	-	-	-	-	100.0 (4)
		75.0	12.5	-	-	-	-	12.5	100.0 (8)
(6)		-	50.0	-	-	-	-	50.0	100.0 (2)
		68.4	13.2	2.6	2.6	2.6	-	10.5	100.0 (38)
		91.5	4.3	-	-	-	-	4.3	100.0 (47)
		85.7	7.1	-	7.1	-	-	-	100.0 (14)
		100.0	-	-	-	-	-	-	100.0 (4)
(7)	가	100.0	-	-	-	-	-	-	100.0 (1)
	100	92.3	7.7	-	-	-	-	-	100.0 (26)
	100-199	92.6	3.7	3.7	-	-	-	-	100.0 (27)
	200-299	91.7	8.3	-	-	-	-	-	100.0 (12)
	300-399	100.0	-	-	-	-	-	-	100.0 (6)
	400-499	53.8	23.1	-	23.1	-	-	-	100.0 (13)

1.10.6		1						(10.5.5)		%
		1-9	10-19	20-29	30-39	40-49	50	()		
(1)	가	73.3	13.3	6.7	-	-	-	6.7	100.0 (15)	
		88.9	11.1	-	-	-	-	-	100.0 (9)	
		94.1	3.9	-	-	-	-	2.0	100.0 (51)	
		93.3	6.7	-	-	-	-	-	100.0 (15)	
	가	100.0	-	-	-	-	-	-	100.0 (7)	
	가	100.0	-	-	-	-	-	-	100.0 (2)	
		100.0	-	-	-	-	-	-	100.0 (1)	
		100.0	-	-	-	-	-	-	100.0 (6)	
		100.0	-	-	-	-	-	-	100.0 (9)	
(2)	10	97.1	2.9	-	-	-	-	-	100.0 (35)	
	10-19	86.1	5.6	2.8	-	-	-	5.6	100.0 (36)	
	20-29	90.9	9.1	-	-	-	-	-	100.0 (22)	
	30-39	92.9	7.1	-	-	-	-	-	100.0 (14)	
	40	100.0	-	-	-	-	-	-	100.0 (6)	
(3)		92.6	6.3	-	-	-	-	1.1	100.0 (95)	
		90.0	-	5.0	-	-	-	5.0	100.0 (20)	
(4)	/	100.0	-	-	-	-	-	-	100.0 (1)	
	/	93.0	5.3	-	-	-	-	1.8	100.0 (57)	
	/	92.0	4.0	2.0	-	-	-	2.0	100.0 (50)	
		80.0	20.0	-	-	-	-	-	100.0 (5)	
(4)		90.7	4.7	2.3	-	-	-	2.3	100.0 (43)	
		90.6	6.3	-	-	-	-	3.1	100.0 (32)	
		95.0	5.0	-	-	-	-	-	100.0 (40)	
(5)	/	90.0	-	-	-	-	-	10.0	100.0 (10)	
	/	100.0	-	-	-	-	-	-	100.0 (1)	
	가	87.8	7.3	2.4	-	-	-	2.4	100.0 (41)	
	가	94.7	5.3	-	-	-	-	-	100.0 (19)	
		100.0	-	-	-	-	-	-	100.0 (5)	
	/	92.3	7.7	-	-	-	-	-	100.0 (26)	
		100.0	-	-	-	-	-	-	100.0 (4)	
		100.0	-	-	-	-	-	-	100.0 (9)	
(6)		100.0	-	-	-	-	-	-	100.0 (2)	
		91.3	4.3	2.2	-	-	-	2.2	100.0 (46)	
		91.5	6.4	-	-	-	-	2.1	100.0 (47)	
		93.3	6.7	-	-	-	-	-	100.0 (15)	
		100.0	-	-	-	-	-	-	100.0 (4)	
(7)	가	100.0	-	-	-	-	-	-	100.0 (1)	
	100	92.3	-	-	-	-	-	7.7	100.0 (26)	
	100-199	100.0	-	-	-	-	-	-	100.0 (28)	
	200-299	100.0	-	-	-	-	-	-	100.0 (28)	
	300-399	92.3	-	-	-	-	-	7.7	100.0 (13)	
	400-499	83.3	-	-	-	-	-	16.7	100.0 (6)	
	500	100.0	-	-	-	-	-	-	100.0 (17)	

1.10.7		1						(10.5.6)		%
		1-9	10-19	20-29	30-39	40-49	50	()		
(1)	가	46.7	26.7	6.7	6.7	6.7	-	6.7	100.0 (15)	
		77.8	22.2	-	-	-	-	-	100.0 (9)	
		75.5	18.4	2.0	-	-	2.0	2.0	100.0 (49)	
		93.3	6.7	-	-	-	-	-	100.0 (15)	
	가	100.0	-	-	-	-	-	-	100.0 (7)	
	가	100.0	-	-	-	-	-	-	100.0 (2)	
		100.0	-	-	-	-	-	-	100.0 (1)	
		100.0	-	-	-	-	-	-	100.0 (6)	
		88.9	11.1	-	-	-	-	-	100.0 (9)	
(2)	10	76.5	20.6	-	-	-	2.9	-	100.0 (34)	
	10-19	72.2	16.7	2.8	2.8	-	-	5.6	100.0 (36)	
	20-29	86.4	4.5	4.5	-	4.5	-	-	100.0 (22)	
	30-39	100.0	-	-	-	-	-	-	100.0 (13)	
	40	66.7	33.3	-	-	-	-	-	100.0 (6)	
(3)		80.6	15.1	2.2	-	-	1.1	1.1	100.0 (93)	
		70.0	15.0	-	5.0	5.0	-	5.0	100.0 (20)	
(4)	/	100.0	-	-	-	-	-	-	100.0 (1)	
	/	73.7	21.1	-	-	1.8	1.8	1.8	100.0 (57)	
	/	81.3	10.4	4.2	2.1	-	-	2.1	100.0 (48)	
		100.0	-	-	-	-	-	-	100.0 (5)	
(4)		85.4	7.3	2.4	2.4	-	-	2.4	100.0 (41)	
		71.9	18.8	3.1	-	3.1	-	3.1	100.0 (32)	
		77.5	20.0	-	-	-	2.5	-	100.0 (40)	
(5)	/	80.0	20.0	-	-	-	-	-	100.0 (10)	
	/	100.0	-	-	-	-	-	-	100.0 (1)	
	가	80.5	9.8	2.4	2.4	2.4	-	2.4	100.0 (41)	
	가	88.2	11.8	-	-	-	-	-	100.0 (17)	
		60.0	20.0	-	-	-	-	20.0	100.0 (5)	
	/	76.9	15.4	3.8	-	-	3.8	-	100.0 (26)	
		50.0	50.0	-	-	-	-	-	100.0 (4)	
		77.8	22.2	-	-	-	-	-	100.0 (9)	
(6)		100.0	-	-	-	-	-	-	100.0 (2)	
		77.8	13.3	2.2	2.2	2.2	-	2.2	100.0 (45)	
		82.6	10.9	2.2	-	-	2.2	2.2	100.0 (46)	
		66.7	33.3	-	-	-	-	-	100.0 (15)	
		100.0	-	-	-	-	-	-	100.0 (4)	
(7)	가	100.0	-	-	-	-	1	-	100.0 (1)	
	100	73.1	23.1	3.8	-	-	26	-	100.0 (26)	
	100-199	78.6	14.3	-	3.6	3.6	28	-	100.0 (28)	
	200-299	76.9	15.4	-	-	-	13	7.7	100.0 (13)	
	300-399	83.3	16.7	-	-	-	6	-	100.0 (6)	
	400-499	93.8	6.3	-	-	-	16	-	100.0 (16)	

1.10.8 : 1 (10.6.1)
%

	1	2	5	()
(1)가	86.7	6.7	6.7	- 100.0 (15)
	88.9	-	11.1	- 100.0 (9)
	92.2	5.9	2.0	- 100.0 (51)
	80.0	20.0	-	- 100.0 (15)
가	28.6	42.9	28.6	- 100.0 (7)
가	50.0	50.0	-	- 100.0 (2)
	-	100.0	-	- 100.0 (1)
	83.3	16.7	-	- 100.0 (6)
	55.6	33.3	11.1	- 100.0 (9)
(2)				
10	88.6	8.6	2.9	- 100.0 (35)
10-19	75.0	13.9	11.1	- 100.0 (36)
20-29	77.3	18.2	4.5	- 100.0 (22)
30-39	85.7	14.3	-	- 100.0 (14)
40	66.7	33.3	-	- 100.0 (6)
(3)				
	79.2	15.6	4.2	1.0 100.0 (96)
	81.0	4.8	9.5	4.8 100.0 (21)
(4)				
/	100.0	-	-	- 100.0 (1)
/	87.9	8.6	1.7	1.7 100.0 (58)
/	68.6	19.6	9.8	2.0 100.0 (51)
	80.0	20.0	-	- 100.0 (5)
(4)				
	68.9	22.2	4.4	4.4 100.0 (45)
	75.0	15.6	9.4	- 100.0 (32)
	95.0	2.5	2.5	- 100.0 (40)
(5)				
/	72.7	18.2	-	9.1 100.0 (11)
/	100.0	-	-	- 100.0 (1)
가	73.2	19.5	7.3	- 100.0 (41)
가	85.0	5.0	5.0	5.0 100.0 (20)
	60.0	40.0	-	- 100.0 (5)
/	80.8	11.5	7.7	- 100.0 (26)
	100.0	-	-	- 100.0 (4)
	100.0	-	-	- 100.0 (9)
(6)				
	100.0	-	-	- 100.0 (2)
	76.1	15.2	8.7	- 100.0 (46)
	79.2	16.7	2.1	2.1 100.0 (48)
	81.3	6.3	6.3	6.3 100.0 (16)
	100.0	-	-	- 100.0 (4)
(7)가				
100	100.0	-	-	- 100.0 (1)
100-199	92.3	3.8	3.8	- 100.0 (26)
200-299	80.0	10.0	3.3	6.7 100.0 (30)
300-399	76.9	15.4	7.7	- 100.0 (13)
400-499	50.0	33.3	16.7	- 100.0 (6)
500	76.5	17.6	5.9	- 100.0 (17)

2.1.1 가

(7)

%

													()
(1)		13.3	15.1	2.2	10.7	9.1	10.3	2.5	.8	10.9	24.1	1.2	100.0(104)
		12.3	6.2	.9	7.3	5.7	16.2	6.2	2.3	10.3	31.9	.9	100.0(439)
(2)													
30		8.4	4.2	-	5.9	5.9	10.9	5.0	.8	16.8	41.2	.8	100.0(119)
30-39		10.9	8.4	.6	6.1	4.2	13.5	5.8	1.3	10.0	38.3	1.0	100.0(311)
40-49		13.9	11.6	1.7	6.4	6.4	13.1	2.2	1.2	10.4	31.4	1.5	100.0(404)
50-59		16.6	17.7	2.3	14.6	9.0	9.0	3.1	.3	9.6	16.6	1.1	100.0(355)
60		11.7	15.2	3.1	13.6	15.2	13.6	3.1	2.7	10.1	10.9	.8	100.0(257)
(3)													
/		4.3	12.8	4.3	19.1	21.3	6.4	4.3	-	8.5	19.1	-	100.0(47)
/		7.8	7.8	3.7	12.6	12.2	7.1	6.1	2.0	15.3	24.1	1.0	100.0(294)
/		13.2	11.5	1.4	9.4	6.8	12.8	2.7	1.3	11.3	28.3	1.3	100.0(710)
		17.3	17.3	.8	6.8	5.8	15.0	3.3	.5	6.8	25.6	1.0	100.0(399)
(4)													
		14.4	12.5	1.5	11.0	7.3	12.9	3.4	.7	8.8	26.1	1.5	100.0(674)
		10.5	13.7	2.2	6.4	8.3	11.5	3.5	1.3	13.7	27.5	1.3	100.0(313)
		12.7	11.6	2.0	9.4	9.2	11.4	3.9	1.7	11.6	26.2	.4	100.0(458)
(5)													
/		12.3	11.0	4.1	11.4	11.4	12.8	4.6	2.3	11.9	16.9	1.2	100.0(219)
/		14.3	15.5	1.2	9.5	13.1	8.3	6.0	-	9.5	20.2	2.4	100.0(84)
가		14.6	14.1	1.1	8.6	5.8	14.1	1.9	.7	9.5	28.5	1.2	100.0(754)
가		9.6	5.7	3.8	8.9	4.5	9.6	6.4	3.2	17.2	29.9	1.3	100.0(157)
		10.5	15.8	-	7.0	10.5	3.5	5.3	-	12.3	35.1	-	100.0(57)
/		12.2	10.0	1.1	11.1	14.4	11.1	4.4	2.2	11.1	22.2	-	100.0(90)
		4.5	9.1	-	20.5	20.5	4.5	4.5	2.3	11.4	22.7	-	100.0(44)
		12.5	12.5	2.1	10.4	4.2	10.4	8.3	-	2.1	37.5	-	100.0(48)
(6)													
		-	15.4	7.7	15.4	-	15.4	-	7.7	7.7	30.8	-	100.0(13)
		16.3	10.2	-	20.4	10.2	12.2	2.0	2.0	6.1	18.4	2.0	100.0(49)
		13.5	13.6	1.2	9.5	7.2	12.8	4.2	1.3	9.8	25.9	1.0	100.0(779)
		12.6	11.0	2.6	7.9	7.1	11.3	3.3	1.1	13.0	29.4	.7	100.0(453)
		12.5	11.7	2.5	12.5	12.5	8.3	1.7	.8	12.5	23.3	1.7	100.0(120)
		8.8	8.8	-	8.8	26.5	11.8	2.9	-	5.9	20.6	5.9	100.0(34)
(7)	가												
		-	14.3	14.3	-	-	14.3	-	-	28.6	28.6	-	100.0(7)
100		10.9	6.5	-	15.2	15.2	13.0	4.3	2.2	6.5	19.6	6.5	100.0(46)
100-199		10.7	11.6	3.7	7.9	9.8	10.7	4.7	.5	13.0	25.6	1.9	100.0(215)
200-299		11.6	11.6	1.6	9.1	6.9	12.2	4.4	1.3	14.4	26.9	.3	100.0(320)
300-399		14.5	13.7	1.5	10.3	7.3	13.4	2.7	1.1	9.9	25.2	.4	100.0(262)
400-499		14.6	18.5	-	6.6	6.0	9.3	2.6	1.3	10.6	30.5	-	100.0(151)
500		14.5	14.5	.9	11.1	7.2	14.5	3.4	.9	6.8	25.1	1.3	100.0(235)

2.1.2 가

(8)

%

												()	
(1)		6.7	3.3	9.5	10.5	19.4	3.3	12.9	8.3	18.9	5.2	2.1	100.0(1006)
		7.3	2.3	8.0	11.4	30.4	3.4	9.8	13.5	8.7	3.4	1.8	100.0(488)
(2)		5.0	1.7	6.7	22.5	20.0	-	20.8	11.7	5.0	6.7	-	100.0(120)
30		3.2	2.9	9.3	10.3	26.7	2.6	15.1	13.2	9.6	4.5	2.6	100.0(311)
30-39		6.5	3.5	11.0	9.2	26.2	5.2	10.0	8.7	15.2	3.0	1.5	100.0(401)
40-49		9.3	3.1	9.0	10.7	20.3	2.3	11.3	9.6	20.0	3.9	.6	100.0(355)
50-59		9.2	2.8	7.2	8.4	16.9	4.0	8.4	6.8	23.7	7.2	5.2	100.0(249)
60													
(3)	/	8.9	2.2	15.6	6.7	33.3	4.4	-	-	17.8	4.4	6.7	100.0(45)
	/	4.1	2.8	8.3	9.0	24.5	4.5	8.6	7.2	19.3	9.3	2.4	100.0(290)
	/	7.7	3.1	9.9	10.3	21.0	3.2	15.2	9.7	15.4	3.4	1.1	100.0(710)
		7.1	3.0	7.6	13.4	23.5	2.3	9.9	13.2	13.9	3.3	2.8	100.0(395)
(4)		7.9	3.0	8.5	9.5	18.9	3.1	8.9	12.1	20.7	4.6	2.7	100.0(671)
		7.1	1.6	8.4	10.6	27.4	2.3	17.1	9.0	9.4	4.5	2.6	100.0(310)
		5.3	4.0	10.5	13.0	25.3	4.4	13.2	6.8	12.3	4.8	.4	100.0(455)
(5)	/	7.3	4.6	10.0	6.8	23.7	3.7	12.3	5.5	18.3	5.5	2.3	100.0(219)
	/	10.8	4.8	9.6	6.0	19.3	1.2	15.7	7.2	16.9	6.0	2.4	100.0(83)
가		7.2	2.9	7.0	11.9	23.4	2.5	12.7	11.6	14.9	3.3	2.4	100.0(747)
가		4.4	1.9	13.2	11.3	21.4	3.1	7.5	14.5	13.8	7.5	1.3	100.0(159)
		5.4	3.6	14.3	14.3	25.0	3.6	14.3	1.8	14.3	3.6	-	100.0(56)
	/	6.8	-	10.2	9.1	14.8	12.5	10.2	9.1	15.9	10.2	1.1	100.0(88)
		4.5	2.3	13.6	13.6	29.5	2.3	6.8	-	22.7	2.3	2.3	100.0(44)
		4.2	2.1	10.4	14.6	22.9	2.1	12.5	10.4	18.8	2.1	-	100.0(48)
(6)		15.4	-	7.7	7.7	7.7	7.7	23.1	7.7	7.7	15.4	-	100.0(13)
		10.2	4.1	6.1	14.3	26.5	4.1	8.2	6.1	14.3	4.1	2.0	100.0(49)
		6.5	3.0	10.1	12.2	21.8	3.6	9.8	11.4	15.9	3.9	1.8	100.0(779)
		6.0	2.4	7.3	9.1	26.1	2.7	15.4	9.1	14.3	4.9	2.7	100.0(449)
		11.1	4.3	10.3	7.7	17.9	2.6	12.8	4.3	19.7	7.7	1.7	100.0(117)
		3.1	6.3	6.3	3.1	15.6	6.3	18.8	9.4	25.0	6.3	-	100.0(32)
(7)	가	-	16.7	-	-	50.0	-	16.7	-	16.7	-	-	100.0(6)
100		13.6	-	6.8	9.1	27.3	2.3	20.5	-	13.6	4.5	2.3	100.0(44)
100-199		6.2	3.8	7.2	9.1	24.4	2.9	15.3	9.6	14.4	6.2	1.0	100.0(209)
200-299		4.1	3.2	11.1	10.5	22.9	2.9	14.3	10.5	15.9	3.5	1.3	100.0(315)
300-399		6.2	2.7	9.2	11.5	24.2	3.1	10.4	14.2	11.9	4.2	2.3	100.0(260)
400-499		9.7	3.2	7.8	13.0	25.3	2.6	8.4	9.1	16.2	2.6	1.9	100.0(154)
500		8.6	3.0	10.7	12.4	17.6	3.4	11.6	9.0	15.9	5.6	2.1	100.0(233)

2.1.3

가 (9)

%

						()
(1)						
	1.2	9.2	14.8	41.0	33.8	100.0(1041)
	2.7	12.4	13.1	47.1	24.8	100.0 (452)
(2)						
30	1.7	18.2	11.6	45.5	23.1	100.0 (121)
30-39	1.6	9.2	8.6	46.8	33.8	100.0 (314)
40-49	1.0	6.8	11.9	41.0	39.3	100.0 (412)
50-59	1.6	9.2	15.8	43.2	30.2	100.0 (368)
60	2.2	14.4	22.6	39.6	21.1	100.0 (270)
(3)						
/	8.2	18.4	24.5	30.6	18.4	100.0 (49)
/	1.3	6.6	19.6	43.2	29.2	100.0 (301)
/	1.5	11.5	13.4	41.7	31.8	100.0 (729)
	1.2	9.5	10.5	45.7	33.0	100.0 (409)
(4)						
	1.3	9.4	15.3	36.3	37.6	100.0 (699)
	.9	11.7	12.0	49.1	26.3	100.0 (316)
	2.6	10.4	14.3	48.3	24.5	100.0 (470)
(5)						
/	1.7	12.1	19.4	39.2	27.6	100.0 (232)
/	-	10.5	15.1	40.7	33.7	100.0 (96)
가	2.1	9.9	13.0	43.6	31.5	100.0 (769)
가	1.2	10.4	13.5	42.3	32.5	100.0 (163)
	1.8	7.0	10.5	54.4	26.3	100.0 (57)
/	1.1	7.8	12.2	42.2	36.7	100.0 (90)
	-	10.9	23.9	43.5	21.7	100.0 (46)
	-	12.0	10.0	42.0	36.0	100.0 (50)
(6)						
	-	21.4	7.1	28.6	42.9	100.0 (14)
	4.1	4.1	16.3	38.8	36.7	100.0 (49)
	1.0	10.7	14.2	45.8	28.3	100.0 (802)
	2.4	9.5	13.8	41.0	33.3	100.0 (463)
	1.6	12.3	14.8	32.8	38.5	100.0 (122)
	2.9	5.7	20.0	40.0	31.4	100.0 (35)
(7)	가					
	-	-	28.6	57.1	14.3	100.0 (7)
100	8.7	26.1	13.0	30.4	21.7	100.0 (46)
100-199	.9	11.6	13.4	47.2	26.9	100.0 (216)
200-299	1.5	9.8	13.2	43.1	32.3	100.0 (325)
300-399	2.3	9.5	13.3	46.2	28.8	100.0 (264)
400-499	.6	10.3	16.0	43.6	29.5	100.0 (156)
500	1.2	8.7	13.6	40.5	36.0	100.0 (242)

2.1.4

가 (10)

%

						()
(1)	.9	18.7	23.6	41.4	15.4	100.0(1041)
	2.7	25.3	24.0	37.1	10.9	100.0 (450)
(2)						
30	1.7	24.8	28.1	38.0	7.4	100.0 (121)
30-39	.6	16.8	20.0	46.0	16.5	100.0 (315)
40-49	1.0	19.7	17.7	47.8	13.8	100.0 (412)
50-59	1.4	22.3	25.8	34.2	16.3	100.0 (368)
60	3.0	23.2	33.0	30.3	10.5	100.0 (267)
(3)						
/	12.5	18.8	29.2	35.4	4.2	100.0 (48)
/	1.3	18.2	25.5	37.1	17.9	100.0 (302)
/	.8	22.0	23.4	37.4	16.5	100.0 (728)
	1.2	20.6	22.5	47.5	8.1	100.0 (408)
(4)						
	1.1	20.2	28.3	36.5	13.9	100.0 (699)
	.9	20.3	19.0	42.1	17.7	100.0 (316)
	2.1	22.0	20.1	44.0	11.8	100.0 (468)
(5)						
/	2.6	24.7	26.0	31.6	15.2	100.0 (231)
/	-	24.4	26.7	33.7	15.1	100.0 (86)
가	1.3	19.4	23.3	42.5	13.5	100.0 (769)
가	1.2	16.7	27.8	42.6	11.7	100.0 (162)
	3.4	29.3	17.2	39.7	10.3	100.0 (58)
/	1.1	20.0	17.8	41.1	20.0	100.0 (90)
	-	19.6	26.1	41.3	13.0	100.0 (46)
	-	22.4	18.4	42.9	16.3	100.0 (49)
(6)						
	-	42.9	7.1	28.6	21.4	100.0 (14)
	4.1	22.4	34.7	28.6	10.2	100.0 (49)
	1.5	22.4	25.7	39.4	11.0	100.0 (802)
	1.3	18.7	21.3	41.9	16.9	100.0 (461)
	-	17.1	22.0	43.1	17.9	100.0 (123)
	2.9	11.4	14.3	40.0	31.4	100.0 (35)
(7)						
가	-	28.6	42.9	28.6	-	100.0 (7)
100	8.5	21.3	19.1	42.6	8.5	100.0 (47)
100-199	.9	19.4	22.7	42.1	14.8	100.0 (216)
200-299	1.2	16.0	21.8	43.7	17.2	100.0 (325)
300-399	2.3	21.1	26.8	36.6	13.2	100.0 (265)
400-499	.6	24.5	23.2	36.1	15.5	100.0 (155)
500	1.2	24.8	20.7	43.0	10.3	100.0 (142)

2.1.5

가 (11)

%

						()
(1)	.6 .7	5.6 4.9	13.8 13.8	37.9 39.3	42.2 41.3	100.0(1038) 100.0 (450)
(2)						
30	-	5.8	11.6	49.6	33.1	100.0 (121)
30-39	.3	2.2	10.2	41.3	46.0	100.0 (315)
40-49	.7	5.9	12.9	38.5	42.0	100.0 (410)
50-59	.8	6.3	15.6	35.3	41.9	100.0 (365)
60	.7	6.7	17.5	33.8	41.3	100.0 (269)
(3)						
/	4.1	2.0	14.3	30.6	49.0	100.0 (49)
/	.7	4.7	8.3	41.3	45.0	100.0 (300)
/	.4	4.8	16.8	38.7	39.3	100.0 (727)
/	.5	7.4	12.3	35.9	44.0	100.0 (407)
(4)						
	.4	5.6	16.1	34.6	43.3	100.0 (697)
	.6	5.1	12.1	43.8	38.4	100.0 (315)
	.9	5.3	11.5	40.4	41.9	100.0 (468)
(5)						
/	.4	4.8	13.9	35.1	45.9	100.0 (231)
/	-	7.0	7.0	41.9	44.2	100.0 (86)
가	.4	6.2	15.1	37.2	41.1	100.0 (769)
가	1.2	4.9	12.3	45.7	35.8	100.0 (162)
	-	5.2	12.1	39.7	43.1	100.0 (58)
/	3.3	1.1	8.9	36.7	50.0	100.0 (90)
	-	4.5	6.8	45.5	43.2	100.0 (44)
		2.1	27.1	35.4	35.4	100.0 (48)
(6)						
	-	7.1	14.3	35.7	42.9	100.0 (14)
	2.0	16.3	20.4	38.8	22.4	100.0 (49)
	.4	6.6	15.6	42.6	34.8	100.0 (800)
	.9	3.5	12.0	33.9	49.8	100.0 (460)
	.8	1.6	7.4	31.1	59.0	100.0 (122)
	-	-	5.7	22.9	71.4	100.0 (35)
(7)						
가	-	14.3	-	28.6	57.1	100.0 (7)
100	-	6.4	10.6	31.9	51.1	100.0 (47)
100-199	.9	1.9	11.7	34.3	51.2	100.0 (213)
200-299	.3	3.7	10.8	44.9	40.3	100.0 (325)
300-399	1.1	5.7	11.7	41.1	40.4	100.0 (265)
400-499	-	9.0	16.7	35.9	38.5	100.0 (156)
500	.4	6.7	19.2	38.3	35.4	100.0 (240)

2.1.6

가 (12)

%

						()
(1)	.8	10.2	15.8	44.6	28.7	100.0(1039)
	.7	7.5	11.9	46.2	33.6	100.0 (452)
(2)						
30	1.7	5.0	13.2	51.2	28.9	100.0 (121)
30-39	-	7.3	9.8	47.2	35.8	100.0 (316)
40-49	.5	8.3	12.9	46.3	32.0	100.0 (410)
50-59	.8	10.1	17.4	42.0	29.7	100.0 (367)
60	1.5	14.5	19.3	42.0	22.7	100.0 (269)
(3)						
/	4.1	8.2	16.3	34.7	36.7	100.0 (49)
/	.3	10.7	15.1	45.2	28.8	100.0 (299)
/	.8	8.6	14.1	46.0	30.4	100.0 (730)
	.5	10.0	15.0	44.4	30.1	100.0 (408)
(4)						
	.7	9.0	16.5	42.3	31.5	100.0 (699)
	.3	11.1	14.6	43.7	30.4	100.0 (316)
	1.1	9.0	11.8	50.2	28.0	100.0 (468)
(5)						
/	.9	8.2	21.6	40.1	29.3	100.0 (232)
/	1.2	14.1	12.9	45.9	25.9	100.0 (85)
가	.5	9.6	13.1	46.5	30.3	100.0 (770)
가	1.2	7.4	13.0	42.6	35.8	100.0 (162)
	-	12.1	12.1	48.3	27.6	100.0 (58)
/	2.2	7.8	16.7	38.9	34.4	100.0 (90)
	-	11.1	17.8	51.1	20.0	100.0 (45)
	-	8.2	10.2	55.1	26.5	100.0 (49)
(6)						
	-	14.3	7.1	50.0	28.6	100.0 (14)
	-	18.4	6.1	57.1	18.4	100.0 (49)
	.9	9.8	15.4	47.3	26.5	100.0 (803)
	.9	7.6	14.8	41.7	35.0	100.0 (460)
	-	10.7	14.8	41.0	33.6	100.0 (122)
	-	2.9	11.4	31.4	54.3	100.0 (35)
(7)						
가	-	33.3	16.7	33.3	16.7	100.0 (6)
100	2.1	14.9	21.3	38.3	23.4	100.0 (47)
100-199	-	10.2	15.3	43.1	31.5	100.0 (216)
200-299	.3	10.5	16.6	40.6	32.0	100.0 (325)
300-399	1.5	7.2	12.1	47.3	31.8	100.0 (264)
400-499	-	6.4	13.5	51.3	28.8	100.0 (156)
500	.8	9.9	13.2	47.5	28.5	100.0 (242)

2.2.1

(13)

%

						()
(1)	-	5.0	13.3	41.7	40.0	100.0 (1043)
	.7	7.3	18.4	39.8	33.8	100.0 (452)
(2)						
30	-	6.6	13.2	46.3	33.9	100.0 (121)
30-39	.3	4.4	14.6	38.3	42.4	100.0 (316)
40-49	.2	4.4	13.1	41.2	41.2	100.0 (413)
50-59		5.4	15.8	42.2	36.5	100.0 (367)
60	.4	8.5	17.4	40.4	33.3	100.0 (270)
(3)						
/	2.0	16.3	10.2	36.7	34.7	100.0 (49)
/	.3	7.3	17.3	38.5	36.5	100.0 (301)
/	.1	4.9	15.5	42.9	36.6	100.0 (730)
		4.6	12.4	40.0	42.9	100.0 (410)
(4)						
	-	5.4	15.0	36.7	42.9	100.0 (701)
	.3	5.7	15.5	44.9	33.5	100.0 (316)
	.4	6.2	14.5	45.1	33.8	100.0 (470)
(5)						
/	.4	4.7	21.6	38.8	34.5	100.0 (232)
/	-	8.1	14.0	45.3	32.6	100.0 (86)
가	.1	4.4	12.3	42.0	41.2	100.0 (772)
가	.6	8.6	19.1	35.8	35.8	100.0 (162)
	-	8.6	20.7	36.2	34.5	100.0 (58)
/	-	10.0	11.1	40.0	38.9	100.0 (90)
	-	11.1	13.3	42.2	33.3	100.0 (45)
	-	-	12.0	56.0	32.0	100.0 (50)
(6)						
	-	14.3	7.1	21.4	57.1	100.0 (14)
	-	6.1	26.5	40.8	26.5	100.0 (49)
	.4	6.3	15.3	43.9	34.2	100.0 (805)
	-	4.5	13.4	41.1	40.9	100.0 (462)
	-	4.9	13.9	31.1	50.0	100.0 (122)
	-	2.9	17.1	17.1	62.9	100.0 (35)
(7)						
가	-	14.3	42.9	42.9	-	100.0 (7)
100	2.1	14.9	8.5	25.5	48.9	100.0 (47)
100-199	.5	6.0	18.5	35.6	39.4	100.0 (216)
200-299	-	6.1	17.5	38.3	38.0	100.0 (326)
300-399	-	4.9	12.1	43.4	39.6	100.0 (265)
400-499	.6	5.1	11.5	41.7	41.0	100.0 (156)
500	-	4.5	14.0	45.5	36.0	100.0 (242)

2.2.2

가 (14)
%

						()
(1)	.2	6.8	30.8	53.4	8.8	100.0(1044)
	.7	8.0	34.7	48.4	8.2	100.0 (450)
(2)						
30	.8	5.8	29.8	57.9	5.8	100.0 (121)
30-39	-	5.4	29.8	54.3	10.5	100.0 (315)
40-49	.2	6.8	29.1	55.9	8.0	100.0 (413)
50-59	.3	7.4	33.8	49.9	8.7	100.0 (367)
60	.7	10.4	37.4	43.7	7.8	100.0 (270)
(3)						
/	4.1	6.1	36.7	34.7	18.4	100.0 (49)
/	.3	8.6	32.8	48.3	9.9	100.0 (302)
/	.1	6.6	33.6	51.5	8.2	100.0 (730)
	.2	7.4	27.7	57.4	7.4	100.0 (408)
(4)						
	.1	7.4	30.8	50.2	11.4	100.0 (701)
	.3	7.0	33.7	49.8	9.2	100.0 (315)
	.6	7.0	32.3	55.7	4.3	100.0 (470)
(5)						
/	1.3	9.5	36.6	41.4	11.2	100.0 (232)
/	-	9.3	32.6	51.2	7.0	100.0 (86)
가	-	5.5	31.1	54.4	9.1	100.0 (769)
가	.6	9.8	30.7	51.5	7.4	100.0 (163)
	1.7	12.1	25.9	56.9	3.4	100.0 (58)
/	-	8.9	32.2	53.3	5.6	100.0 (90)
	-	8.7	32.6	50.0	8.7	100.0 (46)
	-	-	34.0	58.0	8.0	100.0 (50)
(6)						
	-	-	28.6	64.3	7.1	100.0 (14)
	-	6.1	32.7	53.1	8.2	100.0 (49)
	.5	7.6	33.0	52.3	6.6	100.0 (803)
	-	7.3	31.1	52.3	9.3	100.0 (463)
	-	7.4	26.2	51.6	14.8	100.0 (122)
	2.9	-	37.1	34.3	25.7	100.0 (35)
(7)						
가	-	14.3	28.6	42.9	14.3	100.0 (7)
100	2.1	14.9	29.8	29.8	23.4	100.0 (47)
100-199	.9	6.9	29.6	51.4	11.1	100.0 (216)
200-299	.3	7.4	32.3	53.5	6.5	100.0 (325)
300-399	-	7.5	30.9	54.7	6.8	100.0 (265)
400-499	.6	9.0	34.6	51.3	4.5	100.0 (156)
500	-	5.0	29.0	58.1	7.9	100.0 (241)

2.2.3

가 (15)

%

						()
(1)	.7	25.6	27.1	39.9	6.7	100.0(1026)
	.7	20.0	24.5	48.1	6.8	100.0 (441)
(2)						
30	-	21.7	20.0	51.7	6.7	100.0 (120)
30-39	1.0	19.0	21.3	50.0	8.7	100.0 (310)
40-49	.2	22.0	24.8	46.5	6.4	100.0 (404)
50-59	1.1	24.9	31.9	36.6	5.5	100.0 (361)
60	.8	32.2	29.2	31.4	6.4	100.0 (264)
(3)						
/	2.1	18.8	31.3	37.5	10.4	100.0 (48)
/	1.7	33.1	25.4	35.5	4.3	100.0 (299)
/	.6	23.8	25.0	43.5	7.1	100.0 (715)
	-	18.3	27.8	46.5	7.5	100.0 (400)
(4)						
	.9	23.8	26.9	41.3	7.1	100.0 (676)
	1.0	25.1	25.7	39.7	8.6	100.0 (315)
	.2	23.5	25.9	45.3	5.1	100.0 (468)
(5)						
/	1.3	24.2	30.4	35.2	8.8	100.0 (227)
/	-	27.9	25.6	43.0	3.5	100.0 (86)
가	.7	22.0	27.5	42.4	7.4	100.0 (753)
가	.6	27.3	25.5	42.9	3.7	100.0 (161)
	-	15.8	28.1	50.9	5.3	100.0 (57)
/	-	33.0	18.2	46.6	2.3	100.0 (88)
	-	30.4	15.2	45.7	8.7	100.0 (46)
	2.0	20.4	16.3	51.0	10.2	100.0 (49)
(6)						
	-	21.4	21.4	35.7	21.4	100.0 (14)
	-	12.8	38.3	42.6	6.4	100.0 (47)
	.6	25.1	26.1	42.8	5.3	100.0 (788)
	1.1	22.7	25.8	42.8	7.5	100.0 (453)
	-	26.2	25.4	40.2	8.2	100.0 (122)
	-	20.0	25.7	34.3	20.0	100.0 (35)
(7)						
가	-	-	42.9	42.9	14.3	100.0 (7)
100	4.3	30.4	19.6	39.1	6.5	100.0 (46)
100-199	.9	23.1	26.9	42.9	6.1	100.0 (212)
200-299	-	26.2	27.4	41.7	4.7	100.0 (321)
300-399	.8	25.5	26.6	39.8	7.3	100.0 (259)
400-499	1.3	20.4	26.3	46.1	5.9	100.0 (152)
500	-	19.7	25.2	47.1	8.0	100.0 (238)

2.2.4

가

(16)

%

											()
(1)	13.6	14.4	3.7	23.7	10.5	8.3	5.4	10.9	8.1	1.3	100.0(1043)
	16.2	17.7	2.4	22.2	7.1	12.4	2.2	11.8	7.5	.4	100.0(451)
(2)											
30	20.7	14.0	3.3	14.0	9.9	9.9	4.1	15.7	8.3	-	100.0(121)
30-39	15.9	19.4	1.9	20.3	7.0	10.2	5.4	11.7	7.0	1.3	100.0(315)
40-49	12.3	18.2	2.4	20.3	13.1	10.9	4.8	9.2	7.0	1.7	100.0(413)
50-59	11.1	12.0	3.5	29.3	9.5	9.0	4.9	12.5	7.3	.5	100.0(368)
60	17.5	12.3	5.9	26.8	6.7	7.1	2.2	9.7	10.8	1.1	100.0(269)
(3)											
/	16.3	10.2	-	14.3	4.1	16.3	4.1	16.3	16.3	2.0	100.0(49)
/	18.5	11.9	3.6	17.8	10.2	9.9	3.6	12.5	10.9	.7	100.0(303)
/	13.9	15.0	3.6	24.0	9.5	9.6	5.1	11.7	6.7	1.0	100.0(728)
	11.7	19.6	3.2	26.9	9.3	8.3	3.9	8.8	6.8	1.5	100.0(409)
(4)											
	13.7	12.7	4.4	27.8	13.1	10.4	6.1	2.1	7.7	1.7	100.0(701)
	18.7	19.3	4.1	19.3	6.6	6.6	2.5	15.2	6.6	.9	100.0(316)
	12.4	16.8	1.3	19.2	5.5	10.4	3.2	22.0	9.0	.2	100.0(469)
(5)											
/	18.5	15.1	2.2	26.7	9.1	8.6	2.6	9.1	6.9	1.3	100.0(232)
/	7.0	22.1	7.0	18.6	14.0	9.3	2.3	12.8	7.0	-	100.0(86)
가	14.2	16.8	3.5	24.3	8.6	8.3	4.8	10.7	7.7	1.2	100.0(769)
가	11.0	12.9	3.7	22.1	12.9	9.8	6.7	12.3	7.4	.6	100.0(163)
	13.8	6.9	3.4	29.3	8.6	12.1	1.7	17.2	6.9	-	100.0(58)
/	21.1	12.2	2.2	16.7	6.7	17.8	3.3	12.2	5.6	2.2	100.0(90)
	8.7	8.7	-	13.0	13.0	15.2	6.5	19.6	15.2	-	100.0(46)
	16.0	14.0	4.0	16.0	8.0	10.0	6.0	6.0	18.0	2.0	100.0(50)
(6)											
	14.3	35.7	-	7.1	7.1	21.4	7.1	7.1	-	-	100.0(14)
	22.4	18.4	8.2	14.3	4.1	16.3	4.1	2.0	8.2	2.0	100.0(49)
	11.8	16.1	4.1	24.6	10.5	9.2	4.0	11.3	7.6	.7	100.0(802)
	17.1	14.9	2.8	21.6	9.5	8.4	5.0	10.0	9.7	.9	100.0(462)
	16.3	13.0	-	23.6	5.7	9.8	4.9	18.7	5.7	1.6	100.0(123)
	20.0	2.9	-	28.6	2.9	17.1	5.7	11.4	2.9	8.6	100.0(35)
(7)											
가	28.6	14.3	-	42.9	-	14.3	-	-	-	-	100.0(7)
100	21.3	8.5	-	25.5	-	10.6	4.3	17.0	10.6	2.1	100.0(47)
100-199	16.7	15.3	2.8	22.7	7.9	5.1	4.2	16.7	6.9	1.9	100.0(216)
200-299	15.6	14.4	3.4	25.2	8.3	10.4	5.5	10.4	6.4	-	100.0(326)
300-399	12.1	18.5	4.2	25.3	10.6	6.4	3.4	10.6	8.3	.8	100.0(265)
400-499	11.0	19.5	3.2	23.4	9.1	11.0	4.5	11.7	5.2	1.3	100.0(154)
500	14.9	17.8	3.3	21.6	12.0	10.0	5.0	6.6	7.9	.8	100.0(241)

2.3.1 ' ' (17.1) %

							()
(1)		30.6	40.4	23.0	4.2	1.9	100.0(1018)
		30.0	37.6	25.0	5.0	2.3	100.0 (436)
(2)		27.5	40.0	23.3	6.7	2.5	100.0 (120)
30		29.9	40.8	23.2	4.5	1.6	100.0 (314)
30-39		29.2	40.8	21.8	5.4	2.7	100.0 (404)
40-49		29.8	39.6	23.9	4.5	2.2	100.0 (356)
50-59		35.2	35.6	26.5	2.0	.8	100.0 (253)
60							
(3)		47.5	25.0	22.5	2.5	2.5	100.0 (40)
/		31.1	39.1	26.3	2.8	.7	100.0 (289)
/		30.2	38.9	24.6	4.8	1.5	100.0 (715)
/		28.9	42.5	19.5	5.4	3.7	100.0 (40)
(4)		31.0	40.1	23.0	3.5	2.5	100.0 (684)
		27.3	39.2	24.8	7.1	1.6	100.0 (311)
		31.5	39.0	23.7	4.2	1.6	100.0 (451)
(5)		34.4	32.1	27.5	5.5	.5	100.0 (218)
/		31.0	34.5	27.4	6.0	1.2	100.0 (84)
/		30.6	40.0	22.0	4.5	2.9	100.0 (758)
가		25.3	46.2	23.4	3.8	1.3	100.0 (158)
가		26.3	38.6	28.1	7.0	-	100.0 (57)
/		28.4	45.5	21.6	3.4	1.1	100.0 (88)
		22.7	45.5	27.3	-	4.5	100.0 (44)
		40.4	38.3	19.1	2.1	-	100.0 (47)
(6)		30.8	46.2	23.1	-	-	100.0 (13)
		21.3	51.1	23.4	4.3	-	100.0 (47)
		29.3	38.6	24.9	5.3	1.9	100.0 (792)
		32.0	39.7	22.5	2.9	2.9	100.0 (453)
		32.4	42.3	20.7	3.6	.9	100.0 (111)
		43.8	28.1	15.6	12.5	-	100.0 (32)
(7)	가	66.7	33.3	-	-	-	100.0 (6)
100		31.7	43.9	14.6	9.8	-	100.0 (41)
100-199		36.5	37.4	21.8	4.3	-	100.0 (211)
200-299		28.5	42.4	24.1	3.7	1.2	100.0 (323)
300-399		30.3	41.4	21.5	4.6	2.3	100.0 (261)
400-499		25.5	42.5	26.8	3.9	1.3	100.0 (153)
500		27.4	37.6	23.6	7.6	3.8	100.0 (237)

2.3.2 ' (가

(17.2)

%

						()
(1)	18.4	26.1	19.0	18.1	18.6	100.0 (997)
	15.8	21.4	22.1	25.1	15.6	100.0 (430)
(2)						
30	12.0	17.9	17.9	28.2	23.9	100.0 (117)
30-39	13.4	19.6	19.6	26.8	20.6	100.0 (306)
40-49	13.5	26.6	21.1	20.6	18.3	100.0 (399)
50-59	20.6	26.0	19.2	18.1	16.1	100.0 (354)
60	28.2	29.4	20.4	11.0	11.0	100.0 (245)
(3)						
/	33.3	30.8	15.4	10.3	10.3	100.0 (39)
/	24.5	26.6	17.9	19.3	11.7	100.0 (274)
/	16.2	24.5	22.0	21.3	16.1	100.0 (710)
	14.0	23.0	18.0	19.8	25.3	100.0 (400)
(4)						
	18.5	23.5	18.8	19.7	19.5	100.0 (671)
	14.1	23.9	20.0	21.6	20.3	100.0 (305)
	18.5	26.8	21.2	20.3	13.3	100.0 (444)
(5)						
/	26.5	22.3	23.3	14.9	13.0	100.0 (215)
/	15.7	28.9	20.5	19.3	15.7	100.0 (83)
가	15.2	24.4	18.8	21.8	19.8	100.0 (749)
가	19.4	23.9	20.6	20.0	16.1	100.0 (155)
	9.3	27.8	18.5	20.4	24.1	100.0 (54)
/	17.1	19.5	20.7	28.0	14.6	100.0 (82)
	19.5	46.3	17.1	9.8	7.3	100.0 (41)
	20.8	20.8	20.8	16.7	20.8	100.0 (48)
(6)						
	-	50.0	14.3	14.3	21.4	100.0 (14)
	23.4	29.8	19.1	17.0	10.6	100.0 (47)
	17.2	23.2	21.1	22.1	16.4	100.0 (779)
	17.4	24.5	19.4	18.5	20.1	100.0 (432)
	17.5	31.6	14.0	17.5	19.3	100.0 (114)
	32.4	11.8	23.5	14.7	17.6	100.0 (34)
(7)						
가	16.7	50.0	16.7	16.7	-	100.0 (6)
100	44.2	11.6	16.3	9.3	18.6	100.0 (43)
100-199	14.9	26.4	27.4	17.3	13.9	100.0 (208)
200-299	13.4	26.2	18.5	21.4	20.4	100.0 (313)
300-399	16.7	23.7	21.8	21.8	16.0	100.0 (257)
400-499	20.3	18.3	15.0	25.5	20.9	100.0 (153)
500	16.8	26.7	19.8	19.0	17.7	100.0 (232)

2.3.3

(17.3)

%

	()					
(1)	37.9	28.6	19.7	8.2	5.6	100.0(1015)
	44.0	27.9	16.8	7.5	3.9	100.0 (441)
(2)						
30	50.8	31.7	10.8	5.0	1.7	100.0 (120)
30-39	47.3	26.0	17.7	5.1	3.9	100.0 (311)
40-49	37.7	28.9	20.8	8.1	4.6	100.0 (409)
50-59	33.1	28.2	19.8	11.6	7.3	100.0 (354)
60	38.0	29.4	19.6	7.5	5.5	100.0 (255)
(3)						
/	58.1	27.9	11.6	-	2.3	100.0 (43)
/	44.3	30.4	16.3	5.5	3.5	100.0 (289)
/	38.7	28.6	20.3	8.5	3.9	100.0 (708)
	36.1	26.9	18.9	9.7	8.5	100.0 (402)
(4)						
	38.4	28.1	18.2	8.9	6.4	100.0 (683)
	30.1	35.3	22.1	7.7	4.8	100.0 (312)
	48.3	24.1	17.4	6.8	3.3	100.0 (453)
(5)						
/	41.4	29.5	18.2	5.9	5.0	100.0 (220)
/	28.2	36.5	14.1	14.1	7.1	100.0 (85)
가	39.8	26.0	19.4	9.0	5.9	100.0 (759)
가	39.5	34.4	19.1	6.4	.6	100.0 (157)
	39.3	21.4	25.0	12.5	1.8	100.0 (56)
/	44.9	27.0	21.3	3.4	3.4	100.0 (89)
	36.6	34.1	17.1	4.9	7.3	100.0 (41)
	46.9	32.7	10.2	2.0	8.2	100.0 (49)
(6)						
	42.9	21.4	28.6	-	7.1	100.0 (14)
	47.9	14.6	20.8	4.2	12.5	100.0 (48)
	37.7	30.7	17.9	8.9	4.8	100.0 (788)
	40.4	27.3	21.1	7.5	3.8	100.0 (451)
	42.6	27.0	13.9	6.1	10.4	100.0 (115)
	57.6	15.2	21.2	6.1	-	100.0 (33)
(7)						
가	50.0	50.0	-	-	-	100.0 (6)
100	50.0	27.3	4.5	6.8	11.4	100.0 (44)
100-199	41.0	33.0	18.4	4.2	3.3	100.0 (212)
200-299	36.9	30.6	19.7	9.1	3.8	100.0 (320)
300-399	36.8	27.6	23.0	7.7	5.0	100.0 (261)
400-499	35.7	24.7	20.8	12.3	6.5	100.0 (154)
500	37.0	30.2	14.5	9.4	8.9	100.0 (235)

2.3.4

(17.4)

%

						()
(1)	49.3	28.0	12.6	7.5	2.5	100.0 (1021)
	48.5	32.8	12.8	4.5	1.3	100.0 (445)
(2)						
30	56.2	30.6	9.9	3.3	-	100.0 (121)
30-39	53.2	29.2	10.9	3.8	2.9	100.0 (312)
40-49	47.3	29.8	12.9	6.8	3.2	100.0 (410)
50-59	46.5	30.2	13.0	8.9	1.4	100.0 (361)
60	46.7	27.8	15.3	8.2	2.0	100.0 (255)
(3)						
/	53.5	16.3	16.3	7.0	7.0	100.0 (43)
/	46.2	29.0	13.8	9.0	2.1	100.0 (290)
/	50.4	26.9	14.4	6.2	2.1	100.0 (724)
	48.3	35.9	8.4	5.7	1.7	100.0 (404)
(4)						
	52.2	27.1	12.9	6.2	1.6	100.0 (691)
	41.9	34.6	13.3	7.3	2.9	100.0 (315)
	49.2	29.4	11.9	6.8	2.6	100.0 (453)
(5)						
/	45.5	32.4	14.0	6.8	1.4	100.0 (222)
/	44.7	35.3	8.2	10.6	1.2	100.0 (85)
가	51.4	29.4	11.4	5.8	2.1	100.0 (765)
가	50.6	23.1	16.9	5.6	3.8	100.0 (160)
	43.1	29.3	13.8	13.8	-	100.0 (58)
/	47.1	31.8	11.8	8.2	1.2	100.0 (85)
	44.2	27.9	16.3	7.0	4.7	100.0 (43)
	45.8	25.0	18.8	4.2	6.3	100.0 (48)
(6)						
	50.0	21.4	14.3	7.1	7.1	100.0 (14)
	52.1	31.3	12.5	4.2	-	100.0 (48)
	46.9	31.3	12.7	6.9	2.1	100.0 (793)
	49.5	28.8	13.4	6.2	2.2	100.0 (455)
	56.5	23.5	10.4	7.8	1.7	100.0 (115)
	69.7	18.2	9.1	-	3.0	100.0 (33)
(7)						
가	33.3	50.0	-	16.7	-	100.0 (6)
100	51.2	24.4	17.1	4.9	2.4	100.0 (41)
100-199	50.0	26.2	17.3	4.2	2.3	100.0 (214)
200-299	47.7	27.9	15.5	7.4	1.5	100.0 (323)
300-399	47.9	29.7	12.9	6.5	3.0	100.0 (263)
400-499	50.0	33.8	7.1	7.1	1.9	100.0 (154)
500	50.8	31.5	9.2	6.3	2.1	100.0 (238)

2.3.5 ' (17.5) 가 ,							%
							()
(1)		13.6	19.7	22.3	22.4	22.0	100.0(1018)
		10.6	17.9	26.6	23.8	21.2	100.0 (425)
(2)		12.3	18.4	30.7	25.4	13.2	100.0 (114)
	30	12.7	17.0	28.1	19.0	23.2	100.0 (306)
	30-39	10.4	21.5	23.5	24.0	20.5	100.0 (404)
	40-49	12.6	19.7	20.5	21.1	26.1	100.0 (356)
	50-59	16.8	18.0	19.1	26.6	19.5	100.0 (256)
	60						
(3)		14.3	21.4	4.8	26.2	33.3	100.0 (42)
	/	16.2	14.4	17.9	23.0	28.5	100.0 (291)
	/	11.8	18.5	25.8	24.0	19.9	100.0 (709)
	/	11.6	23.5	26.0	20.5	18.4	100.0 (396)
(4)		16.2	22.4	23.6	20.5	17.2	100.0 (673)
		9.7	15.5	24.9	25.2	24.6	100.0 (309)
		9.5	17.0	23.0	23.6	26.9	100.0 (453)
(5)		12.6	19.5	23.3	26.0	18.6	100.0 (215)
	/	9.6	21.7	19.3	27.7	21.7	100.0 (83)
	/	12.7	19.5	25.9	20.8	21.1	100.0 (754)
	가	12.1	21.7	22.3	22.9	21.0	100.0 (157)
	가	8.8	10.5	21.1	31.6	28.1	100.0 (57)
	/	15.9	17.0	19.3	22.7	25.0	100.0 (88)
		11.9	11.9	11.9	23.8	40.5	100.0 (42)
		19.1	21.3	21.3	19.1	19.1	100.0 (47)
(6)		30.8	30.8	23.1	7.7	7.7	100.0 (13)
		10.9	30.4	28.3	8.7	21.7	100.0 (46)
		11.3	19.8	23.2	25.6	20.0	100.0 (776)
		12.1	18.5	23.7	22.3	23.4	100.0 (448)
		20.3	14.4	21.2	17.8	26.3	100.0 (118)
		23.5	8.8	32.4	8.8	26.5	100.0 (34)
(7)	가	16.7	16.7	33.3	16.7	16.7	100.0 (6)
	100	20.9	11.6	25.6	23.3	18.6	100.0 (43)
	100-199	11.4	15.6	22.3	26.5	24.2	100.0 (211)
	200-299	11.3	20.6	21.6	24.4	22.2	100.0 (320)
	300-399	12.0	20.2	26.7	19.8	21.3	100.0 (258)
	400-499	13.2	17.2	24.5	21.9	23.2	100.0 (151)
	500	13.5	24.5	24.1	19.0	19.0	100.0 (237)

2.3.6 (

17.6)

%

	()					
(1)	31.2	21.8	18.4	17.9	10.8	100.0(1019)
	30.2	24.4	21.2	17.9	6.3	100.0 (430)
(2)						
30	25.2	21.8	21.8	21.0	10.1	100.0 (119)
30-39	20.3	20.6	25.2	21.9	11.9	100.0 (310)
40-49	24.7	21.0	20.5	24.0	9.8	100.0 (409)
50-59	38.7	26.6	16.1	10.7	7.9	100.0 (354)
60	46.4	21.8	12.3	11.9	7.5	100.0 (252)
(3)						
/	43.9	9.8	14.6	12.2	19.5	100.0 (41)
/	34.8	18.8	16.7	18.4	11.3	100.0 (293)
/	30.1	24.8	20.1	17.9	7.2	100.0 (711)
	28.3	23.0	19.5	18.3	11.0	100.0 (400)
(4)						
	29.5	21.7	19.6	18.4	10.8	100.0 (674)
	30.8	26.0	20.5	16.3	6.4	100.0 (312)
	33.0	21.8	17.8	18.0	9.5	100.0 (455)
(5)						
/	39.1	20.5	19.5	13.5	7.4	100.0 (215)
/	32.9	27.1	18.8	14.1	7.1	100.0 (85)
가	30.1	24.1	18.1	17.6	10.1	100.0 (755)
가	26.1	22.3	21.0	21.0	9.6	100.0 (157)
	34.5	20.7	20.7	19.0	5.2	100.0 (58)
/	21.6	18.2	26.1	25.0	9.1	100.0 (88)
	37.2	16.3	11.6	25.6	9.3	100.0 (43)
	27.1	16.7	20.8	16.7	18.8	100.0 (48)
(6)						
	28.6	28.6	21.4	7.1	14.3	100.0 (14)
	29.2	27.1	22.9	14.6	6.3	100.0 (48)
	31.4	24.6	18.8	17.1	8.0	100.0 (783)
	28.2	20.4	20.0	19.3	12.0	100.0 (450)
	36.5	14.8	17.4	21.7	9.6	100.0 (115)
	37.5	15.6	18.8	15.6	12.5	100.0 (32)
(7) 가						
	20.0	40.0	20.0	20.0	-	100.0 (5)
100	53.7	7.3	14.6	7.3	17.1	100.0 (41)
100-199	31.0	22.1	18.8	18.3	9.9	100.0 (213)
200-299	27.5	23.4	20.9	19.7	8.4	100.0 (320)
300-399	30.1	20.5	20.5	18.5	10.4	100.0 (259)
400-499	27.6	27.0	17.8	16.4	11.2	100.0 (152)
500	30.7	26.1	19.7	16.8	6.7	100.0 (238)

2.3.7

(17.7)

%

						()
(1)	9.5	17.0	23.4	24.3	25.8	100.0(1019)
	6.8	19.5	25.2	28.3	20.2	100.0 (441)
(2)						
30	.8	14.4	20.3	36.4	28.0	100.0 (118)
30-39	5.7	12.7	29.3	23.6	28.7	100.0 (314)
40-49	4.7	17.6	20.0	27.5	30.2	100.0 (404)
50-59	11.9	18.8	26.9	24.7	17.7	100.0 (361)
60	17.6	24.2	21.1	21.5	15.6	100.0 (256)
(3)						
/	29.3	14.6	17.1	9.8	29.3	100.0 (41)
/	7.6	18.6	23.1	25.2	25.5	100.0 (290)
/	7.7	15.9	24.8	25.9	25.8	100.0 (718)
	9.3	20.6	23.6	27.0	19.4	100.0 (407)
(4)						
	9.8	18.0	21.5	27.8	22.9	100.0 (687)
	6.5	17.4	26.1	26.8	23.2	100.0 (310)
	8.8	17.8	25.5	21.5	26.4	100.0 (455)
(5)						
/	11.8	22.6	22.6	24.4	18.6	100.0 (221)
/	10.7	15.5	33.3	23.8	16.7	100.0 (84)
가	8.6	17.8	24.0	25.4	24.2	100.0 (764)
가	5.1	15.9	22.9	29.3	26.8	100.0 (157)
	6.9	19.0	20.7	27.6	25.9	100.0 (58)
/	8.2	12.9	27.1	21.2	30.6	100.0 (85)
	9.3	18.6	16.3	23.3	32.6	100.0 (43)
	6.3	10.4	20.8	31.3	31.3	100.0 (48)
(6)						
	23.1	15.4	23.1	15.4	23.1	100.0 (13)
	8.3	25.0	20.8	20.8	25.0	100.0 (48)
	7.6	18.5	23.6	29.1	21.2	100.0 (791)
	10.6	15.9	26.9	19.6	27.1	100.0 (454)
	6.1	15.8	21.1	28.1	28.9	100.0 (114)
	15.6	21.9	9.4	21.9	31.3	100.0 (32)
(7)						
가	16.7	50.0	16.7	-	16.7	100.0 (6)
100	22.7	13.6	11.4	27.3	25.0	100.0 (44)
100-199	5.2	19.9	26.1	21.8	27.0	100.0 (211)
200-299	10.7	16.3	24.8	23.5	24.8	100.0 (319)
300-399	6.5	17.5	25.1	28.9	22.1	100.0 (263)
400-499	7.7	19.9	26.9	25.6	19.9	100.0 (156)
500	8.4	17.2	20.2	28.2	26.1	100.0 (238)

2.3.8

(17.8)

%

	()					
(1)	9.3	19.8	22.7	25.2	23.0	100.0 (1019)
	6.4	21.3	29.3	26.3	16.7	100.0 (437)
(2)						
30	3.4	13.7	22.2	36.8	23.9	100.0 (117)
30-39	6.1	16.2	26.4	25.8	25.5	100.0 (314)
40-49	5.4	20.9	24.6	26.3	22.9	100.0 (407)
50-59	11.7	19.2	27.3	23.4	18.4	100.0 (359)
60	14.2	28.5	20.2	22.5	14.6	100.0 (253)
(3)						
/	17.5	15.0	25.0	17.5	25.0	100.0 (40)
/	8.6	21.4	21.4	26.2	22.4	100.0 (290)
/	7.1	20.6	26.6	24.4	21.3	100.0 (714)
	9.8	19.4	23.5	27.9	19.4	100.0 (408)
(4)						
	8.8	20.9	23.5	25.3	21.6	100.0 (681)
	5.4	20.1	24.0	30.4	20.1	100.0 (313)
	9.9	19.7	27.0	22.4	21.1	100.0 (456)
(5)						
/	9.0	28.5	24.4	24.9	13.1	100.0 (221)
/	9.4	25.9	27.1	20.0	17.6	100.0 (85)
가	8.8	19.2	24.7	25.5	21.8	100.0 (761)
가	6.5	18.7	26.5	24.5	23.9	100.0 (155)
	6.9	19.0	20.7	39.7	13.8	100.0 (58)
/	8.0	12.6	24.1	27.6	27.6	100.0 (87)
	7.1	19.0	19.0	23.8	31.0	100.0 (42)
	8.5	10.6	25.5	23.4	31.9	100.0 (47)
(6)						
	14.3	14.3	21.4	14.3	35.7	100.0 (14)
	8.7	34.8	28.3	8.7	19.6	100.0 (46)
	8.0	20.7	25.0	27.5	18.9	100.0 (789)
	8.8	19.2	25.2	22.8	23.9	100.0 (452)
	6.1	17.4	21.7	29.6	25.2	100.0 (115)
	21.9	12.5	18.8	28.1	18.8	100.0 (32)
(7)						
	16.7	50.0	16.7	16.7	-	100.0 (6)
100	16.7	19.0	14.3	26.2	23.8	100.0 (42)
100-199	3.8	20.7	29.1	24.9	21.6	100.0 (213)
200-299	9.4	19.2	24.2	26.7	20.4	100.0 (318)
300-399	8.7	18.3	24.3	28.5	20.2	100.0 (263)
400-499	7.7	21.3	25.8	27.7	17.4	100.0 (155)
500	9.7	19.0	22.8	24.1	24.5	100.0 (237)

2.3.9

(17.9)

%

	()					
(1)	23.5	27.6	30.4	13.7	4.8	100.0(1017)
	16.9	25.2	38.2	14.6	5.0	100.0 (437)
(2)						
30	20.2	26.9	35.3	15.1	2.5	100.0 (119)
30-39	20.5	28.8	34.0	11.9	4.8	100.0 (312)
40-49	19.2	26.0	37.1	13.3	4.4	100.0 (407)
50-59	20.4	23.5	30.3	19.0	6.7	100.0 (357)
60	28.5	30.0	26.9	10.3	4.3	100.0 (235)
(3)						
/	41.9	20.9	16.3	14.0	7.0	100.0 (43)
/	32.0	23.7	28.2	12.0	4.1	100.0 (291)
/	18.9	28.8	34.6	14.6	3.1	100.0 (713)
	16.6	26.1	34.5	14.4	8.4	100.0 (403)
(4)						
	22.3	27.3	29.8	13.8	6.8	100.0 (674)
	20.6	23.5	39.0	14.5	2.3	100.0 (310)
	21.0	27.9	33.3	13.9	3.9	100.0 (462)
(5)						
/	27.2	24.4	30.4	12.9	5.1	100.0 (217)
/	16.9	30.1	39.8	7.2	6.0	100.0 (83)
가	19.2	25.7	32.9	16.7	5.6	100.0 (756)
가	23.8	31.3	31.3	11.3	2.5	100.0 (160)
	17.9	33.9	32.1	12.5	3.6	100.0 (56)
/	27.0	29.2	30.3	9.0	4.5	100.0 (89)
	27.3	18.2	31.8	20.5	2.3	100.0 (44)
	22.4	32.7	38.8	2.0	4.1	100.0 (49)
(6)						
	21.4	21.4	50.0	7.1	-	100.0 (14)
	20.8	18.8	37.5	14.6	8.3	100.0 (48)
	19.8	26.8	35.2	13.4	4.7	100.0 (783)
	21.7	28.6	30.2	13.9	5.6	100.0 (447)
	27.7	26.1	26.9	17.6	1.7	100.0 (119)
	40.0	17.1	20.0	14.3	8.6	100.0 (35)
(7)						
가	33.3	33.3	33.3	-	-	100.0 (6)
100	40.0	24.4	15.6	13.3	6.7	100.0 (45)
100-199	21.0	33.2	29.9	12.1	3.7	100.0 (214)
200-299	22.4	25.0	34.9	14.4	3.2	100.0 (312)
300-399	20.9	25.6	32.6	14.7	6.2	100.0 (258)
400-499	16.2	24.0	37.7	17.5	4.5	100.0 (154)
500	16.7	25.8	36.3	15.4	5.8	100.0 (240)

2.3.10 ' , ' ,

(17.10)

%

	()					
(1)	13.2 18.0	29.3 28.1	22.3 18.2	16.9 18.2	18.3 17.5	100.0 (950) 100.0 (417)
(2)						
30	21.6	30.2	14.7	12.1	21.6	100.0 (116)
30-39	16.8	31.6	20.9	15.8	14.8	100.0 (297)
40-49	16.1	28.7	19.7	19.7	15.8	100.0 (380)
50-59	10.0	26.5	24.8	14.7	23.9	100.0 (339)
60	11.3	28.7	21.7	22.2	16.1	100.0 (230)
(3)						
/	10.8	16.2	27.0	21.6	24.3	100.0 (37)
/	8.2	23.3	22.2	20.6	25.7	100.0 (257)
/	14.2	29.8	22.2	16.9	16.9	100.0 (675)
	19.9	31.8	17.9	15.7	14.6	100.0 (396)
(4)						
	16.0	29.4	19.7	17.6	17.3	100.0 (630)
	17.3	28.3	20.3	17.3	16.7	100.0 (300)
	10.9	28.8	23.0	16.7	20.5	100.0 (430)
(5)						
/	11.9	20.8	23.3	21.3	22.8	100.0 (202)
/	9.6	25.3	25.3	20.5	19.3	100.0 (83)
가	16.3	32.4	19.9	15.7	15.7	100.0 (728)
가	20.1	26.4	16.0	18.1	19.4	100.0 (144)
	3.9	43.1	21.6	11.8	19.6	100.0 (51)
/	13.3	21.3	24.0	26.7	14.7	100.0 (75)
	2.6	13.2	34.2	15.8	34.2	100.0 (38)
	15.2	32.6	21.7	10.9	19.6	100.0 (46)
(6)						
	7.7	7.7	30.8	23.1	30.8	100.0 (46)
	13.0	39.1	23.9	8.7	15.2	100.0 (749)
	13.4	30.6	20.8	18.7	16.6	100.0 (419)
	16.7	26.7	22.2	15.8	18.6	100.0 (107)
	15.9	29.0	15.9	15.9	23.4	100.0 (28)
	17.9	7.1	25.0	21.4	28.6	100.0 (5)
(7)						
가	20.0	20.0	20.0	20.0	20.0	100.0 (5)
100	12.5	12.5	17.5	20.0	37.5	100.0 (40)
100-199	13.4	28.9	22.2	15.5	20.1	100.0 (194)
200-299	16.9	25.6	23.9	17.3	16.3	100.0 (301)
300-399	14.6	34.0	17.4	17.4	16.6	100.0 (247)
400-499	12.3	34.9	21.2	13.0	18.5	100.0 (146)
500	15.2	29.0	18.6	21.2	16.0	100.0 (231)

2.3.11 ' (

17.11)

%

	()					
(1)	44.8	40.8	12.3	1.4	.8	100.0 (1001)
	51.7	35.5	11.4	.7	.7	100.0 (431)
(2)						
30	58.5	28.0	11.9	.8	.8	100.0 (118)
30-39	52.4	35.8	10.1	1.0	.7	100.0 (307)
40-49	49.1	40.1	9.0	1.0	.7	100.0 (401)
50-59	40.0	42.3	14.9	1.7	1.1	100.0 (350)
60	40.4	43.2	14.8	1.2	.4	100.0 (250)
(3)						
/	59.5	23.8	14.3	-	2.4	100.0 (42)
/	49.8	35.4	12.7	1.4	.7	100.0 (291)
/	46.9	37.9	13.4	1.3	.6	100.0 (702)
	43.3	45.8	8.9	1.0	1.0	100.0 (395)
(4)						
	47.0	38.9	11.1	1.5	1.5	100.0 (660)
	42.2	41.2	14.9	1.6	-	100.0 (308)
	50.1	37.6	11.6	.4	.2	100.0 (457)
(5)						
/	51.2	32.7	14.3	.9	.9	100.0 (217)
/	32.9	49.4	16.5	1.2	-	100.0 (85)
가	45.0	41.7	11.3	1.3	.7	100.0 (743)
가	51.9	34.6	11.5	1.3	.6	100.0 (156)
	51.8	37.5	8.9	-	1.8	100.0 (56)
/	51.8	34.1	11.8	1.2	1.2	100.0 (85)
	43.9	41.5	14.6	-	-	100.0 (41)
	53.1	34.7	8.2	2.0	2.0	100.0 (49)
(6)						
	58.3	16.7	16.7	8.3	-	100.0 (12)
	45.7	32.6	19.6	2.2	-	100.0 (46)
	44.7	42.6	11.3	1.2	.3	100.0 (779)
	46.8	39.0	11.7	.5	2.0	100.0 (444)
	56.8	27.9	12.6	2.7	-	100.0 (111)
	60.6	18.2	18.2	3.0	-	100.0 (33)
(7)						
	83.3	16.7	-	-	-	100.0 (6)
100	60.5	23.3	14.0	2.3	-	100.0 (43)
100-199	44.9	38.5	14.6	1.5	.5	100.0 (205)
200-299	49.4	37.7	11.7	.9	.3	100.0 (316)
300-399	42.8	43.2	11.7	1.2	1.2	100.0 (257)
400-499	40.0	51.3	8.0	.7	-	100.0 (150)
500	47.7	36.6	14.0	1.7	-	100.0 (235)

2.3.13

가 (18.1)

%

()						
(1)		68.9	25.4	4.9	.8	100.0 (1037)
		77.4	16.8	4.5	1.3	100.0 (447)
(2)		71.4	21.8	5.0	1.7	100.0 (119)
	30	74.9	21.9	2.2	1.0	100.0 (315)
	30-39	69.0	24.7	5.3	1.0	100.0 (413)
	40-49	69.5	23.6	5.8	1.1	100.0 (364)
	50-59	74.7	19.6	5.3	.4	100.0 (265)
	60					
(3)		83.3	8.3	6.3	2.1	100.0 (48)
	/	68.8	25.8	5.4	-	100.0 (298)
	/	69.5	24.4	4.8	1.2	100.0 (725)
	/	75.5	19.6	3.9	1.0	100.0 (408)
(4)		70.9	21.5	6.2	1.4	100.0 (694)
		71.4	23.5	4.1	1.0	100.0 (315)
		72.8	24.0	3.0	.2	100.0 (467)
(5)		69.2	24.7	5.3	.9	100.0 (227)
	/	70.2	23.8	4.8	1.2	100.0 (84)
	/	75.0	19.5	4.6	.9	100.0 (769)
	가	61.3	31.3	6.3	1.3	100.0 (160)
	가	65.5	31.0	3.4	-	100.0 (58)
	/	70.0	25.6	3.3	1.1	100.0 (90)
		71.7	19.6	8.7	-	100.0 (46)
		72.0	24.0	2.0	2.0	100.0 (50)
(6)		85.7	14.3	-	-	100.0 (14)
		68.8	25.0	6.3	-	100.0 (48)
		69.4	24.1	5.5	1.0	100.0 (801)
		72.8	22.8	3.7	.7	100.0 (460)
		78.5	14.0	5.0	2.5	100.0 (121)
		76.5	20.6	2.9	-	100.0 (34)
(7)	가	100.0	-	-	-	100.0 (7)
	100	87.2	10.6	2.1	-	100.0 (47)
	100-199	70.7	21.9	6.0	1.4	100.0 (215)
	200-299	65.2	28.6	4.9	1.2	100.0 (325)
	300-399	72.5	20.4	6.8	.4	100.0 (265)
	400-499	70.7	22.9	5.7	.6	100.0 (157)
	500	76.6	20.1	2.5	.8	100.0 (239)

2.3.14

가 (18.2)

%

							()
(1)		52.2	31.3	14.1	2.0	.4	100.0 (1030)
		53.4	33.8	10.4	2.3	.2	100.0 (444)
(2)		40.2	35.0	21.4	3.4	-	100.0 (117)
	30	55.4	29.9	12.1	1.9	.6	100.0 (314)
	30-39	51.5	32.3	14.6	1.7	-	100.0 (412)
	40-49	52.8	34.3	11.0	1.4	.6	100.0 (362)
	50-59	55.9	30.3	10.3	3.1	.4	100.0 (261)
	60						
(3)		65.1	25.6	4.7	2.3	2.3	100.0 (43)
	/	50.2	32.2	14.6	3.1	-	100.0 (295)
	/	51.9	33.1	13.1	1.7	.1	100.0 (724)
	/	54.1	30.7	12.5	2.0	.7	100.0 (407)
(4)		50.8	30.4	15.8	2.3	.7	100.0 (691)
		52.4	37.8	8.3	1.6	-	100.0 (315)
		55.7	30.2	12.0	2.2	-	100.0 (460)
(5)		50.0	35.3	10.7	3.6	.4	100.0 (224)
	/	50.6	32.5	15.7	1.2	-	100.0 (83)
	/	55.7	30.4	11.6	2.0	.4	100.0 (769)
	가	48.4	29.9	19.7	1.9	-	100.0 (157)
	가	48.3	34.5	15.5	1.7	-	100.0 (58)
	/	50.6	29.2	16.9	2.2	1.1	100.0 (89)
		42.2	44.4	11.1	2.2	-	100.0 (45)
		51.0	38.8	10.2	-	-	100.0 (49)
(6)		61.5	30.8	7.7	-	-	100.0 (13)
		43.8	27.1	20.8	4.2	4.2	100.0 (48)
		51.0	32.3	14.0	2.3	.4	100.0 (798)
		53.3	33.6	11.8	1.3	-	100.0 (458)
		59.3	28.0	9.3	3.4	-	100.0 (118)
		63.6	24.2	9.1	3.0	-	100.0 (33)
(7)	가	71.4	14.3	14.3	-	-	100.0 (7)
	100	68.2	25.0	6.8	-	-	100.0 (44)
	100-199	52.6	34.0	11.6	1.9	-	100.0 (215)
	200-299	47.5	31.1	17.1	3.7	.6	100.0 (322)
	300-399	48.9	34.8	14.4	1.5	.4	100.0 (264)
	400-499	52.9	31.2	14.0	1.9	-	100.0 (157)
	500	56.7	29.8	11.8	.8	.8	100.0 (238)

2.3.15

가

가 (18.3)

%

							()
(1)		70.0	22.1	6.6	1.2	.2	100.0 (1032)
		74.7	19.3	5.6	.4	-	100.0 (446)
(2)		78.3	15.0	5.0	1.7	-	100.0 (120)
30		71.2	22.5	5.7	.6	-	100.0 (316)
30-39		69.7	21.8	7.8	.7	-	100.0 (409)
40-49		69.9	23.8	4.7	1.4	.3	100.0 (362)
50-59		73.6	18.1	7.2	.8	.4	100.0 (265)
60							
(3)		83.7	7.0	7.0	2.3	-	100.0 (43)
/		64.3	23.9	10.4	1.0	.3	100.0 (297)
/		69.6	22.6	6.6	1.1	.1	100.0 (727)
/		78.9	18.2	2.5	.5	-	100.0 (407)
(4)		69.8	21.9	7.2	.9	.1	100.0 (693)
		75.8	17.5	5.1	1.6	-	100.0 (314)
		70.6	22.7	5.8	.6	.2	100.0 (463)
(5)		72.7	20.3	6.6	.4	-	100.0 (227)
/		66.3	30.1	2.4	1.2	-	100.0 (83)
/		75.9	19.1	4.3	.6	.1	100.0 (771)
가		59.5	22.2	15.8	2.5	-	100.0 (158)
가		60.3	31.0	6.9	1.7	-	100.0 (58)
/		64.0	24.7	10.1	-	1.1	100.0 (89)
		61.9	26.2	7.1	4.8	-	100.0 (42)
		76.0	20.0	4.0	-	-	100.0 (50)
(6)		64.3	35.7	-	-	-	100.0 (14)
		66.7	20.8	12.5	-	-	100.0 (48)
		72.0	21.8	5.4	.9	-	100.0 (799)
		69.1	22.2	7.4	.9	.4	100.0 (460)
		76.1	13.7	7.7	2.6	-	100.0 (117)
		79.4	17.6	2.9	-	-	100.0 (34)
(7)	가	85.7	-	14.3	-	-	100.0 (7)
100		88.9	8.9	2.2	-	-	100.0 (45)
100-199		70.6	20.1	7.0	1.9	.5	100.0 (214)
200-299		65.4	23.8	9.9	.9	-	100.0 (324)
300-399		70.5	22.7	5.3	1.1	.4	100.0 (264)
400-499		72.0	22.9	3.8	1.3	-	100.0 (157)
500		76.2	20.5	2.9	.4	-	100.0 (239)

2.3.16

가 (18.4)

%

							()
(1)		34.6	36.1	20.0	7.7	1.5	100.0 (1013)
		32.9	32.4	23.0	8.5	3.2	100.0 (435)
(2)							
	30	44.0	33.6	15.5	6.0	.9	100.0 (116)
	30-39	33.4	37.9	21.5	6.4	.6	100.0 (311)
	40-49	27.0	36.4	23.1	9.8	3.7	100.0 (407)
	50-59	35.5	32.4	20.6	9.6	2.0	100.0 (355)
	60	40.2	33.1	19.9	5.2	1.6	100.0 (251)
(3)							
	/	52.4	16.7	14.3	7.1	9.5	100.0 (42)
	/	32.9	30.7	21.6	10.6	4.2	100.0 (283)
	/	35.1	36.2	20.4	7.3	1.0	100.0 (712)
	/	31.8	37.4	21.9	7.4	1.5	100.0 (406)
(4)							
		36.8	33.4	19.7	8.8	1.3	100.0 (680)
		27.6	37.2	26.0	7.9	1.3	100.0 (304)
		34.0	36.2	19.5	6.8	3.5	100.0 (456)
(5)							
	/	37.9	30.1	22.8	6.8	2.3	100.0 (219)
	/	25.0	52.5	16.3	6.3	-	100.0 (80)
	가	34.1	35.3	20.9	8.0	1.7	100.0 (760)
	가	30.3	32.9	23.7	11.2	2.0	100.0 (152)
		37.9	32.8	20.7	8.6	-	100.0 (58)
	/	36.0	30.3	23.6	4.5	5.6	100.0 (89)
		33.3	33.3	14.3	14.3	4.8	100.0 (42)
		37.5	43.8	12.5	4.2	2.1	100.0 (48)
(6)							
		42.9	14.3	35.7	7.1	-	100.0 (14)
		29.2	25.0	31.3	10.4	4.2	100.0 (48)
		30.2	38.5	21.7	7.9	1.7	100.0 (782)
		35.9	33.7	20.6	8.0	1.8	100.0 (451)
		48.3	27.6	13.8	6.9	3.4	100.0 (116)
		58.1	16.1	12.9	9.7	3.2	100.0 (31)
(7)	가						
		16.7	50.0	16.7	-	16.7	100.0 (6)
	100	52.4	21.4	16.7	9.5	-	100.0 (42)
	100-199	37.3	32.1	20.1	9.1	1.4	100.0 (209)
	200-299	28.1	38.9	23.5	8.6	.9	100.0 (324)
	300-399	32.2	34.9	21.2	8.2	3.5	100.0 (255)
	400-499	38.3	33.8	20.1	6.5	1.3	100.0 (154)
	500	29.0	39.1	22.3	7.6	2.1	100.0 (238)

2.3.17

가 (18.5) %

							()
(1)		26.8	29.2	26.2	12.5	5.3	100.0 (997)
		25.1	25.8	28.0	14.7	6.4	100.0 (422)
(2)							
	30	31.0	24.8	28.3	10.6	5.3	100.0 (113)
	30-39	25.2	31.1	27.5	13.6	2.6	100.0 (302)
	40-49	19.8	30.5	26.3	16.5	7.0	100.0 (400)
	50-59	25.4	25.9	27.1	14.4	7.2	100.0 (347)
	60	37.2	25.2	25.2	7.2	5.2	100.0 (250)
(3)							
	/	39.0	17.1	17.1	7.3	19.5	100.0 (41)
	/	24.5	25.6	28.2	13.4	8.3	100.0 (277)
	/	27.8	29.9	26.3	12.7	3.3	100.0 (695)
	/	23.9	27.9	27.2	14.5	6.5	100.0 (401)
(4)							
		29.5	28.9	22.6	13.9	4.9	100.0 (667)
		22.7	21.7	37.6	12.5	5.4	100.0 (295)
		23.4	31.2	26.1	12.5	6.9	100.0 (449)
(5)							
	/	32.3	21.2	27.6	11.1	7.8	100.0 (217)
	/	17.7	40.5	32.9	7.6	1.3	100.0 (79)
	가	26.0	29.8	25.1	13.7	5.5	100.0 (746)
	가	21.5	28.9	27.5	18.1	4.0	100.0 (149)
	가	32.1	21.4	28.6	14.3	3.6	100.0 (56)
	/	24.7	27.1	28.2	12.9	7.1	100.0 (85)
		22.5	22.5	30.0	12.5	12.5	100.0 (40)
		31.9	27.7	27.7	8.5	4.3	100.0 (47)
(6)							
		38.5	30.8	30.8	-	-	100.0 (13)
		23.4	19.1	31.9	19.1	6.4	100.0 (47)
		21.5	28.9	29.8	13.8	6.0	100.0 (762)
		30.0	28.9	23.0	13.4	4.7	100.0 (447)
		38.1	27.4	18.6	8.8	7.1	100.0 (113)
		48.4	16.1	22.6	9.7	3.2	100.0 (31)
(7)	가						
		50.0	-	50.0	-	-	100.0 (6)
	100	40.5	23.8	14.3	14.3	7.1	100.0 (42)
	100-199	27.2	25.2	29.1	11.7	6.8	100.0 (206)
	200-299	25.6	30.3	27.4	13.6	3.2	100.0 (317)
	300-399	22.9	30.2	28.2	13.1	5.7	100.0 (245)
	400-499	28.2	26.2	26.8	13.4	5.4	100.0 (149)
	500	24.4	27.4	25.2	15.8	7.3	100.0 (234)

2.4.1

(19.1)
%

							()
(1)		44.6	23.9	13.1	12.7	5.7	100.0 (1023)
		31.5	28.3	15.9	19.0	5.2	100.0 (441)
(2)							
	30	23.9	24.8	21.4	23.9	6.0	100.0 (117)
	30-39	30.5	30.8	14.6	16.2	7.8	100.0 (308)
	40-49	31.9	27.3	18.7	17.0	5.2	100.0 (407)
	50-59	48.8	24.7	10.2	12.7	3.6	100.0 (361)
	60	62.5	17.0	7.2	7.6	5.7	100.0 (264)
(3)							
	/	52.4	14.3	9.5	9.5	14.3	100.0 (42)
	/	51.7	21.3	10.8	11.5	4.7	100.0 (296)
	/	38.6	26.4	15.1	15.5	4.4	100.0 (721)
	/	35.0	27.8	14.5	15.8	7.0	100.0 (400)
(4)							
		38.8	25.2	14.8	14.6	6.6	100.0 (683)
		36.3	28.0	14.8	16.7	4.2	100.0 (311)
		46.3	23.6	12.1	13.2	4.8	100.0 (462)
(5)							
	/	46.0	23.7	12.5	10.7	7.1	100.0 (224)
	/	51.8	27.7	6.0	14.5	-	100.0 (83)
	가	38.6	26.1	13.5	15.7	6.0	100.0 (762)
	가	35.7	28.0	19.7	13.4	3.2	100.0 (157)
	가	39.7	25.9	12.1	17.2	5.2	100.0 (58)
	/	35.6	20.7	17.2	20.7	5.7	100.0 (87)
	/	50.0	25.0	9.1	11.4	4.5	100.0 (44)
	/	46.9	14.3	22.4	8.2	8.2	100.0 (49)
(6)							
		42.9	28.6	7.1	21.4	-	100.0 (14)
		43.8	12.5	16.7	27.1	-	100.0 (48)
		39.1	26.8	14.4	13.9	5.7	100.0 (790)
		40.0	26.6	14.3	13.2	5.9	100.0 (455)
		47.4	19.0	9.5	19.0	5.2	100.0 (116)
		57.6	12.1	9.1	15.2	6.1	100.0 (33)
(7)	가						
	100	85.7	14.3	-	-	-	100.0 (7)
	100-199	56.8	20.5	6.8	15.9	-	100.0 (44)
	200-299	38.0	23.9	18.3	15.5	4.2	100.0 (213)
	300-399	35.0	29.4	13.1	15.0	7.5	100.0 (320)
	400-499	39.2	24.6	16.2	16.2	3.8	100.0 (260)
	500	42.9	24.0	11.0	18.8	3.2	100.0 (154)
		39.5	27.7	13.4	14.7	4.6	100.0 (238)

2.4.2 ' (19.2)

%

							()
(1)		23.9	30.5	21.9	12.9	10.8	100.0 (1014)
		16.1	25.9	28.0	13.3	16.6	100.0 (428)
(2)							
	30	15.5	24.1	20.7	20.7	19.0	100.0 (116)
	30-39	21.1	32.5	24.4	10.1	12.0	100.0 (308)
	40-49	19.2	32.6	26.1	12.4	9.7	100.0 (402)
	50-59	24.1	26.1	21.2	12.7	15.9	100.0 (353)
	60	25.1	25.5	24.3	14.5	10.6	100.0 (255)
(3)							
	/	35.9	15.4	23.1	7.7	17.9	100.0 (39)
	/	22.5	27.0	20.4	13.5	16.6	100.0 (289)
	/	19.1	30.0	24.1	13.5	13.3	100.0 (713)
	/	24.2	30.3	25.0	12.6	7.8	100.0 (396)
(4)							
		22.4	27.3	25.5	12.5	12.4	100.0 (671)
		19.9	32.2	23.5	13.4	11.1	100.0 (307)
		21.9	29.4	21.7	13.4	13.6	100.0 (456)
(5)							
	/	24.2	22.4	23.7	13.2	16.4	100.0 (219)
	/	13.3	33.7	16.9	24.1	12.0	100.0 (83)
	가	20.5	29.9	26.1	12.4	11.2	100.0 (752)
	가	23.6	34.4	18.5	11.5	12.1	100.0 (157)
	가	24.6	29.8	21.1	10.5	14.0	100.0 (57)
	/	23.5	25.9	24.7	11.8	14.1	100.0 (85)
	/	29.3	19.5	17.1	17.1	17.1	100.0 (41)
	/	20.8	35.4	22.9	10.4	10.4	100.0 (48)
(6)							
		30.8	46.2	-	7.7	15.4	100.0 (13)
		20.8	22.9	29.2	16.7	10.4	100.0 (48)
		17.9	29.2	24.8	14.7	13.3	100.0 (781)
		25.1	30.2	23.9	9.6	11.2	100.0 (447)
		27.8	28.7	16.5	14.8	12.2	100.0 (115)
		37.5	15.6	21.9	6.3	18.8	100.0 (32)
(7)	가						
		33.3	-	50.0	16.7	-	100.0 (6)
	100	35.6	20.0	15.6	13.3	15.6	100.0 (45)
	100-199	23.7	33.2	20.9	8.5	13.7	100.0 (211)
	200-299	23.7	34.4	21.5	10.1	10.4	100.0 (317)
	300-399	20.9	28.3	26.4	13.2	11.2	100.0 (258)
	400-499	14.7	30.8	26.9	17.3	10.3	100.0 (156)
	500	22.9	24.2	22.9	14.3	15.6	100.0 (231)

2.4.4

(19.4) 가 %

							()
(1)		4.6	7.8	12.7	26.2	48.7	100.0 (1025)
		3.0	9.3	12.0	28.4	47.3	100.0 (440)
(2)							
	30	2.5	6.7	11.8	34.5	44.5	100.0 (119)
	30-39	3.5	8.3	11.2	26.5	50.5	100.0 (313)
	40-49	2.2	6.4	10.4	29.0	52.0	100.0 (404)
	50-59	3.6	6.0	13.5	23.9	53.0	100.0 (364)
	60	8.6	14.8	16.3	25.7	34.6	100.0 (257)
(3)							
	/	13.6	9.1	11.4	18.2	47.7	100.0 (44)
	/	6.5	9.5	12.9	31.0	40.1	100.0 (294)
	/	3.9	8.0	13.2	26.2	48.7	100.0 (721)
	/	1.7	7.7	10.7	26.4	53.4	100.0 (401)
(4)							
		4.1	7.9	13.0	26.9	48.0	100.0 (683)
		4.8	9.3	14.1	25.1	46.6	100.0 (311)
		3.7	8.2	10.4	27.9	49.9	100.0 (463)
(5)							
	/	7.7	8.1	16.2	27.0	41.0	100.0 (222)
	/	-	8.3	11.9	31.0	48.8	100.0 (84)
	가	3.0	8.3	12.4	24.3	52.0	100.0 (761)
	가	6.2	8.7	14.9	31.7	38.5	100.0 (161)
	/	-	5.2	8.6	39.7	46.6	100.0 (58)
	/	4.6	10.3	3.4	29.9	51.7	100.0 (87)
	/	11.4	4.5	6.8	31.8	45.5	100.0 (44)
	/	2.1	10.4	16.7	18.8	52.1	100.0 (48)
(6)							
		-	7.7	7.7	30.8	53.8	100.0 (13)
		2.1	4.2	20.8	27.1	45.8	100.0 (48)
		3.3	7.7	12.7	28.4	48.0	100.0 (790)
		4.0	9.0	12.1	25.9	49.0	100.0 (455)
		10.1	10.1	12.6	19.3	47.9	100.0 (119)
		6.1	12.1	6.1	30.3	45.5	100.0 (33)
(7)	가						
		33.3	16.7	16.7	33.3	-	100.0 (6)
	100	18.2	15.9	6.8	25.0	34.1	100.0 (44)
	100-199	7.4	7.4	17.7	23.7	43.7	100.0 (215)
	200-299	3.1	8.4	14.0	26.4	48.1	100.0 (322)
	300-399	2.7	10.0	8.8	28.5	50.0	100.0 (260)
	400-499	3.2	6.4	9.6	27.6	53.2	100.0 (156)
	500	.8	5.9	10.9	29.0	53.4	100.0 (238)

2.4.5

가

(20)

%

								()
(1)		39.9	47.2	1.1	7.7	2.4	1.7	100.0(1042)
		35.6	49.6	3.1	7.3	2.4	2.0	100.0 (450)
(2)								
	30	45.0	38.3	2.5	6.7	5.8	1.7	100.0 (120)
	30-39	42.5	42.2	2.2	8.3	3.2	1.6	100.0 (315)
	40-49	39.2	46.2	1.2	8.5	1.9	2.9	100.0 (413)
	50-59	36.6	53.0	1.4	5.7	1.9	1.4	100.0 (366)
	60	32.6	55.2	1.9	8.1	1.1	1.1	100.0 (270)
(3)								
	/	26.5	55.1	2.0	14.3	2.0	-	100.0 (49)
	/	37.0	47.2	1.7	10.2	2.6	1.3	100.0 (303)
	/	39.5	47.2	1.9	7.3	1.9	2.2	100.0 (727)
		39.7	49.0	1.2	5.4	2.9	1.7	100.0 (408)
(4)								
		35.3	51.2	1.6	6.9	2.7	2.3	100.0 (699)
		45.1	46.0	.6	6.0	1.3	1.0	100.0 (315)
		39.6	44.0	2.6	9.4	2.8	1.7	100.0 (470)
(5)								
	/	36.8	47.2	2.2	8.7	3.5	1.7	100.0 (231)
	/	36.5	48.2	1.2	10.6	2.4	1.2	100.0 (85)
	가	37.9	50.5	1.3	5.8	2.3	2.2	100.0 (771)
	가	43.5	39.1	3.7	11.8	1.9	-	100.0 (161)
		46.6	43.1	-	6.9	-	3.4	100.0 (58)
	/	35.6	53.3	2.2	5.6	2.2	1.1	100.0 (90)
		41.3	39.1	-	13.0	4.3	2.2	100.0 (46)
		40.0	44.0	2.0	10.0	2.0	2.0	100.0 (50)
(6)								
		28.6	57.1	-	14.3	-	-	100.0 (14)
		39.6	52.1	2.1	6.3	-	-	100.0 (48)
		39.2	48.9	1.5	6.7	2.2	1.4	100.0 (803)
		38.9	45.4	1.7	8.2	2.8	3.0	100.0 (463)
		34.1	48.0	1.6	11.4	3.3	1.6	100.0 (123)
		41.2	44.1	5.9	5.9	2.9	-	100.0 (34)
(7)	가							
		42.9	14.3	28.6	14.3	-	-	100.0 (7)
	100	42.6	40.4	2.1	8.5	2.1	4.3	100.0 (47)
	100-199	41.4	47.0	1.9	4.7	2.8	2.3	100.0 (215)
	200-299	43.1	40.9	1.8	9.5	2.5	2.2	100.0 (325)
	300-399	41.1	50.2	1.5	5.3	1.1	.8	100.0 (265)
	400-499	34.4	50.3	1.3	10.2	2.5	1.3	100.0 (157)
	500	35.3	52.7	.8	5.4	4.1	1.7	100.0 (241)

2.4.6 가 (21)
%

		가 ()			
(1)		28.9 24.8	50.0 49.3	21.1 25.9	100.0 (1040) 100.0 (448)
(2)					
	30	16.8	55.5	27.7	100.0 (119)
	30-39	24.2	51.0	24.8	100.0 (314)
	40-49	28.6	51.2	20.1	100.0 (412)
	50-59	30.7	50.1	19.2	100.0 (365)
	60	30.4	44.1	25.6	100.0 (270)
(3)					
	/	29.2	35.4	35.4	100.0 (48)
	/	25.2	52.6	22.2	100.0 (302)
	/	26.6	49.7	23.7	100.0 (726)
	/	31.4	49.6	18.9	100.0 (407)
(4)					
		26.7	51.0	22.3	100.0 (696)
		24.1	50.2	25.7	100.0 (315)
		31.3	47.8	20.9	100.0 (469)
(5)					
	/	22.2	49.6	28.3	100.0 (230)
	/	37.6	44.7	17.6	100.0 (85)
	가	28.1	52.9	19.1	100.0 (770)
	가	21.4	49.1	29.6	100.0 (159)
	/	32.8	41.4	25.9	100.0 (58)
	/	34.4	37.8	27.8	100.0 (90)
	/	34.8	47.8	17.4	100.0 (46)
	/	26.0	48.0	26.0	100.0 (50)
(6)					
		14.3	50.0	35.7	100.0 (14)
		35.4	50.0	14.6	100.0 (48)
		27.1	49.4	23.6	100.0 (802)
		28.8	50.0	21.2	100.0 (462)
		28.9	49.6	21.5	100.0 (121)
		20.0	54.3	25.7	100.0 (35)
(7)	가				
		57.1	42.9	-	100.0 (7)
	100	31.9	44.7	23.4	100.0 (47)
	100-199	21.4	54.0	24.7	100.0 (215)
	200-299	27.9	50.8	21.4	100.0 (323)
	300-399	31.7	46.8	21.5	100.0 (265)
	400-499	26.1	51.0	22.9	100.0 (157)
	500	30.4	48.8	20.8	100.0 (240)

2.5.1

(22.1)

%

							()
(1)		20.7	39.6	21.2	12.4	6.2	100.0(1016)
		11.1	38.2	25.8	14.9	10.0	100.0 (442)
(2)		23.3	37.5	25.0	8.3	5.8	100.0 (120)
	30	22.7	41.5	18.5	12.8	4.5	100.0 (313)
	30-39	16.5	41.2	22.7	13.1	6.4	100.0 (405)
	40-49	14.6	37.9	24.4	14.0	9.0	100.0 (356)
	50-59	16.0	35.4	23.3	14.4	10.9	100.0 (257)
	60						
(3)		20.5	38.6	20.5	11.4	9.1	100.0 (44)
	/	17.3	36.3	22.5	15.6	8.3	100.0 (289)
	/	18.5	40.9	22.6	12.7	5.3	100.0 (717)
	/	16.6	37.7	23.1	12.4	10.2	100.0 (403)
(4)		19.6	38.1	21.8	11.9	8.5	100.0 (682)
		12.7	41.7	23.6	17.8	4.1	100.0 (314)
		17.8	39.0	23.3	11.9	7.9	100.0 (454)
(5)		15.9	35.5	25.5	12.3	10.9	100.0 (220)
	/	9.6	43.4	19.3	18.1	9.6	100.0 (83)
	/	18.6	39.4	21.7	12.7	7.6	100.0 (764)
	가	20.4	37.6	24.2	12.1	5.7	100.0 (157)
	가	19.0	34.5	25.9	19.0	1.7	100.0 (58)
	/	17.2	40.2	24.1	12.6	5.7	100.0 (87)
		14.6	51.2	19.5	12.2	2.4	100.0 (41)
		20.8	43.8	18.8	14.6	2.1	100.0 (48)
(6)		28.6	42.9	7.1	14.3	7.1	100.0 (14)
		16.7	33.3	37.5	8.3	4.2	100.0 (48)
		15.6	41.1	22.4	12.7	8.1	100.0 (793)
		19.5	38.3	22.3	13.5	6.4	100.0 (452)
		23.9	34.5	17.7	15.9	8.0	100.0 (113)
		25.0	31.3	25.0	12.5	6.3	100.0 (32)
(7)	가	50.0	33.3	-	-	16.7	100.0 (6)
	100	22.7	34.1	25.0	9.1	9.1	100.0 (44)
	100-199	16.4	36.2	25.8	14.1	7.5	100.0 (213)
	200-299	16.1	39.6	22.9	15.5	5.9	100.0 (323)
	300-399	15.9	40.7	22.1	12.4	8.9	100.0 (258)
	400-499	18.8	43.5	20.1	12.3	5.2	100.0 (154)
	500	18.5	39.9	21.8	12.2	7.6	100.0 (238)

2.5.2

(22.2)

%

							()
(1)		53.0	34.9	9.2	2.1	.8	100.0(1030)
		52.1	38.0	6.5	2.0	1.3	100.0 (447)
(2)							
	30	65.3	28.1	5.0	1.7	-	100.0 (121)
	30-39	57.9	34.8	4.7	1.6	.9	100.0 (316)
	40-49	50.4	37.9	9.0	2.0	.7	100.0 (409)
	50-59	48.2	37.1	11.1	2.5	1.1	100.0 (361)
	60	50.8	35.5	9.5	2.7	1.5	100.0 (262)
(3)							
	/	56.5	28.3	10.9	4.3	-	100.0 (46)
	/	52.5	35.6	7.8	3.1	1.0	100.0 (295)
	/	52.0	35.3	9.5	2.2	1.0	100.0 (725)
	/	53.9	37.4	6.7	1.0	1.0	100.0 (406)
(4)							
		50.4	35.8	11.2	1.3	1.3	100.0 (690)
		48.6	39.0	7.3	4.5	.6	100.0 (313)
		58.4	34.1	5.2	1.7	.6	100.0 (466)
(5)							
	/	57.3	32.4	6.7	2.7	.9	100.0 (225)
	/	37.8	41.5	13.4	6.1	1.2	100.0 (82)
	가	54.2	35.4	8.2	1.3	.9	100.0 (768)
	가	47.8	39.8	8.1	3.7	.6	100.0 (161)
	가	55.2	37.9	1.7	3.4	1.7	100.0 (58)
	/	50.6	34.8	12.4	2.2	-	100.0 (89)
		52.3	43.2	4.5	-	-	100.0 (44)
		52.0	28.0	16.0	-	4.0	100.0 (50)
(6)							
		57.1	21.4	14.3	-	7.1	100.0 (14)
		50.0	35.4	12.5	2.1	-	100.0 (48)
		48.5	38.3	9.5	2.8	1.0	100.0 (800)
		55.8	35.9	6.8	.9	.7	100.0 (457)
		64.7	24.4	6.7	2.5	1.7	100.0 (119)
		72.7	24.2	-	3.0	-	100.0 (33)
(7)	가						
		83.3	16.7	-	-	-	100.0 (6)
	100	62.2	26.7	8.9	2.2	-	100.0 (45)
	100-199	54.4	34.0	6.5	3.7	1.4	100.0 (215)
	200-299	51.5	36.5	8.9	2.5	.6	100.0 (326)
	300-399	50.8	38.2	8.4	1.9	.8	100.0 (262)
	400-499	54.5	35.9	7.7	.6	1.3	100.0 (156)
	500	47.7	41.1	8.7	1.2	1.2	100.0 (241)

2.5.3

(22.3)

%

							()
(1)		38.0	45.4	11.8	3.8	1.1	100.0 (1029)
		38.8	44.5	11.5	3.2	2.0	100.0 (443)
(2)							
	30	47.1	43.8	5.8	1.7	1.7	100.0 (121)
	30-39	39.9	50.0	7.3	1.9	.9	100.0 (316)
	40-49	38.6	44.0	12.7	3.4	1.2	100.0 (409)
	50-59	34.3	44.0	15.3	4.5	1.9	100.0 (39)
	60	36.8	43.3	13.0	5.7	1.1	100.0 (261)
(3)							
	/	46.7	31.1	17.8	2.2	2.2	100.0 (45)
	/	34.5	46.1	13.3	4.8	1.4	100.0 (293)
	/	36.4	46.5	12.2	3.7	1.2	100.0 (723)
	/	42.8	44.0	9.1	2.7	1.5	100.0 (407)
(4)							
		37.2	44.9	12.8	3.2	1.9	100.0 (688)
		34.3	46.7	12.7	5.4	1.0	100.0 (315)
		42.5	44.3	9.3	3.0	.9	100.0 (461)
(5)							
	/	37.9	42.4	12.5	4.5	2.7	100.0 (224)
	/	32.5	43.4	18.1	3.6	2.4	100.0 (83)
	가	40.3	44.8	10.7	3.4	.8	100.0 (765)
	가	35.6	48.8	11.9	3.1	.6	100.0 (160)
		37.9	51.7	8.6	1.7	-	100.0 (58)
	/	33.3	44.4	16.7	2.2	3.3	100.0 (90)
		31.0	52.4	7.1	9.5	-	100.0 (42)
		42.0	40.0	10.0	4.0	4.0	100.0 (50)
(6)							
		64.3	14.3	7.1	7.1	7.1	100.0 (14)
		41.7	29.2	25.0	4.2	-	100.0 (48)
		35.7	47.1	10.9	4.5	1.8	100.0 (798)
		39.0	46.1	11.6	2.4	.9	100.0 (456)
		44.4	41.9	11.1	2.6	-	100.0 (117)
		50.0	35.3	14.7	-	-	100.0 (34)
(7)	가						
		66.7	16.7	16.7	-	-	100.0 (6)
	100	47.7	31.8	15.9	4.5	-	100.0 (44)
	100-199	37.6	46.9	11.3	2.3	1.9	100.0 (213)
	200-299	33.8	48.6	11.7	4.9	.9	100.0 (325)
	300-399	38.7	45.2	11.9	2.7	1.5	100.0 (261)
	400-499	37.2	47.4	11.5	1.9	1.9	100.0 (156)
	500	39.2	41.7	12.9	5.0	1.3	100.0 (240)

2.5.4

가 (22.4) %

							()
(1)		8.2	34.2	26.4	21.9	9.4	100.0(1024)
		9.4	33.4	28.5	17.9	10.8	100.0 (446)
(2)							
	30	10.7	31.4	28.9	19.8	9.1	100.0 (121)
	30-39	8.9	32.4	28.9	20.6	9.2	100.0 (315)
	40-49	5.9	32.7	26.8	24.9	9.8	100.0 (410)
	50-59	7.8	34.9	26.0	20.8	10.5	100.0 (361)
	60	12.9	38.3	24.6	14.5	9.8	100.0 (256)
(3)							
	/	11.4	36.4	20.5	13.6	18.2	100.0 (44)
	/	9.9	28.1	26.0	27.1	8.9	100.0 (292)
	/	9.6	35.4	27.5	17.8	9.8	100.0 (721)
	/	5.6	35.3	27.7	22.1	9.3	100.0 (408)
(4)							
		8.3	31.0	25.4	21.6	13.7	100.0 (686)
		5.4	33.1	29.0	27.1	5.4	100.0 (314)
		10.8	38.7	28.1	15.4	6.9	100.0 (462)
(5)							
	/	11.8	36.8	27.3	13.6	10.5	100.0 (220)
	/	4.8	33.7	36.1	14.5	10.8	100.0 (83)
	가	7.2	34.6	25.5	21.6	11.1	100.0 (768)
	가	10.0	28.8	26.3	25.6	9.4	100.0 (160)
		12.1	32.8	24.1	27.6	3.4	100.0 (58)
	/	10.1	37.1	30.3	19.1	3.4	100.0 (89)
		11.9	26.2	26.2	28.6	7.1	100.0 (42)
		8.0	30.0	34.0	20.0	8.0	100.0 (50)
(6)							
		21.4	42.9	14.3	21.4	-	100.0 (14)
		8.3	25.0	45.8	14.6	6.3	100.0 (48)
		7.4	33.8	26.6	22.8	9.5	100.0 (802)
		9.3	33.3	29.6	17.3	10.4	100.0 (450)
		9.4	40.2	19.7	21.4	9.4	100.0 (117)
		21.2	36.4	6.1	24.2	12.1	100.0 (33)
(7)	가						
		33.3	50.0	16.7	-	-	100.0 (6)
	100	21.7	30.4	21.7	17.4	8.7	100.0 (46)
	100-199	8.9	33.8	24.9	20.7	11.7	100.0 (213)
	200-299	7.2	33.6	30.5	20.9	7.8	100.0 (321)
	300-399	9.2	34.7	28.2	18.3	9.5	100.0 (262)
	400-499	8.3	24.8	32.5	24.8	9.6	100.0 (157)
	500	8.7	36.1	24.9	22.4	7.9	100.0 (241)

2.5.5

가 (22.5) %
()

(1)		24.2	36.5	24.0	12.0	3.4	100.0(1031)
		24.1	32.0	26.1	12.6	5.2	100.0 (444)
(2)							
	30	31.4	37.2	17.4	8.3	5.8	100.0 (121)
	30-39	25.3	40.5	23.7	8.9	1.6	100.0 (316)
	40-49	22.2	32.0	27.1	14.9	3.7	100.0 (409)
	50-59	21.3	35.6	26.0	13.3	3.9	100.0 (362)
	60	26.6	31.7	22.4	12.7	6.6	100.0 (259)
(3)							
	/	39.1	26.1	19.6	6.5	8.7	100.0 (46)
	/	29.2	29.2	24.7	12.2	4.7	100.0 (295)
	/	24.5	35.7	23.7	11.9	4.2	100.0 (722)
	/	18.2	39.3	26.8	13.5	2.2	100.0 (407)
(4)							
		24.9	33.1	24.7	12.5	4.8	100.0 (688)
		17.5	30.8	31.1	18.1	2.5	100.0 (315)
		26.9	41.4	20.0	8.0	3.7	100.0 (464)
(5)							
	/	29.7	31.1	26.1	7.7	5.4	100.0 (222)
	/	11.9	32.1	33.3	20.2	2.4	100.0 (84)
	가	22.0	36.9	24.7	12.7	3.6	100.0 (769)
	가	27.3	36.6	18.6	14.3	3.1	100.0 (161)
	가	29.3	34.5	20.7	13.8	1.7	100.0 (58)
	/	24.7	37.1	24.7	7.9	5.6	100.0 (89)
		42.9	28.6	21.4	4.8	2.4	100.0 (42)
		20.0	28.0	28.0	16.0	8.0	100.0 (50)
(6)							
		7.1	42.9	21.4	21.4	7.1	100.0 (14)
		12.5	25.0	33.3	16.7	12.5	100.0 (48)
		14.8	34.6	29.1	17.0	4.5	100.0 (800)
		31.6	40.4	19.9	5.5	2.6	100.0 (453)
		52.9	27.7	12.6	5.9	.8	100.0 (119)
		68.6	14.3	11.4	2.9	2.9	100.0 (35)
(7)	가						
		33.3	66.7	-	-	-	100.0 (6)
	100	47.8	30.4	10.9	6.5	4.3	100.0 (46)
	100-199	36.9	33.2	19.2	8.4	2.3	100.0 (214)
	200-299	23.8	38.6	25.6	10.5	1.5	100.0 (324)
	300-399	20.6	38.9	26.3	11.5	2.7	100.0 (262)
	400-499	17.9	27.6	32.1	18.6	3.8	100.0 (156)
	500	11.7	33.3	28.8	18.8	7.5	100.0 (240)

2.6.1,

1 (23,1)

%

							()
(1)		68.4	23.7	6.0	1.5	.4	100.0(1041)
		66.9	21.9	9.4	1.8	-	100.0 (447)
(2)		73.6	19.8	4.1	1.7	.8	100.0 (121)
	30	65.4	25.1	8.3	1.0	.3	100.0 (315)
	30-39	66.3	24.5	6.5	2.7	-	100.0 (413)
	40-49	69.6	22.5	7.1	.8	-	100.0 (365)
	50-59	69.5	20.7	7.1	1.9	.8	100.0 (266)
	60						
(3)		77.1	8.3	14.6	-	-	100.0 (48)
	/	69.9	22.7	5.0	1.7	.7	100.0 (299)
	/	65.9	24.9	7.7	1.4	.1	100.0 (728)
	/	68.9	22.5	6.4	2.2	-	100.0 (408)
(4)		71.9	21.2	5.3	1.4	.1	100.0 (697)
		64.1	26.3	8.3	1.3	-	100.0 (315)
		64.3	24.1	8.8	2.1	.6	100.0 (468)
(5)		65.5	22.6	9.7	2.2	-	100.0 (226)
	/	67.4	27.9	4.7	-	-	100.0 (86)
	/	70.2	22.3	5.7	1.8	-	100.0 (771)
	가	68.5	27.2	3.7	-	.6	100.0 (162)
	가	57.9	29.8	8.8	3.5	-	100.0 (57)
	/	61.1	24.4	11.1	2.2	1.1	100.0 (90)
		65.2	15.2	15.2	2.2	2.2	100.0 (46)
		70.0	16.0	12.0	-	2.0	100.0 (50)
(6)		71.4	7.1	14.3	7.1	-	100.0 (14)
		68.8	25.0	6.3	-	-	100.0 (48)
		69.9	22.3	6.5	1.4	-	100.0 (803)
		62.9	27.5	7.2	2.0	.4	100.0 (461)
		71.3	18.0	7.4	1.6	1.6	100.0 (122)
		78.8	6.1	12.1	3.0	-	100.0 (33)
(7)	가	42.9	42.9	14.3	-	-	100.0 (7)
	100	72.3	23.4	4.3	-	-	100.0 (47)
	100-199	65.3	22.2	9.7	1.9	.9	100.0 (216)
	200-299	61.7	28.1	6.5	3.4	.3	100.0 (324)
	300-399	66.8	24.9	7.5	.4	.4	100.0 (265)
	400-499	70.7	20.4	7.0	1.9	-	100.0 (157)
	500	73.9	19.9	5.8	.4	-	100.0 (241)

2.6.2,

2 (23.2) ,

%

							()
(1)		44.1	35.4	15.0	4.0	1.5	100.0(1034)
		43.3	31.8	18.8	5.8	.2	100.0 (446)
(2)							
	30	41.3	32.2	13.2	11.6	1.7	100.0 (121)
	30-39	40.0	37.1	17.1	5.1	.6	100.0 (315)
	40-49	43.0	33.7	18.0	4.4	1.0	100.0 (412)
	50-59	45.3	34.1	16.5	3.3	.8	100.0 (364)
	60	49.4	32.6	13.0	2.7	2.3	100.0 (261)
(3)							
	/	47.7	31.8	15.9	4.5	-	100.0 (44)
	/	44.8	33.8	14.0	5.7	1.7	100.0 (299)
	/	40.8	35.5	18.2	4.7	.8	100.0 (726)
		48.5	32.5	14.3	3.2	1.5	100.0 (406)
(4)							
		48.8	32.9	13.2	4.0	1.0	100.0 (692)
		44.9	29.4	22.2	3.2	.3	100.0 (316)
		35.3	39.9	16.8	6.3	1.7	100.0 (464)
(5)							
	/	43.9	30.9	17.0	7.6	.4	100.0 (223)
	/	34.1	44.7	20.0	1.2	-	100.0 (85)
	가	46.4	34.1	15.3	3.2	.9	100.0 (771)
	가	45.7	37.7	12.3	3.1	1.2	100.0 (162)
		35.1	38.6	17.5	8.8	-	100.0 (57)
	/	31.5	31.5	24.7	9.0	3.4	100.0 (89)
		39.5	23.3	16.3	14.0	7.0	100.0 (43)
		50.0	34.0	14.0	-	2.0	100.0 (50)
(6)							
		42.9	28.6	21.4	7.1	-	100.0 (14)
		47.9	31.3	16.7	4.2	-	100.0 (48)
		45.9	34.3	15.3	4.0	.5	100.0 (802)
		39.3	35.8	17.9	5.5	1.5	100.0 (458)
		45.3	31.6	13.7	4.3	5.1	100.0 (117)
		50.0	32.4	11.8	5.9	-	100.0 (34)
(7)	가						
		33.3	33.3	33.3	-	-	100.0 (6)
	100	56.8	36.4	2.3	4.5	-	100.0 (44)
	100-199	46.0	34.0	14.9	3.3	1.9	100.0 (215)
	200-299	40.4	34.6	19.1	4.9	.9	100.0 (324)
	300-399	42.8	36.0	16.3	3.8	1.1	100.0 (264)
	400-499	45.9	33.8	15.3	3.8	1.3	100.0 (157)
	500	46.9	31.5	17.4	3.7	.4	100.0 (241)

2.6.3,

3 (23.3) ,

%

()

(1)		40.8	36.2	16.8	4.7	1.5	100.0 (1033)
		39.1	33.0	20.0	6.5	1.3	100.0 (445)
(2)							
	30	43.0	27.3	18.2	8.3	3.3	100.0 (121)
	30-39	38.2	36.9	19.4	4.5	1.0	100.0 (314)
	40-49	38.1	35.7	18.4	6.3	1.5	100.0 (412)
	50-59	40.4	38.2	14.8	5.5	1.1	100.0 (364)
	60	45.4	31.5	18.8	2.7	1.5	100.0 (260)
(3)							
	/	52.3	36.4	6.8	2.3	2.3	100.0 (44)
	/	40.1	33.0	18.9	5.4	2.7	100.0 (297)
	/	37.3	38.1	17.2	6.5	1.0	100.0 (727)
	/	44.7	31.4	19.5	3.2	1.2	100.0 (405)
(4)							
		43.5	34.7	15.2	4.9	1.7	100.0 (692)
		40.3	32.1	22.2	4.4	1.0	100.0 (315)
		34.6	38.9	19.0	6.5	1.1	100.0 (463)
(5)							
	/	37.8	36.9	16.7	7.7	.9	100.0 (222)
	/	34.1	40.0	18.8	7.1	-	100.0 (85)
	가	43.2	35.3	16.9	3.8	.9	100.0 (771)
	가	39.5	34.6	16.7	6.8	2.5	100.0 (162)
	/	38.6	38.6	15.8	5.3	1.8	100.0 (57)
	/	36.0	21.3	32.6	6.7	3.4	100.0 (89)
	/	32.6	32.6	14.0	11.6	9.3	100.0 (43)
	/	34.7	44.9	18.4	2.0	-	100.0 (49)
(6)							
		50.0	28.6	14.3	7.1	-	100.0 (14)
		45.8	29.2	22.9	-	2.1	100.0 (48)
		44.1	35.0	15.4	4.5	1.0	100.0 (800)
		35.8	36.5	21.2	5.2	1.3	100.0 (458)
		32.5	35.0	18.8	8.5	5.1	100.0 (117)
		29.4	38.2	17.6	14.7	-	100.0 (34)
(7)	가						
	100	50.0	33.3	16.7	-	-	100.0 (6)
	100-199	44.4	37.8	17.8	-	-	100.0 (45)
	200-299	36.7	38.6	15.3	8.4	.9	100.0 (215)
	300-399	37.3	34.6	20.7	5.9	1.5	100.0 (324)
	400-499	39.8	36.0	17.0	6.1	1.1	100.0 (264)
	500	42.3	30.1	20.5	5.8	1.3	100.0 (156)
		46.7	33.8	15.8	3.3	.4	100.0 (240)

2.6.4,

4 (23.4) ,

%

()

(1)		60.1	28.6	8.6	2.2	.5	100.0 (1032)
		57.0	28.9	12.1	1.8	.2	100.0 (447)
(2)							
	30	58.7	32.2	6.6	2.5	-	100.0 (121)
	30-39	56.8	29.8	10.8	2.2	.3	100.0 (315)
	40-49	58.4	28.0	11.7	1.5	.5	100.0 (411)
	50-59	59.6	29.1	8.5	2.7	-	100.0 (364)
	60	64.0	24.9	8.0	1.9	1.1	100.0 (261)
(3)							
	/	79.5	11.4	9.1	-	-	100.0 (44)
	/	56.2	26.4	13.0	3.3	1.0	100.0 (299)
	/	56.4	31.9	9.1	2.5	.1	100.0 (725)
	/	64.3	26.4	8.4	.5	.5	100.0 (406)
(4)							
		63.8	27.1	7.2	1.4	.4	100.0 (691)
		57.1	28.9	11.4	2.2	.3	100.0 (315)
		53.1	31.4	12.3	3.0	.2	100.0 (465)
(5)							
	/	56.5	25.6	14.3	3.6	-	100.0 (223)
	/	52.9	35.3	11.8	-	-	100.0 (85)
	가	64.5	27.0	6.9	1.4	.3	100.0 (771)
	가	55.3	34.2	8.7	1.9	-	100.0 (161)
	/	49.1	35.1	10.5	5.3	-	100.0 (57)
	/	46.1	33.7	13.5	4.5	2.2	100.0 (89)
	/	46.5	25.6	23.3	2.3	2.3	100.0 (43)
	/	58.0	26.0	12.0	2.0	2.0	100.0 (50)
(6)							
		64.3	21.4	7.1	7.1	-	100.0 (14)
		58.3	27.1	10.4	4.2	-	100.0 (48)
		59.2	30.3	9.0	1.5	-	100.0 (802)
		56.0	28.3	12.4	2.6	.7	100.0 (459)
		66.4	24.1	5.2	1.7	2.6	100.0 (116)
		75.8	18.2	3.0	3.0	-	100.0 (33)
(7)	가						
	100	66.7	33.3	-	-	-	100.0 (6)
	100-199	63.6	29.5	6.8	-	-	100.0 (44)
	200-299	60.5	24.7	10.2	3.7	.9	100.0 (215)
	300-399	55.1	34.1	8.7	1.9	.3	100.0 (323)
	400-499	56.8	33.3	8.0	1.1	.8	100.0 (264)
	500	56.1	30.6	12.1	1.3	-	100.0 (157)
		66.8	24.1	7.1	2.1	-	100.0 (241)

2.6.5,

가 5 (23.5)

%

							()
(1)		21.6 22.2	28.0 26.8	27.2 25.9	15.2 17.2	7.9 7.8	100.0 (1013) 100.0 (436)
(2)		30.3	31.9	24.4	9.2	4.2	100.0 (119)
	30-39	22.1	28.2	27.3	15.6	6.8	100.0 (308)
	40-49	22.8	27.0	26.6	16.6	6.9	100.0 (403)
	50-59	20.0	28.2	28.2	15.5	8.2	100.0 (355)
	60	18.3	26.1	25.7	18.3	11.7	100.0 (257)
(3)	/	32.6	27.9	16.3	9.3	14.0	100.0 (43)
	/	21.4	23.1	24.7	18.6	12.2	100.0 (295)
	/	20.4	28.7	28.4	16.5	6.0	100.0 (711)
		23.3	29.4	26.8	13.4	7.1	100.0 (395)
(4)		19.7 18.7 26.7	27.1 29.5 27.5	27.5 30.8 23.2	16.8 14.6 15.4	8.9 6.3 7.2	100.0 (665) 100.0 (315) 100.0 (461)
(5)	/	19.2	22.4	27.4	19.6	11.4	100.0 (219)
	/	12.9	36.5	31.8	16.5	2.4	100.0 (85)
	가	23.3	27.4	27.9	14.0	7.4	100.0 (748)
	가	25.5	26.1	25.5	17.4	5.6	100.0 (161)
		21.4	35.7	21.4	19.6	1.8	100.0 (56)
	/	18.4	27.6	23.0	14.9	16.1	100.0 (87)
		23.3	27.9	20.9	14.0	14.0	100.0 (43)
		20.0	36.0	22.0	18.0	4.0	100.0 (50)
(6)		21.4 17.8 22.0 22.0 23.5 15.2	7.1 26.7 29.6 27.3 25.2 9.1	21.4 40.0 27.5 25.8 25.2 21.2	35.7 13.3 15.3 15.1 14.8 27.3	14.3 2.2 5.6 9.8 11.3 27.3	100.0 (14) 100.0 (45) 100.0 (785) 100.0 (450) 100.0 (115) 100.0 (33)
(7)	가	14.3	28.6	14.3	-	42.9	100.0 (7)
	100	28.6	16.7	28.6	16.7	9.5	100.0 (42)
	100-199	20.7	24.4	24.9	16.9	13.1	100.0 (213)
	200-299	23.7	24.0	30.6	15.5	6.3	100.0 (317)
	300-399	18.6	29.5	26.7	17.4	7.8	100.0 (258)
	400-499	19.5	35.7	22.7	16.2	5.8	100.0 (154)
	500	27.8	27.4	25.7	13.9	5.1	100.0 (237)

2.6.6,

6 (23.6)

%

							()
(1)		26.3 24.3	34.8 29.9	25.0 26.5	10.2 15.3	3.8 4.0	100.0 (1033) 100.0 (445)
(2)		23.1	28.1	24.0	19.8	5.0	100.0 (121)
	30	19.4	32.8	32.5	13.4	1.9	100.0 (314)
	30-39	23.5	34.5	23.8	13.3	4.9	100.0 (412)
	40-49	27.7	36.4	23.0	9.3	3.6	100.0 (365)
	50-59	35.5	30.1	22.8	6.9	4.6	100.0 (259)
	60						
(3)		54.5	22.7	11.4	4.5	6.8	100.0 (44)
	/	27.1	31.4	23.1	12.4	6.0	100.0 (299)
	/	23.0	34.3	27.2	13.0	2.5	100.0 (725)
	/	26.4	33.8	25.7	9.6	4.4	100.0 (405)
(4)		27.8	30.7	25.2	11.0	5.2	100.0 (690)
		25.1	36.2	25.4	12.1	1.3	100.0 (315)
		21.9	35.7	26.2	12.7	3.4	100.0 (465)
(5)		29.1	23.2	25.0	17.3	5.5	100.0 (220)
	/	18.8	36.5	29.4	12.9	2.4	100.0 (85)
	/	27.0	35.9	24.9	8.7	3.5	100.0 (771)
	가	24.7	32.1	28.4	10.5	4.3	100.0 (162)
	가	19.3	38.6	24.6	17.5	-	100.0 (57)
	/	20.2	30.3	30.3	14.6	4.5	100.0 (89)
		25.0	25.0	20.5	18.2	11.4	100.0 (44)
		24.0	42.0	16.0	18.0	-	100.0 (50)
(6)		21.4	42.9	7.1	21.4	7.1	100.0 (14)
		29.2	31.3	37.5	2.1	-	100.0 (48)
		28.2	35.7	22.7	10.9	2.5	100.0 (801)
		21.2	30.1	31.4	12.7	4.6	100.0 (458)
		25.6	32.5	17.9	15.4	8.5	100.0 (117)
		27.3	21.2	21.2	15.2	15.2	100.0 (33)
(7)	가	50.0	16.7	16.7	16.7	-	100.0 (6)
	100	43.2	22.7	20.5	11.4	2.3	100.0 (44)
	100-199	27.4	32.1	21.9	12.1	6.5	100.0 (215)
	200-299	20.7	35.9	28.8	10.8	3.7	100.0 (323)
	300-399	23.5	33.7	26.9	13.6	2.3	100.0 (264)
	400-499	26.3	32.1	25.0	11.5	5.1	100.0 (156)
	500	29.0	38.2	22.0	7.9	2.9	100.0 (241)

2.7.1

1

(24.1)

%

	500	500-999	1000-1499	2000-2499	2500-2999	5000	()
(1)	98.3 98.9	1.1 1.1	.2 -	.1 -	.2 -	.1 -	100.0(1044) 100.0 (450)
(2)							
30	99.2	.8	-	-	-	-	100.0 (120)
30-39	99.0	1.0	-	-	-	-	100.0 (315)
40-49	98.6	1.0	.2	-	-	.2	100.0 (414)
50-59	97.8	1.4	-	.3	.3	-	100.0 (369)
60	98.1	1.1	.4	-	.4	-	100.0 (268)
(3)							
/	97.9	-	2.1	-	-	-	100.0 (48)
/	99.0	1.0	-	-	-	-	100.0 (304)
/	98.4	1.2	.1	-	.1	.1	100.0 (728)
	98.3	1.0	-	.2	.2	-	100.0 (409)
(4)							
	98.0	1.3	.1	-	.3	.1	100.0 (700)
	98.7	.9	-	.3	-	-	100.0 (316)
	98.9	.9	.2	-	-	-	100.0 (470)
(5)							
/	99.1	.4	-	-	.4	-	100.0 (231)
/	100.0	-	-	-	-	-	100.0 (86)
가	97.8	1.6	.1	.1	.1	.1	100.0 (770)
가	99.4	.6	-	-	-	-	100.0 (163)
	98.3	1.7	-	-	-	-	100.0 (58)
/	100.0	-	-	-	-	-	100.0 (90)
	97.8	2.2	-	-	-	-	100.0 (46)
	98.0	-	2.0	-	-	-	100.0 (50)
(6)							
	100.0	-	-	-	-	-	100.0 (13)
	95.8	4.2	-	-	-	-	100.0 (48)
	98.5	1.1	-	.1	.1	-	100.0 (804)
	98.9	.4	.4	-	-	.2	100.0 (461)
	97.6	1.6	-	-	.8	-	100.0 (123)
	97.2	2.8	-	-	-	-	100.0 (36)
(7)							
가	100.0	-	-	-	-	-	100.0 (7)
100	97.9	2.1	-	-	-	-	100.0 (48)
100-199	99.1	.9	-	-	-	-	100.0 (215)
200-299	98.5	.6	.3	-	.3	-	100.0 (326)
300-399	98.1	1.5	-	-	-	.4	100.0 (266)
400-499	98.7	.6	-	.6	-	-	100.0 (157)
500	97.5	2.1	-	-	.4	-	100.0 (240)

2.7.2

1

(24.2)

%

	500	500-999	1000-1499	1500-1999	2000-2499	2500-2999	3000-4999	5000	()	
(1)	91.7 92.1	5.8 5.6	1.2 1.4	.8 .5	.1 .5	.1 -	.1 -	.2 -	.1 -	100.0 (1037) 100.0 (443)
(2)										
30	87.6	9.7	.9	.9	-	-	-	.9	-	100.0 (113)
30-39	88.7	7.1	1.9	1.3	.6	-	-	.3	-	100.0 (311)
40-49	91.7	5.8	1.5	.5	-	.2	-	-	.2	100.0 (412)
50-59	93.7	5.2	.5	.3	.3	-	-	-	-	100.0 (366)
60	94.4	3.3	1.1	.7	-	-	.4	-	-	100.0 (270)
(3)										
/	87.5	10.4	-	2.1	-	-	-	-	-	100.0 (48)
/	91.7	5.6	2.0	-	.3	-	.3	-	-	100.0 (301)
/	91.8	6.4	.6	.8	-	.1	-	.3	-	100.0 (721)
	92.3	4.2	2.0	.7	.5	-	-	-	.2	100.0 (405)
(4)										
	97.7	1.6	.6	.1	-	-	-	-	-	100.0 (701)
	90.7	6.1	1.0	1.3	.6	-	-	-	.3	100.0 (312)
	83.4	12.0	2.4	1.1	.2	.2	.2	.4	-	100.0 (459)
(5)										
/	91.3	7.0	1.3	.4	-	-	-	-	-	100.0 (229)
/	92.9	5.9	-	-	-	1.2	-	-	-	100.0 (85)
가	92.7	4.6	1.4	.7	.3	-	-	.3	.1	100.0 (764)
가	92.5	5.6	.6	.6	.6	-	-	-	-	100.0 (161)
	83.9	10.7	3.6	1.8	-	-	-	-	-	100.0 (56)
/	91.0	6.7	1.1	1.1	-	-	-	-	-	100.0 (89)
	87.0	10.9	-	-	-	-	2.2	-	-	100.0 (46)
	92.0	6.0	-	2.0	-	-	-	-	-	100.0 (50)
(6)										
	84.6	7.7	-	-	-	7.7	-	-	-	100.0 (13)
	95.9	4.1	-	-	-	-	-	-	-	100.0 (49)
	93.6	4.3	1.3	.8	.1	-	-	-	-	100.0 (793)
	89.5	7.0	1.7	.9	.4	-	-	.2	.2	100.0 (459)
	87.7	12.3	-	-	-	-	-	-	-	100.0 (122)
	91.4	2.9	-	-	-	-	2.9	2.9	-	100.0 (35)
(7) 가										
	100.0	-	-	-	-	-	-	-	-	100.0 (7)
100	83.3	10.4	4.2	-	-	-	-	2.1	-	100.0 (48)
100-199	90.7	7.5	.5	.9	-	-	-	.5	-	100.0 (214)
200-299	90.7	5.9	2.8	.6	-	-	-	-	-	100.0 (323)
300-399	92.5	5.7	.8	.8	.4	-	-	-	-	100.0 (265)
400-499	92.9	5.1	.6	1.3	-	-	-	-	-	100.0 (156)
500	93.7	3.8	.8	.4	.4	.4	-	-	.4	100.0 (238)

2.7.3

1

(24.3)

%

	500	500-999	1000-1499	1500-1999	2000-2499	()	
(1)	91.5 92.8	6.7 5.9	1.4 1.1	.2 .2	.1 -	.2 -	100.0 (1036) 100.0 (442)
(2)							
30	87.9	8.6	1.7	.9	-	.9	100.0 (116)
30-39	92.3	5.8	1.3	-	.3	.3	100.0 (312)
40-49	91.2	6.8	2.0	-	-	-	100.0 (409)
50-59	93.2	5.7	.5	.5	-	-	100.0 (366)
60	92.1	6.7	1.1	-	-	-	100.0 (267)
(3)							
/	95.8	4.2	-	-	-	-	100.0 (48)
/	94.7	4.7	.7	-	-	-	100.0 (301)
/	91.5	6.5	1.1	.4	.1	.3	100.0 (720)
	89.9	7.9	2.2	-	-	-	100.0 (404)
(4)							
	94.4	4.5	1.0	.1	-	-	100.0 (695)
	91.1	7.3	1.6	-	-	-	100.0 (313)
	88.7	8.7	1.5	.4	.2	.4	100.0 (462)
(5)							
/	93.0	5.3	1.8	-	-	-	100.0 (227)
/	88.4	9.3	1.2	1.2	-	-	100.0 (86)
가	91.2	6.9	1.3	.3	-	.3	100.0 (764)
가	92.5	5.0	1.9	-	.6	-	100.0 (161)
	92.9	7.1	-	-	-	-	100.0 (56)
/	94.4	5.6	-	-	-	-	100.0 (89)
	93.5	6.5	-	-	-	-	100.0 (46)
	93.9	4.1	2.0	-	-	-	100.0 (49)
(6)							
	91.7	-	8.3	-	-	-	100.0 (12)
	85.4	12.5	-	2.1	-	-	100.0 (48)
	93.1	5.5	1.1	.3	-	-	100.0 (794)
	90.2	7.6	1.7	-	.2	.2	100.0 (459)
	92.6	6.6	.8	-	-	-	100.0 (121)
	91.4	5.7	-	-	-	2.9	100.0 (35)
(7)							
가	71.4	14.3	14.3	-	-	-	100.0 (7)
100	85.4	12.5	-	-	-	2.1	100.0 (48)
100-199	92.5	4.7	1.9	.5	-	.5	100.0 (213)
200-299	90.9	6.9	1.9	-	.3	-	100.0 (319)
300-399	92.0	7.6	.4	-	-	-	100.0 (263)
400-499	92.9	6.4	.6	-	-	-	100.0 (156)
500	91.6	5.4	2.5	.4	-	-	100.0 (239)

2.7.4

1

(24.4)

%

	500	500 - 999	1000- 1499	2000 - 2499	2500 - 2999	5000	()	
(1)	95.6 94.0	2.4 5.1	.6 .4	.3 .4	.3 -	.3 -	.6 -	100.0 (1039) 100.0 (449)
(2)	92.3	7.7	-	-	-	-	-	100.0 (117)
30	93.9	3.8	1.0	.6	-	.3	.3	100.0 (314)
30-39	95.4	2.7	.5	-	.5	.2	.7	100.0 (414)
40-49	96.2	2.2	.5	.3	.3	-	.5	100.0 (366)
50-59	95.6	3.0	.4	.7	-	.4	-	100.0 (270)
60								
(3)	95.8	2.1	-	2.1	-	-	-	100.0 (48)
/	96.4	2.3	1.0	-	.3	-	-	100.0 (303)
/	95.3	3.7	.4	-	.1	.1	.3	100.0 (725)
/	93.6	3.2	.5	1.0	.2	.5	1.0	100.0 (408)
(4)	94.9	3.0	.6	.6	.3	-	.7	100.0 (700)
	95.2	3.2	.6	-	-	.6	.3	100.0 (313)
	95.3	3.6	.4	.2	.2	.2	-	100.0 (467)
(5)	95.7	3.0	.4	.9	-	-	-	100.0 (230)
/	94.2	3.5	1.2	-	1.2	-	-	100.0 (86)
/	95.1	2.7	.7	.4	.1	.3	.8	100.0 (769)
가	92.6	5.6	.6	-	.6	.6	-	100.0 (162)
가	94.6	5.4	-	-	-	-	-	100.0 (56)
/	96.6	3.4	-	-	-	-	-	100.0 (89)
	97.8	2.2	-	-	-	-	-	100.0 (46)
	98.0	2.0	-	-	-	-	-	100.0 (50)
(6)	84.6	7.7	-	-	7.7	-	-	100.0 (13)
	89.8	4.1	-	2.0	2.0	-	2.0	100.0 (49)
	95.2	3.3	.5	.3	-	.3	.5	100.0 (799)
	94.8	3.5	.7	.4	.2	.2	.2	100.0 (461)
	96.7	2.5	.8	-	-	-	-	100.0 (121)
	100.0	-	-	-	-	-	-	100.0 (36)
(7) 가	100.0	-	-	-	-	-	-	100.0 (7)
100	93.8	4.2	2.1	-	-	-	-	100.0 (48)
100-199	95.3	3.7	.5	-	.5	-	-	100.0 (215)
200-299	96.0	3.1	.6	-	-	.3	-	100.0 (323)
300-399	95.1	3.4	.4	-	-	.4	.8	100.0 (265)
400-499	91.7	6.4	.6	.6	-	-	.6	100.0 (156)
500	92.9	2.9	.8	.8	.8	.4	1.3	100.0 (240)

2.7.5

1

(24.5)

%

	500	500 - 999	1000- 1499	2000 - 2499	2500 - 2999	5000	()	
(1)	90.5 92.2	7.9 6.7	.6 .7	.8 .2	.1 -	.1 .2	.1 -	100.0(1040) 100.0 (449)
(2)	84.9	15.1	-	-	-	-	-	100.0 (119)
30	87.8	9.6	1.0	1.3	-	.3	-	100.0 (312)
30-39	90.4	8.0	.7	.7	.2	-	-	100.0 (415)
40-49	93.2	6.0	.3	.3	-	-	.3	100.0 (366)
50-59	95.2	3.3	.7	.4	-	.4	-	100.0 (269)
60								
(3)	95.8	4.2	-	-	-	-	-	100.0 (48)
/	91.1	7.3	1.0	.3	.3	-	-	100.0 (302)
/	91.1	7.8	.3	.8	-	-	-	100.0 (727)
/	90.2	7.6	1.0	.5	-	.5	.2	100.0 (407)
(4)	93.3	4.9	.9	.4	.1	.3	.1	100.0 (700)
	92.3	6.1	-	1.6	-	-	-	100.0 (312)
	86.6	12.6	.6	.2	-	-	-	100.0 (469)
(5)	91.8	7.4	.4	-	-	.4	-	100.0 (231)
/	92.9	5.9	-	1.2	-	-	-	100.0 (85)
/	91.4	7.0	.5	.9	-	.1	-	100.0 (770)
가	89.6	8.0	1.8	-	.6	-	-	100.0 (163)
가	89.5	10.5	-	-	-	-	-	100.0 (57)
/	85.2	13.6	-	-	-	-	1.1	100.0 (88)
	91.3	6.5	2.2	-	-	-	-	100.0 (46)
	93.9	4.1	-	2.0	-	-	-	100.0 (49)
(6)	92.3	-	-	7.7	-	-	-	100.0 (13)
	83.7	16.3	-	-	-	-	-	100.0 (49)
	92.8	6.4	.2	.4	-	.2	-	100.0 (801)
	90.0	8.0	1.3	.7	-	-	-	100.0 (460)
	86.1	10.7	-	1.6	.8	-	.8	100.0 (122)
	88.6	8.6	2.9	-	-	-	-	100.0 (35)
(7)	100.0	-	-	-	-	-	-	100.0 (7)
가	89.6	10.4	-	-	-	-	-	100.0 (48)
100	92.5	6.1	.9	-	.5	-	-	100.0 (213)
100-199	88.6	9.2	.6	1.5	-	-	-	100.0 (325)
200-299	91.0	8.6	.4	-	-	-	-	100.0 (266)
300-399	89.7	7.7	.6	1.9	-	-	-	100.0 (155)
400-499	90.5	7.5	.8	.4	-	.8	-	100.0 (241)
500								

								()
(1)		10.4	30.4	28.0	9.9	8.5	12.8	100.0(1035)
		18.6	36.6	24.6	6.4	5.8	8.0	100.0 (451)
(2)								
	30	5.0	40.5	25.6	9.9	5.0	14.0	100.0 (121)
	30-39	10.5	34.6	29.2	8.3	8.3	9.2	100.0 (315)
	40-49	6.1	35.6	28.8	9.2	7.3	13.1	100.0 (413)
	50-59	11.0	30.2	27.7	9.9	10.4	10.7	100.0 (364)
	60	32.5	24.2	21.1	6.8	4.9	10.6	100.0 (265)
(3)								
	/	41.7	22.9	10.4	6.3	2.1	16.7	100.0 (48)
	/	20.1	20.8	19.8	8.6	11.9	18.8	100.0 (303)
	/	12.6	30.9	27.7	9.5	7.4	11.9	100.0 (725)
	/	4.7	44.8	32.8	8.1	5.7	3.9	100.0 (406)
(4)								
		11.3	43.6	27.1	6.8	5.2	6.1	100.0 (693)
		14.6	29.1	25.9	8.5	8.5	13.3	100.0 (316)
		13.9	18.1	27.3	12.2	10.7	17.9	100.0 (469)
(5)								
	/	68.6	8.7	5.2	5.7	5.7	6.1	100.0 (229)
	/	4.7	16.3	30.2	11.6	14.0	23.3	100.0 (86)
	가	2.0	45.1	33.7	9.0	6.0	4.3	100.0 (768)
	가	4.3	41.4	38.3	6.2	4.9	4.9	100.0 (162)
	-	-	3.4	15.5	10.3	17.2	53.4	100.0 (58)
	-	6.7	13.5	19.1	13.5	16.9	30.3	100.0 (89)
	-	6.7	8.9	13.3	8.9	13.3	48.9	100.0 (45)
	-	-	30.6	20.4	14.3	8.2	26.5	100.0 (49)
(6)								
		7.1	57.1	7.1	-	14.3	14.3	100.0 (14)
		4.3	48.9	21.3	8.5	2.1	14.9	100.0 (47)
		10.5	35.5	27.6	8.1	7.5	10.8	100.0 (803)
		14.4	27.7	27.5	10.7	7.2	12.4	100.0 (458)
		18.3	24.2	27.5	8.3	11.7	10.0	100.0 (120)
		41.7	19.4	22.2	5.6	8.3	2.8	100.0 (36)
(7)	가							
	100	42.9	-	14.3	-	14.3	28.6	100.0 (7)
	100-199	48.9	10.6	17.0	8.5	2.1	12.8	100.0 (47)
	200-299	22.8	29.3	20.9	10.2	6.5	10.2	100.0 (215)
	300-399	13.0	29.8	24.5	10.9	9.6	12.1	100.0 (322)
	400-499	8.0	32.2	34.5	7.2	8.3	9.8	100.0 (264)
	500	3.8	32.1	30.8	8.3	11.5	13.5	100.0 (156)
		5.4	45.9	26.4	8.3	5.0	9.1	100.0 (242)

							()	
(1)		5.3	31.4	19.6	8.5	12.0	23.2	100.0(1041)
		7.8	43.9	17.5	4.2	9.5	17.1	100.0 (451)
(2)								
	30	1.7	40.5	16.5	5.0	9.1	27.3	100.0 (121)
	30-39	5.7	41.9	17.1	4.4	11.7	19.0	100.0 (315)
	40-49	2.2	37.9	20.5	7.0	11.6	20.8	100.0 (414)
	50-59	5.2	34.0	20.9	9.0	10.3	20.7	100.0 (368)
	60	15.0	23.3	17.3	9.4	12.4	22.6	100.0 (266)
(3)								
	/	29.2	8.3	4.2	4.2	12.5	41.7	100.0 (48)
	/	11.0	7.0	9.0	8.6	24.6	39.9	100.0 (301)
	/	5.1	35.4	22.1	8.2	9.7	19.5	100.0 (729)
	/	1.2	59.0	22.4	4.6	3.9	8.8	100.0 (410)
(4)								
		4.9	45.3	19.6	5.4	8.9	15.9	100.0 (698)
		7.9	32.3	18.7	7.0	10.8	23.4	100.0 (316)
		6.4	22.3	18.0	10.2	14.9	28.2	100.0 (471)
(5)								
	/	27.4	18.7	10.9	6.1	12.2	24.8	100.0 (230)
	/	5.8	18.6	20.9	5.8	19.8	29.1	100.0 (86)
	가	.9	49.9	23.1	7.5	7.1	11.4	100.0 (771)
	가	2.5	30.7	19.0	8.6	16.0	23.3	100.0 (163)
	가	3.4	10.3	15.5	1.7	20.7	48.3	100.0 (58)
	가	3.4	10.1	11.2	10.1	22.5	42.7	100.0 (89)
	가	8.9	11.1	6.7	4.4	13.3	55.6	100.0 (45)
	가	4.0	22.0	18.0	10.0	8.0	38.0	100.0 (50)
(6)								
		7.1	57.1	7.1	-	14.3	14.3	100.0 (14)
		2.0	57.1	10.2	6.1	4.1	20.4	100.0 (49)
		3.7	40.6	19.4	7.1	11.5	17.7	100.0 (803)
		8.2	27.8	19.5	7.4	11.7	25.4	100.0 (461)
		9.9	20.7	17.4	8.3	14.0	29.8	100.0 (121)
		13.9	27.8	16.7	11.1	2.8	27.8	100.0 (36)
(7)	가							
	가	16.7	16.7	-	-	33.3	33.3	100.0 (6)
	100	14.6	22.9	12.5	6.3	2.1	41.7	100.0 (48)
	100-199	10.7	23.7	14.9	8.4	17.7	24.7	100.0 (215)
	200-299	7.7	31.8	18.8	7.4	12.3	21.9	100.0 (324)
	300-399	3.8	38.1	24.5	7.2	8.3	18.1	100.0 (265)
	400-499	.6	42.7	22.9	6.4	6.4	21.0	100.0 (157)
	500	3.3	47.9	17.8	6.6	9.5	14.9	100.0 (242)

2.8.3

(27.1)

%

							()	
(1)		6.8	11.5	11.2	27.0	29.5	14.0	100.0 (914)
		4.7	20.6	13.7	27.2	25.5	8.3	100.0 (408)
(2)								
	30	4.5	12.5	8.9	39.3	20.5	14.3	100.0 (112)
	30-39	5.7	14.3	15.4	25.4	30.4	8.9	100.0 (280)
	40-49	3.7	15.2	9.9	27.0	29.9	14.2	100.0 (374)
	50-59	7.4	13.6	14.6	26.9	26.9	10.5	100.0 (323)
	60	9.7	14.1	9.3	23.8	28.2	15.0	100.0 (227)
(3)								
	/	29.7	10.8	5.4	16.2	18.9	18.9	100.0 (37)
	/	5.7	15.1	9.0	19.2	34.7	16.3	100.0 (245)
	/	6.3	15.1	11.2	26.4	28.5	12.4	100.0 (662)
	/	3.5	12.6	15.8	34.5	24.9	8.8	100.0 (374)
(4)								
		6.2	14.4	11.7	25.1	29.7	12.8	100.0 (609)
		6.5	11.9	10.5	22.8	37.8	10.5	100.0 (294)
		5.8	15.9	13.5	32.9	19.8	12.1	100.0 (414)
(5)								
	/	7.4	10.1	9.0	18.1	36.2	19.1	100.0 (188)
	/	5.1	14.1	5.1	25.6	39.7	10.3	100.0 (78)
	가	5.2	15.3	14.9	31.1	23.9	9.6	100.0 (707)
	가	5.4	13.5	8.1	25.0	31.1	16.9	100.0 (148)
		2.0	10.0	12.0	24.0	38.0	14.0	100.0 (50)
		5.2	16.9	13.0	26.0	28.6	10.4	100.0 (77)
		19.4	22.6	3.2	25.8	16.1	12.9	100.0 (31)
		16.3	14.0	7.0	16.3	32.6	14.0	100.0 (43)
(6)								
		7.7	38.5	30.8	15.4	7.7	-	100.0 (13)
		-	15.6	24.4	31.1	26.7	2.2	100.0 (45)
		6.0	14.6	11.6	27.7	29.8	10.2	100.0 (714)
		5.8	11.4	9.4	28.3	30.3	14.8	100.0 (413)
		9.0	19.0	18.0	21.0	14.0	19.0	100.0 (100)
		10.0	16.7	10.0	13.3	26.7	23.3	100.0 (30)
(7)	가							
		-	-	16.7	66.7	16.7	-	100.0 (6)
	100	13.2	10.5	10.5	21.1	26.3	18.4	100.0 (38)
	100-199	6.3	14.2	11.6	22.1	32.1	13.7	100.0 (190)
	200-299	6.5	11.3	10.9	29.4	30.7	11.3	100.0 (293)
	300-399	3.7	14.4	14.4	26.7	28.0	12.8	100.0 (243)
	400-499	4.2	12.0	11.3	32.4	27.5	12.7	100.0 (142)
	500	4.6	16.9	12.8	24.7	31.5	9.6	100.0 (219)

2.8.4

(27.2)

%

							()
(1)	10.5	11.3	13.4	27.5	25.2	12.1	100.0 (945)
	6.4	22.8	18.8	27.1	19.0	5.9	100.0 (421)
(2)							
30	3.5	21.1	20.2	20.2	22.8	12.3	100.0 (114)
30-39	1.7	17.3	17.0	28.7	26.0	9.3	100.0 (289)
40-49	5.8	13.4	11.6	27.9	28.9	12.4	100.0 (380)
50-59	10.8	17.8	16.0	30.7	17.2	7.5	100.0 (332)
60	23.8	7.4	15.2	23.8	19.3	10.7	100.0 (244)
(3)							
/	100.0	-	-	-	-	-	100.0 (47)
/	18.2	10.1	9.3	23.3	26.7	12.4	100.0 (258)
/	3.1	15.8	16.3	28.6	24.7	11.5	100.0 (676)
	3.1	18.3	18.8	31.4	21.2	7.1	100.0 (382)
(4)							
	6.8	15.8	15.4	28.5	22.8	10.8	100.0 (622)
	8.9	10.9	13.2	25.7	29.7	11.6	100.0 (303)
	12.7	16.6	15.9	27.2	19.8	7.8	100.0 (434)
(5)							
/	19.3	9.9	10.4	21.3	25.7	13.4	100.0 (202)
/	7.6	12.7	8.9	35.4	25.3	10.1	100.0 (79)
가	4.4	17.8	18.6	29.4	21.1	8.7	100.0 (721)
가	7.3	14.7	11.3	28.0	28.0	10.7	100.0 (150)
	1.9	11.3	13.2	34.0	30.2	9.4	100.0 (53)
	15.2	10.1	13.9	27.8	22.8	10.1	100.0 (79)
	40.5	5.4	8.1	18.9	10.8	16.2	100.0 (37)
	22.2	15.6	13.3	4.4	31.1	13.3	100.0 (45)
(6)							
	-	46.2	23.1	23.1	-	7.7	100.0 (13)
	4.4	20.0	20.0	33.3	20.0	2.2	100.0 (45)
	6.3	16.2	15.9	31.0	23.2	7.5	100.0 (736)
	9.9	12.9	13.4	24.4	25.8	13.6	100.0 (426)
	22.4	9.3	15.0	19.6	17.8	15.9	100.0 (107)
	29.0	12.9	9.7	3.2	25.8	19.4	100.0 (31)
(7)							
가	16.7	16.7	16.7	16.7	33.3	-	100.0 (6)
100	38.5	2.6	7.7	23.1	20.5	7.7	100.0 (39)
100-199	14.6	8.5	13.1	22.6	31.2	10.1	100.0 (199)
200-299	8.0	14.6	18.6	23.9	24.9	10.0	100.0 (301)
300-399	4.1	17.1	13.4	27.6	25.2	12.6	100.0 (246)
400-499	4.1	17.2	16.6	32.4	20.0	9.7	100.0 (145)
500	4.1	19.1	14.5	32.3	20.9	9.1	100.0 (220)

2.8.5

(27.3)

%

								()
(1)		25.0	19.1	22.1	18.5	9.0	6.3	100.0 (984)
		16.2	25.8	25.1	21.1	7.9	3.9	100.0 (431)
(2)								
	30	19.7	26.5	23.1	17.9	7.7	5.1	100.0 (117)
	30-39	14.2	22.6	27.0	23.0	9.1	4.1	100.0 (296)
	40-49	20.4	17.6	23.2	24.7	9.8	4.3	100.0 (397)
	50-59	22.5	24.0	21.4	17.3	7.8	6.9	100.0 (346)
	60	35.9	18.7	19.9	9.6	8.0	8.0	100.0 (251)
(3)								
	/	100.0	-	-	-	-	-	100.0 (47)
	/	85.4	1.4	1.0	3.1	4.8	4.4	100.0 (294)
	/	2.1	25.5	28.9	25.3	10.3	8.0	100.0 (679)
	/	1.3	30.9	32.0	23.3	10.0	2.6	100.0 (391)
(4)								
		16.1	22.6	25.2	24.4	7.5	4.1	100.0 (651)
		22.7	22.7	22.0	14.5	10.9	7.2	100.0 (304)
		30.9	18.1	20.5	15.2	9.1	6.2	100.0 (453)
(5)								
	/	38.9	13.3	11.4	14.7	10.9	10.9	100.0 (211)
	/	22.5	13.8	21.3	20.0	13.8	8.8	100.0 (80)
	가	8.4	27.8	30.5	22.0	7.5	3.8	100.0 (737)
	가	30.8	16.0	21.2	19.9	7.7	4.5	100.0 (156)
	가	25.0	12.5	19.6	25.0	8.9	8.9	100.0 (556)
	가	49.4	10.6	11.8	12.9	11.8	3.5	100.0 (85)
	가	86.0	7.0	-	2.3	-	4.7	100.0 (43)
	가	27.7	23.4	10.6	14.9	14.9	8.5	100.0 (47)
(6)								
		-	53.8	30.8	7.7	7.7	-	100.0 (13)
		4.3	28.3	28.3	28.3	8.7	2.2	100.0 (46)
		14.9	25.3	24.8	20.5	9.1	5.4	100.0 (766)
		30.0	15.3	22.0	18.3	8.5	5.9	100.0 (437)
		48.2	12.7	12.7	14.5	5.5	6.4	100.0 (110)
		38.2	8.8	20.6	8.8	14.7	8.8	100.0 (34)
(7)	가							
	100	20.0	-	20.0	20.0	40.0	-	100.0 (5)
	100-199	47.6	14.3	21.4	2.4	7.1	7.1	100.0 (42)
	200-299	35.7	12.1	21.7	15.5	10.6	4.3	100.0 (207)
	300-399	22.8	23.1	20.8	20.2	5.9	7.2	100.0 (307)
	400-499	18.0	25.4	21.5	22.3	8.6	4.3	100.0 (256)
	500	13.2	24.5	26.5	22.5	8.6	4.6	100.0 (151)
		7.9	27.5	27.1	21.4	11.4	4.8	100.0 (229)

2.8.6

(27.4)

%

							()	
(1)		47.2	7.8	9.7	15.4	9.7	10.3	100.0 (950)
		25.9	23.8	19.2	16.2	8.8	6.0	100.0 (432)
(2)								
	30	27.7	24.4	23.5	11.8	6.7	5.9	100.0 (119)
	30-39	33.4	16.4	14.0	22.1	7.7	6.4	100.0 (299)
	40-49	38.3	11.2	13.5	16.1	12.5	8.3	100.0 (384)
	50-59	43.1	9.9	11.4	15.1	9.0	11.4	100.0 (332)
	60	56.4	9.1	5.8	9.5	7.9	11.2	100.0 (241)
(3)								
	/	72.9	12.5	4.2	4.2	2.1	4.2	100.0 (48)
	/	50.5	17.6	9.0	12.2	5.0	5.7	100.0 (279)
	/	36.8	11.7	12.8	17.4	10.2	11.1	100.0 (674)
	/	35.8	11.1	16.2	16.4	12.2	8.2	100.0 (377)
(4)								
		43.5	12.2	10.2	15.2	9.1	9.7	100.0 (637)
		34.6	14.1	15.7	14.4	10.8	10.5	100.0 (306)
		40.8	12.7	14.3	17.3	9.0	6.0	100.0 (434)
(5)								
	/	43.1	15.3	8.4	13.9	5.0	14.4	100.0 (202)
	/	37.2	6.4	7.7	20.5	17.9	10.3	100.0 (78)
	가	40.1	10.6	14.4	16.3	10.1	8.6	100.0 (724)
	가	29.5	23.1	16.7	14.1	9.0	7.7	100.0 (156)
	가	50.0	11.5	7.7	13.5	11.5	5.8	100.0 (52)
	가	38.6	13.3	10.8	22.9	8.4	6.0	100.0 (83)
	가	66.7	10.3	10.3	7.7	2.6	2.6	100.0 (39)
	가	50.0	14.6	10.4	6.3	10.4	8.3	100.0 (48)
(6)								
		21.4	35.7	7.1	14.3	14.3	7.1	100.0 (14)
		40.4	6.4	19.1	14.9	14.9	4.3	100.0 (47)
		38.7	13.2	12.8	16.7	9.7	8.9	100.0 (742)
		41.4	12.0	13.9	14.4	8.8	9.5	100.0 (432)
		47.1	12.5	9.6	15.4	5.8	9.6	100.0 (104)
		52.9	14.7	-	14.7	8.8	8.8	100.0 (34)
(7)	가							
	가	40.0	-	-	20.0	20.0	20.0	100.0 (5)
	100	62.2	13.3	2.2	11.1	6.7	4.4	100.0 (45)
	100-199	39.4	15.7	14.1	14.1	10.1	6.6	100.0 (198)
	200-299	37.0	13.9	14.5	16.5	10.2	7.9	100.0 (303)
	300-399	43.4	11.6	12.4	15.3	8.0	9.2	100.0 (249)
	400-499	37.9	11.0	13.1	20.0	10.3	7.6	100.0 (145)
	500	36.6	11.5	15.0	15.9	11.0	10.1	100.0 (227)

2.8.7

(27.5)

%

								()
(1)		41.0	15.4	15.9	12.3	6.3	9.1	100.0 (960)
		28.2	30.0	19.9	11.3	5.8	4.8	100.0 (433)
(2)								
	30	29.7	34.7	20.3	7.6	3.4	4.2	100.0 (118)
	30-39	31.5	27.2	21.2	10.9	5.0	4.3	100.0 (302)
	40-49	32.8	18.9	18.9	14.5	7.8	7.2	100.0 (387)
	50-59	42.6	15.2	13.1	12.2	6.5	10.4	100.0 (336)
	60	47.3	12.8	13.2	10.7	5.3	10.7	100.0 (243)
(3)								
	/	56.3	18.8	16.7	2.1	-	6.3	100.0 (48)
	/	37.1	22.9	18.6	14.6	3.2	3.6	100.0 (280)
	/	36.5	17.9	15.7	12.3	7.3	10.3	100.0 (682)
	/	35.4	21.9	18.7	10.8	6.6	6.6	100.0 (379)
(4)								
		40.1	19.4	16.1	10.0	5.8	8.6	100.0 (639)
		35.2	20.0	16.8	14.2	6.5	7.4	100.0 (310)
		34.2	21.0	19.1	13.4	6.4	5.9	100.0 (439)
(5)								
	/	39.6	14.5	19.8	9.7	4.8	11.6	100.0 (207)
	/	29.9	15.6	14.3	22.1	11.7	6.5	100.0 (77)
	가	39.0	20.9	15.8	11.0	5.6	7.7	100.0 (728)
	가	30.4	21.5	21.5	12.0	7.6	7.0	100.0 (158)
	가	41.8	25.5	9.1	14.5	3.6	5.5	100.0 (55)
	가	32.1	20.2	17.9	16.7	9.5	3.6	100.0 (84)
	가	35.0	27.5	22.5	7.5	-	7.5	100.0 (40)
	가	34.1	18.2	20.5	13.6	6.8	6.8	100.0 (44)
(6)								
		21.4	42.9	28.6	7.1	-	-	100.0 (14)
		36.4	22.7	22.7	4.5	9.1	4.5	100.0 (44)
		34.8	20.4	16.8	14.0	6.4	7.6	100.0 (750)
		38.9	17.9	18.6	9.9	6.7	8.0	100.0 (435)
		43.9	21.5	13.1	10.3	1.9	9.3	100.0 (107)
		44.1	20.6	11.8	8.8	2.9	11.8	100.0 (34)
(7)	가							
	가	57.1	-	-	28.6	-	14.3	100.0 (7)
	100	55.6	13.3	11.1	13.3	4.4	2.2	100.0 (45)
	100-199	38.5	23.0	14.0	12.0	6.5	6.0	100.0 (200)
	200-299	34.2	18.8	18.4	13.8	5.9	8.9	100.0 (304)
	300-399	38.6	18.1	16.5	12.2	7.1	7.5	100.0 (254)
	400-499	37.2	23.6	17.6	9.5	8.1	4.1	100.0 (148)
	500	33.5	22.5	19.8	11.5	5.7	7.0	100.0 (227)

2.8.8

(28.1)

%

	1-9	10-19	20-29	30-39	40-49	50-59	60-69	70	()	
(1)	83.0 79.0	4.3 8.6	2.8 1.8	2.1 2.9	2.6 2.4	1.6 2.0	.5 .7	1.0 .4	2.2 2.2	100.0(1047) 100.0 (452)
(2)	85.8	11.7	1.7	-	.8	-	-	-	-	100.0 (120)
30	81.3	7.9	1.3	2.8	1.3	2.2	.9	1.6	.6	100.0 (316)
30-39	79.5	5.3	3.1	3.1	2.7	1.4	.7	.7	3.4	100.0 (415)
40-49	83.2	4.3	2.7	2.2	3.0	1.4	.5	.5	2.2	100.0 (369)
50-59	81.5	2.6	3.0	1.8	4.1	3.0	-	.7	3.3	100.0 (271)
60										
(3)	98.0	-	2.0	-	-	-	-	-	-	100.0 (49)
/	95.4	2.3	.3	.3	.7	.7	-	-	.3	100.0 (304)
/	87.6	5.1	1.2	1.8	1.9	1.4	.1	.1	.8	100.0 (731)
/	59.3	9.8	6.3	5.1	5.4	3.4	1.7	2.7	6.3	100.0 (410)
(4)	75.7	6.4	3.0	3.3	4.0	1.8	.6	1.3	4.0	100.0 (703)
	82.6	6.0	2.2	2.5	1.3	2.8	.3	.6	1.6	100.0 (316)
	90.5	4.0	1.7	.8	1.3	.8	.6	.2	-	100.0 (472)
(5)	90.9	3.0	.9	.9	.9	1.3	-	.4	1.7	100.0 (232)
/	86.0	7.0	1.2	2.3	3.5	-	-	-	-	100.0 (86)
/	74.0	7.0	3.5	3.6	3.6	2.6	.9	1.3	3.5	100.0 (773)
가	86.6	6.1	1.8	1.8	1.2	1.8	-	-	.6	100.0 (164)
가	86.2	6.9	3.4	-	3.4	-	-	-	-	100.0 (58)
/	94.4	2.2	-	-	1.1	-	-	1.1	1.1	100.0 (90)
	95.7	2.2	2.2	-	-	-	-	-	-	100.0 (46)
	96.0	-	2.0	-	-	-	2.0	-	-	100.0 (50)
(6)	78.6	7.1	7.1	7.1	-	-	-	-	-	100.0 (14)
	64.6	6.3	4.2	2.1	4.2	4.2	-	2.1	12.5	100.0 (48)
	76.8	6.8	3.3	3.0	3.6	2.6	.6	.5	2.7	100.0 (806)
	89.2	4.3	1.1	1.5	1.3	.2	.6	1.1	.6	100.0 (463)
	91.1	3.3	.8	1.6	-	1.6	-	1.6	-	100.0 (123)
	86.1	2.8	2.8	-	2.8	-	-	-	5.6	100.0 (36)
(7)	100.0	-	-	-	-	-	-	-	-	100.0 (7)
가	93.8	2.1	-	2.1	-	2.1	-	-	-	100.0 (48)
100	87.0	5.1	1.9	.5	1.4	1.4	.5	.5	1.9	100.0 (215)
100-199	86.2	4.6	1.8	2.8	1.8	.6	.6	1.2	.3	100.0 (326)
200-299	82.7	4.9	3.0	2.6	1.9	1.5	.4	.8	2.3	100.0 (266)
300-399	79.0	5.1	3.8	5.1	1.3	3.2	.6	-	1.9	100.0 (157)
400-499	66.9	8.3	3.7	2.5	6.6	3.7	1.2	.8	6.2	100.0 (242)
500										

2.8.9

(29.1)

%

		1	2	3	4	5	6	()	
(1)		74.5 64.0	6.1 6.4	4.6 8.4	3.5 4.6	1.6 2.2	2.0 2.4	7.6 11.9	100.0 (1047) 100.0 (453)
(2)		76.9	3.3	8.3	1.7	.8	2.5	6.6	100.0 (121)
	30	69.0	7.3	6.6	3.5	1.3	2.5	9.8	100.0 (316)
	30-39	70.1	8.7	5.3	3.4	2.2	1.7	8.7	100.0 (415)
	40-49	71.8	4.9	5.4	5.1	1.1	2.4	9.2	100.0 (369)
	50-59	72.0	4.4	4.8	4.4	3.3	1.8	9.2	100.0 (271)
	60								
(3)		85.7	6.1	-	-	2.0	-	6.1	100.0 (49)
	/	82.9	3.6	3.0	3.3	1.3	.7	5.3	100.0 (304)
	/	74.5	6.1	6.0	2.7	1.2	2.0	7.4	100.0 (732)
	/	55.1	8.3	8.0	6.8	3.2	3.7	14.9	100.0 (410)
(4)		63.6	6.7	6.8	5.3	2.3	2.3	13.1	100.0 (704)
		71.5	6.6	5.1	3.2	1.9	3.2	8.5	100.0 (316)
		82.2	5.3	4.7	2.3	1.1	1.3	3.2	100.0 (472)
(5)		78.9	4.3	4.7	2.6	1.7	.4	7.3	100.0 (232)
	/	68.6	8.1	9.3	5.8	1.2	2.3	4.7	100.0 (86)
	/	63.3	7.5	6.6	5.3	2.7	3.1	11.5	100.0 (774)
	가	74.4	6.1	6.1	1.2	.6	1.2	10.4	100.0 (164)
	가	89.7	1.7	3.4	1.7	-	1.7	1.7	100.0 (58)
	/	87.8	4.4	3.3	1.1	-	-	3.3	100.0 (90)
		97.8	2.2	-	-	-	-	-	100.0 (46)
		80.0	4.0	2.0	4.0	-	4.0	6.0	100.0 (50)
(6)		57.1	-	14.3	-	7.1	7.1	14.3	100.0 (14)
		57.1	12.2	2.0	8.2	2.0	-	18.4	100.0 (49)
		70.3	5.3	6.3	4.2	1.6	2.4	9.8	100.0 (806)
		73.7	6.9	5.4	3.0	1.7	1.7	7.6	100.0 (463)
		73.2	6.5	4.9	4.1	3.3	2.4	5.7	100.0 (123)
		77.8	8.3	2.8	2.8	-	2.8	5.6	100.0 (36)
(7)	가	100.0	-	-	-	-	-	-	100.0 (7)
	100	72.9	4.2	2.1	4.2	2.1	4.2	10.4	100.0 (48)
	100-199	80.6	5.6	2.8	2.8	1.9	1.9	4.6	100.0 (216)
	200-299	72.1	7.1	7.4	3.7	1.5	1.8	6.4	100.0 (326)
	300-399	71.8	4.9	7.1	3.8	1.1	3.4	7.9	100.0 (266)
	400-499	71.3	8.9	5.7	3.2	2.5	2.5	5.7	100.0 (157)
	500	56.2	7.4	7.0	6.2	2.9	1.7	18.6	100.0 (242)

English Abstract

This is the fourth survey on artists' work activities and related problems. The survey is expected to form a database for developing adequate national policies concerning art and culture. We improved the survey design from previous ones through the review of art theories suggested by social scientists and previous surveys on artists' activities. We formulated a better representative sampling frame and improved the survey questionnaire by adding a number of important research items. Relatively few questions concerning their work activities of artists and problems in government policies on art were asked in previous surveys. But the present survey includes, in addition to the previous ones, the questions on artists' education, job career, intrinsic job satisfaction, artistic views and values, and related problems.

The population of this sample survey includes writers, painters and sculptors, photographers, architects, Korean classical musicians, Western classical musicians, theatrical artists, film artists, classical dancers and popular entertainers. Its target sample size is 2,000 persons. In order to achieve the survey target, we sampled a total of 3,500 persons including 1,500 spare samples, since we expected a heavy loss due to the defectiveness of our sampling frame. This sample was drawn, by disproportionate stratified random sampling method, from lists of artists registered in 10 member organizations of the Federation of Artistic and Cultural Organizations of Korea. Using this sample, we conducted the survey by self-administered method for nearly four months. We carried out the survey for such an unusually long time because it was difficult to obtain a number of completed questionnaires close to the target sample size. The number of samples we completed amounts a total of 1,500. This number seem to be a maximum one with this sample. In this regard it may be important to note that we maintained the initial sample framework for reducing both sampling and nonsampling errors, and that the number of actual samples we attempted to contact is about 3,500 since we did not use spare samples in the areas where we completed the survey for the target samples allotted by the stratified sampling method. And also such a heavy sample loss was primarily due to faulty addresses and secondarily because of response refusals. Major findings from the survey are as following.

First, most artists, except for architects and film artists including actors and actresses, debut publicly, mainly through public exhibitions, concerts, or participation in some sort of professional art group. Most architects start their careers by opening a private business office, while most film artists start their work through personal recommendations. Like architects, most photographers run their own business and sell their art products. Most of the artists, regardless of

their genre, actively create art products and frequently present them to the public, often in overseas countries. It is, therefore, natural that most of them are very satisfied with their activities. This is evidenced by a very high intrinsic job satisfaction score.

However, most artists feel that Korea's social and economic conditions are not so favorable to their activities. Most artists are dissatisfied with government art policies. They complain about the lack of financial support, insufficient opportunities for presenting their art products and rigid censorship.

As mentioned above, this survey includes many questions concerning the artists' education, job careers, and artistic views and values. The results of the survey were very interesting. Most artists received college education, but the degrees of coincidence between their college major and art activities differ greatly from one genre to another. Over 95 percent of architects majored architecture in college or advanced studies, while only 10 percent of popular entertainers received college education related to their current activities. Over half of the artists attended private art school, and about 60 percent received private lessons. Most of those who received art education think that their education, whether formal or informal, improved their artistry greatly.

The most important phenomena to be noted with regard to the artists' jobs is that a very significant portion of them do not have a job at all. Some of them are retired or housewives, but many of them are unemployed. The second important observation is that the degrees of coincidence between job and art activities, as is the case for education, differ largely among each genre. Most of the architects, Western classical musicians, classical dancers, and painters and sculptors have professional or semi-professional jobs, while a relatively large number of photographers, theatrical artists, and Korean classical musicians have jobs different from their art activities. Architects earn the most money while Korean classical musicians earn the least.

Finally, we found that Korean artists as a whole have moderate artistic views and values. Most of them believe in the absolute value of pure art and also accept its social values. Furthermore, most of them think that the social responsibilities of artists are very important, but they object rigid censorship. They accept commercial art but tend to be very critical of it. Most artists tend to be politically conservative, but from an economical standpoint, maintain egalitarian values.

: 113 - 06

1997

1998 1

137-070 700
(1)

1998